

400K ON A SINGLE SIDE... RECHARGES IN ONE HOUR, THOUSANDS OF PAGES TRANSFERRED BETWEEN CHARGES.

Uses the main menu concept. You see the disk directory instantly, arranged on your M-100 screen like your main menu. Just move the widebar cursor and transfer files with a function key.

Uses SONY microfloppy diskettes, that have a rigid plastic casing and a metal core. They're tough and nonflexible. You can carry several in a shirt pocket without damage. 10 of these in your briefcase and you've got 4 megabytes.

Drive weighs only 3 lbs. and it works directly from the 110 outlet and recharges at the same time. Also you can operate it or recharge it from your automobile cigarette lighter.

Machine code programs, BASIC programs and documents all are saved and retrieved with no protocol — instantly, read to run.

Sounds a little expensive, but portability in a disk drive is an engineering feat. It's worth the money to have the power and freedom that this Portable Disk Drive can bring you.

<u>Portable Disk Drive</u>

PERCOM DATA

ΨΙ**Ί** VISA/MASTERCARD/COD

00.00

CALL 1-214-351-0564

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

ant with coftware for the Model la

Circle No. 1 on Reader Service Card

Manufactured by PERCOM Data Corporation. ROM based operating system and access software by Portable Computer Support Group. Mastercard/Visa/COD. PCSG provides hotline software support for Model-100. Call 1-214-351-0564. Available now directly from Portable Computer Support Group. We endeavor to continue as The Leader in Software for the Model 100.

We'd like to introduce you to the DataPort portable printer with true letter-quality printing!

People who are going places have been waiting a long time for a letter-quality computer printer to take along. It's here.

The new DataPort electronic computer printer is the first micro-size, 96 character printer to offer you state-of-the-art technology in letter-quality printing at an affordable price.

Frankly, we wouldn't expect you to believe how cleanly and sharply the type-wheel prints without seeing the results yourself, so we typed everything you're reading right now into a computer and printed it out on the DataPort letter-quality printer.

The character font style is Elite 12. The printing system is by a 5-wheel impact unit. The printer uses standard typewriter paper, 8-1/2 inches in width by any length. The computer inter-face is Standard Parallel (Centronics Compatible). Printing is bi-directional. The DataPort printer is FCC approved.

**The printing speed is 15 characters-per-second. **Weight of the printer is less than five pounds. It's than a three-ring notebook, and only two-inches thick! It's <u>smaller</u>

**Column width is 80 characters. The column you're reading is 66 characters-per-line.

Solid Conservation of the system of th

Cost of the printer is \$295.00. That's not a printing error, it really is TWO-HUNDRED AND NINETY-FIVE DOLLARS. Shipping, handling and insurance for orders within the limits of the Continental United State is \$15.00. California Residents must include 6% sales tax (\$19.18). The printer has a full-coverage warranty for 90 days from the date of purchase.

DataPort is the scientific and technical division of Central Stationers, Inc., founded thirty years ago in the San Francisco bay area. The DataPort letter-quality computer printer has been designed to the highest technical and mechanical standards with industrial-quality components for rugged use anywhere in the world. One is waiting for you to tuck into your briefcase and take along with your computer on that next histness trip. Sales, technical specification and service are available from:

> DataPort - Technical Division of Central Stationers, Inc. Computer Products Research Facility 5525 Olinda Road - Building D El Sobrante, California 94803

DataPort



Cover Photo by Charlie Frieberg Retouch by Marjorie Strauss

FEATURES

22 CASES TO GO FOR A MICRO ON THE MOVE

See this month's fashion spread for the latest in totes for the 100.

40 THE ITALIAN INVASION By John P. Mello Jr.

Olivetti's briefcase micro survived the market politics delaying its introduction into North America, but can it weather a pricing storm?

48 MICRO RECORDERS SHRINK MASS STORAGE MEDIUM FOR MODEL 100 By Bill Templeton

The Model 100 isn't tailor-made for microcassette storage, but don't let that stop you from pairing your MEWS with a pygmy recorder.

ARTICLES

34 TELCOM IS GOOD BUT SOFTWARE DIALER IS BETTER By Ronald F. Balonis

TELCOM is nice, but just a hair better than manual dialing. You can change all that with this dandy electronic rotary index dialer.

PORTABLE 100 is published monthly by Computer Communications Inc., 67 Elm St., Camden, ME 04843. James S. Povec-President, Carl Cramer-Vice President.



54 LDOS GIVES MODEL 100 MASS STORAGE By Jeffrey W. Levin

There are programs on the market to make a desktop the 100's slave, but for TRS-80 owners, LDOS is all they need.

DEPARTMENTS

5 PREVIEW

6 MAIL.100

11 THE WIRE

58 BOOKS

61 REVIEWS

76 NEW PRODUCTS

82 FULL DUPLEX By Terry Kepner

COLUMNS

- 16 PORTABLE COMMANDER A look at how the 100's MPU evolved is a study in Micro-Genetics
- By Jake Commander 18 BUSCH LEAGUE Learn how to change RAM files with this remark remover By David Busch
- 25 TELECOMPUTING Hear your interest singing in the pulses of the network nation By Bill Louden
- 28 TANDYTALK Create a data base with Radio Shack's Disk-Video Interface By Bill Walters
- 88 END USER Beware a customer by any other name and the rise of Big Nerdness By Peter M. Stanwyck



Subscriptions are \$28 for twelve issues. User Group subscription rates available. Outside U.S.A.: write for further information. Dealer inquiries: Send to P100, 67 Elm St., Camden, ME 04843. POSTMASTER: Please send changes of address to Portable 100, P.O. Box 250, Camden, ME 04843. Application for mailing at second class rates pending at Camden, Maine, and additional mailing offices. ISSN.0738-7016

2 June 1984/Portable 100

There Are So Many Ways To Get Wise After Dark

With even more databases and convenient new shopping and mail services, there are more good reasons than ever to subscribe to BRS/AFTER DARK. It's the most powerful and comprehensive online information service available!

Want help with your taxes? Tips on choosing a college? Maybe you'd like to browse through abstracts of literally thousands of magazines, or look up a reference in the full text of the Academic American Encyclopedia. It's all available on AFTER DARK, along with practical information on dozens of other general and special interest subjects.

You'll have access to comprehensive online databases covering the social sciences, biology, chemistry, engineering, meaicine, business and education. These are the identical files used by major reference libraries and corporations around the world. In addition, there are

many new databases on subjects ranging from computer education to software evaluations to robotics. And for the first time, you'll be able to order hard copies of any document found in your online search.

Imagine being able to send a letter or message instantly to anyone anywhere from coast to coast, with delivery in the time span you specify. That's the convenience and economy of

Clip & Mail To: BRS/AFTER DARK, 1200 Rt. 7, Latham, NY 12110

Please sign me up as a BRS/AFTER DARK subscriber right away! I understand I will be charged a one-time subscription fee of \$75 plus connect hour rates as low as \$6 per hour, with a monthly minimum of \$12 billed to my credit card account.

Charge to my: AMERICAN EXPRESS/MASTERCARD/VISA

Acct. No. ______Exp. ____

Signature: _

I'd like to know more! Please send me a list of databases and a brochure describing BRS/AFTER DARK.

		(please print)
ADDRESS		
СЛУ	STATE	ZIP
NYS Residents please in County	nclude: OR Tax Exempt No	
PHONE NO. ()		
		P100 6/84

Circle No. 5 on Reader Service Card

....

MCI, the "Nation's New Postal System," and it's now available to AFTER DARK subscribers. Light years more sophisticated than other terminal-to-terminal services, MCI Mail

also gives you options of overnight, overnight-by-noon and four-hour delivery. And if you're sending to someone without a computer, you can even have MCI print the message on their high speed laser printer and mail it from the pearest city!

With BRS/AFTER DARK, you can transform your living room into a university library, a personal post office or even a shopping mall. Discover our new Shop At Home Service that lets you "window shop," order online—and save 20% or more—on everything from a software package or a magazine subscription to your favorite tape or recording. All without leaving home!

> There's simply no time wiser, more informative, more profitable or more fun than AFTER DARK. Use the coupon to sign up before another evening goes by!



1

SUBSCRIBE 1-800-225-8500

Enteryour subscription TODAY... 12 ISSUES 0

PORTABLE 100

IOF OHLY \$24,97 (\$10.03 off Newsland Price)

CALL US! IT'S FAST & EASY!! (or write)

PORTABLE 100 MAGAZINE P.O. BOX 250, 67 ELM ST. CAMDEN, MAINE 04843



"LUXURIOUS GENUINE PIGSKIN CASES"

Show off your new portable computer in one of these beautiful European-style carrying cases. Made of the finest handpicked pigskins, these custom bags are stain and water resistant. They are fully lined and will give you lasting beauty since pigskin is more durable than leather or even vinyl. Indulge yourself and show everyone you appreciate the finer things in life. It's "IN THE BAG!"

Classic	\$49.95	Mail Check or Money Order
Continental	59.95	TO: IN THE BAG, INC.
New Yorker	59.95	P.O. Box 1154
*Custom Bag 5	Special Price	El Toro, CA 92620
Allow 2 0 wee	ha for delivery.	For further information call direct 714/837-2035
	Include \$4.00 Ship	ping. California residents add 6% Sales Tax.
		Dealer inquiries welcome



Circle No. 6 on Reader Service Card



Editor John P. Mello Jr.

Assistant to the Editor Nancy L. Laite

Contributing Editors Jake Commander, David Busch Terry Kepner, Bill Louden Bill Walters, Peter Stanwyck

> Art Director Marjorio Strauss

Advertising Production Coordinator Paige Garland Parker

Production Concultant Lynn Rognsvoog

> Publisher James S. Povec

Associate Publisher Carl Cramer

Advertising Director Peter K.J. Montross (207) 236-4365 P.O. Box 250, 67 Elm Street Camden, Maine 04843

Business Manager James W. McBrian, Jr.

Office Manager Nancy A. Wight

©Computer Communications, Inc., 1984. All rights reserved. Contents of this magazine may not be reproduced in whole or in part unless expressly authorized in writing by the Publisher. TRS-80 and Model 100 are trademarks of the Radiu Shack Division of Tandy Corporation

Radiu Shack Division of Tancty Corporation This magazine is published by Computer Communications, Inc. who is solely responsible for its contents.

The Publisher assumes no responsibility for the return of unsolicited manuscripts, queries or artwork. Materials submitted to Portable 100 should be accompanied by a stamped, selfaddressed envelope. Editorial offices located et 62 Eim St., Camdon, ME 04643.

U.S.A. Newsstand distribution by Curtis Circulation Company. CISID: 76703,372



members of the Model 100 Special Interest Group on CompuServe will immediately recognize the name Peter Stanwyck. Not only is Peter an obsessive programmer (he says he learned to program by locking himself in a room with his computer and with plenty of breakable objects within reach), but an impenitent gadfly and fire-

breather, an *enfant terrible* in a nursery crammed with cherubs. An attorney by trade (he

randuated from Berkeley's Bolt Hall, the West Coast version of Harvard Law School, and runs a business law practice in Oakland), he signs his bulletin board messages with his nom de SIG: End User. For some of us, end user is just an ugly slug of computer marketing jargon designed to make observers of the state of the language gag. But for Peter, who started computing with a TRS-80 Model I he won in a poker game, it's a cause celebre.

This month, Peter brings his cause to *Portable 100* in a column called, appropriately enough, End User (page 88). We don't always agree with Peter's views, but we think you will find them provocative and valuable in assessing the services and products pitched to you every day by the computer industry.

By now, many of you have heard of the third Kyocera microcomputer to enter the American market, the Olivetti M10. To learn about the features of this machine and how it will be positioned in the existing lap computer market, take a look at "The Italian Invasion" starting on page 40.

Another familiar figure on the Model 100 SIG is Bill Templeton, who's become a bit of an expert in getting 100s to work with microcassette recorders. Getting the two gadgets to talk to each other takes a small hardware mod (page 48), but it's worth the effort to have a storage medium that ■JOHN P. MELLO JR.

complements the size of the 100.

You've probably seen those rotary index dialers they sell in electronics and telephone stores. You store your phone numbers in them and at the press of a button, your call is dialed. But my 100 does that, you say. Not quite. As Ron Balonis (page 34) notes,



"for regular dialing, it's easier to do it yourself" than to use TELCOM. Ron's solution was to write a program to make the 100 a rotary index dialer. Then all you do is move the cursor through an alphabetical list (automatically sorted by the program) and press enter.

Last month *Portable 100* covered some new devices for mass storage on the 100. For 100 owners with a TRS-80 Model I, III, or 4, Jeff Levin (page 54) describes another. Jeff explains how to configure the LDOS operating system to let the 100 freely use the disk drives of the bigger computer. You also may



be able to use the desktop as a remote terminal for your MEWS.

One difficulty with managing a data base with the Model 100 is obviously storage. Tandy's Disk-Video Interface, by giving the 100 a disk drive, is a step toward solving that problem. This month, Bill Walters (page 28) begins a series on using the 100 and the DVI.

> More and more each day, the information revolution scenas to be taking its course. What is that course? Part of it can be found in the web of communications' services available to personal computer owners. Bill Louden (page 25) takes a look at some of these services and sketches what they have to offer in his Telecomputing column this month.

> In his first installment in his series of columns on building a program generator, Dave Busch showed you how to open and access RAM files. This month, Dave (page 18) will take things one step further and illustrate how to alter a RAM file through software to remove remark statements in a program.

Did you ever wonder why the 80C85 is at the heart of your 100 and not a Z-80 or 6809? Jake Commander takes a look at this question starting on page 16.

If you take your computer with you, you've got to have something to take it with you in. Take a look at what casemakers are offering 100 owners on pages 22 and 23

And in our review section (page 61), we check out two calculator programs — one from Tandy and another by The Portable Computer Support Group; an outboard, mobile power source; the financial analysis package produced by York software; a wordprocessing package from Discovery Computer Systems; and Tandy's executive calendar program. ◄

Portable 100/June 1984 5

MAIL .100



Editor's Note: In addition to letters from our readers, we also include in Mail.100 letters from CompuServe and The Source. Those message writers are identified by their CompuServe (CIS ID) or Source (STC ID) identification numbers.

THREE READERS NEC CONNECT

I 'm one of your many readers who owns the 100's first cousin, the NEC PC-8201. I think you're doing a fine job and users of both machines can benefit from reading *Portable 100*.

> Andrew F. Zarchy Studio City, CA

and I'm anxious to see *Portable 100* run the ROM map for the NEC machine.

Although the two machines are very similar, there are differences between the two operating systems. Apparently the PC-8201(A) is an upgrade from their earlier desktop PC-8001. The two PCs have similar sets of tokens which are different from the 100's. I've enclosed a token-table for fellow PC-8201(A) owners. (See tables 1 and 2).

> Sidney Lee Downsview, Ontario

I'm a new subscriber to your magazine and am a NEC-8201A user. Here are some comments on some of the NEC-related articles of the past months.

I'd like to take issue with Terry Haas' letter (February 1984, page 10) where he says the NEC has no graphics characters. Although the user must define the majority of them, only three are fixed, there is more graphics capability in the NEC than their manual indicates. I discovered this by accident.

The character generator has a bug which creates characters 161 and up, instead of jumping to 224. Characters 128-159 are entered by pressing GRPH and another key (a-z, $\langle \omega, \rangle, \langle , \rangle, /$, and

6 June 1984/Portable 100

[]); 160-191 are SHIFT + GRPH and another key. This works only with the shift keys, not the cap lock key. I have created characters 131-240 with no problems by modifying the CHRDEF program supplied to write to the addresses these characters reside. Probably all values 131-255 can be defined this way, but I haven't gone that far.

I'd also like to add to Danny Goodman's review (January 1984, page 34) that the ROMS have more similarities than differences. The "terrible trio" of Suzuki, Hyashi, and Ricky also are found in the NEC's ROM. It has the added commands of COLOR, DSKO\$, DSK1\$, DSKF, FORMAT, LFILES, and LOC as tokens for the support of the disk drive and CK1 additions. I've been able to save part (over 4K worth) of a Basic program, in ASCII, at 9600 baud by saving them from the main menu... another use of the menu commands.

В	9	A	В	С	D	Е	F
	STOP	WIDTH	FRESET	BLOAD		ERR	··
END	PRINT	ELSE	PSET	BSAVE		STRING\$	=
FOR	CLEAR		BEEP	DSKOS	SAVE	USING	<
NEXT	LIST		FORMAT		LFILES	INSTR	+
DATA	NEW		KEY				-
INPUT	ON		COLOR	OPEN	LOCATE		*
DIM		ERROR	COM	-		CSRLIN	1
READ		RESUME	MAX		TO	OFF	^
) LET	POKE	MENU	CMD		THEN	DSKI\$	AND
GO	CONT		MOTOR	at e a b	TAB (INKEY\$	OR
RUN	CSAVE	RENUM		CLOSE	STEP	TIMEŞ	XOR
IF	CLOAD OUT	DEFSTR	EDIT	LOAD MERGE		DATE\$	EQV IMP
C RESTORE	LPRINT	DEFINT DEFSNG	SCREEN	FILES			MOD
E RETURN	LLIST	DEFDBL		NAME	NOT	STATUS	1
REM	10191	LINE	POWER	KILL	ERL	SINIUS	``
			0- byte	127) ar	e preceed	ed by FF	(Hex)
			0- byte 3	127) ar: 4	e preceed	ed by FF	(Hex)
	wo-byte t 1	okens. 2					
hey are t 0	wo-byte t	okens.					
hey are t 0 LEFT\$	wo-byte t 1 	okens. 2 CSNG					
bey are t 0 LEFT\$ RIGHT\$	wo-byte t 1 INP POS LEN STR\$	2 CSNG CDBL			5		
hey are t 0 LEFT\$ RIGHT\$ MID\$ SGN	wo-byte t 1 INP POS LEN STR\$ VAL	2 CSNG CDBL					
hey are t 0 LEFT\$ RIGHT\$ MID\$ SGN INT	wo-byte t 1 INP POS LEN STR\$ VAL ASC	2 CSNG CDBL FIX			5		
Chey are t 0 L LEFT\$ 2 RIGHT\$ 3 MID\$ 4 SGN 5 INT 5 ABS	wo-byte t 1 INP POS LEN STR\$ VAL ASC CHR\$	2 CSNG CDBL FIX DSKF			5		
They are t 0 L LEFT\$ 2 RIGHT\$ 3 MID\$ 4 SGN 5 INT 5 ABS 7 SQR	wo-byte t 1 INP POS LEN STR\$ VAL ASC CHR\$ PEEK	2 CSNG CDBL FIX DSKF EOF			5		
hey are t 0 LEFT\$ RIGHT\$ MID\$ SGN INT ABS SQR RND	wo-byte t 1 INP POS LEN STR\$ VAL ASC CHR\$	CSNG CDBL FIX DSKF EOF LOC			5		
Chey are t 0 LEFT\$ RIGHT\$ MID\$ SGN SINT SABS SQR 3 RND SIN	wo-byte t 1 INP POS LEN STR\$ VAL ASC CHR\$ PEEK	2 CSNG CDBL FIX DSKF EOF			5		
Chey are t 0 LEFT\$ 2 RIGHT\$ 3 MID\$ 4 SGN 5 INT 5 ABS 7 SQR 3 RND 9 SIN 4 LOG	I INP POS LEN STR\$ VAL ASC CHR\$ PEEK SPACE\$	CSNG CDBL FIX DSKF EOF LOC			5		
Chey are t 0 LEFT\$ 2 RIGHT\$ 3 MID\$ 4 SGN 5 INT 5 ABS 7 SQR 3 RND 9 SIN 4 LOG 4 EXP	wo-byte t 1 INP POS LEN STR\$ VAL ASC CHR\$ PEEK	CSNG CDBL FIX DSKF EOF LOC			5		
0 LEFT\$ RIGHT\$ MID\$ SGN SINT SQR RND SIN LOG A EXP COS	I INP POS LEN STR\$ VAL ASC CHR\$ PEEK SPACE\$	CSNG CDBL FIX DSKF EOF LOC			5		
0 LEFT\$ RIGHT\$ MID\$ SGN 5 INT 5 ABS	I INP POS LEN STR\$ VAL ASC CHR\$ PEEK SPACE\$	CSNG CDBL FIX DSKF EOF LOC			5		
o LEFT\$ RIGHT\$ MID\$ SGN INT SGN INT SQR RND SIN LOG SIN LOG EXP COS TAN	I INP POS LEN STR\$ VAL ASC CHR\$ PEEK SPACE\$	CSNG CDBL FIX DSKF EOF LOC			5		



From the people who brought you...

BUSINESSPOK+

each on its own cassette with interesting manual...



You have made BUSINESSPAK + an overwhelming success! Now, we are introducing five new programs for the Model 100.

PCSG continues to be first in innovative program ming for the businessperson using the TRS-80 Model 100 Computer.

Look at these five new programs.

With DATA + the Model 100 becomes virtually a true data hase. You can input data rapidly from a 16 field screen that you make yourself like our PUT+. Here is the difference.

\$59.95

<u>REVIEW</u> / Using function key 1 you can recall any record, by searching any field.

EDIT / Change or update any record you select, instantly on the screen.

LIST / Using function key 5 you can print address labels, list records or selected fields of records in colutins or other configurations. You can even pause, and reset left margins

MERGE / Function key 6 lets you merge. You can automatically print any fields of any records into forms or letters, wherever you designate. With all four of these functions you have full search and selection capability

With LIST and MERGE DATA + remembers your favorite formats, quickly defaulting to them by simply pressing the ENTER key. The added feature BUILD lets you build and print a file of unrelated records that could not be selected either alphabetically or numerically.

On cassette with excellent, easy to understand manual.

TYPE+

\$59.95 (pait of the BUSINESSPAK II. Six programs for \$89.95, see ad page 29.)

MORE EXCELLENT PROGRAMS FROM PCSG . . .

You will never use TEXT to originate a document again. The Model 100 now becomes, with the addition of any printer, the finest, most feature rich, electronic typewriter available today. You can type directly to the paper. (some printers have a one line buffer)

Underlines, and does bold-face print on any printer with function keys (no control codes to look up or embed). Right justifies at the touch of a function key.

SCREEN BUFFER / To allow you to edit before printing, you can control the screen huffer from 1 character to the last line.

 $\underline{\textbf{CENTER}}$ / Center on / center off controlled with function keys.

MARCINS / Set margans with function keys. Audible end of carriage, automatic carriage return and function key Tab Set

DIRECT CONTROL / If your printer responds to backspace commands, you can backspace and overstrike. Paper advances with carriage return.

With TYPE - , everything you print is stored simul-ancously in a RAM file, formatted as you composed it. You can reprint instantly, or edit it in the file. On cassette with excellent, easy to understand manual.

TUTOR +

\$39.95 This is what we consider as the finest typing instruction program we have ever seen, on any computer. A person with no keyboard skills can be touch typing in three weeks

Detailed manual as well constructed as any high school typing textbook. Program automatically feeds all 30 typing lessons and drills through, across the screen at graded speeds from right to left. You make letters disappear by typing them correctly.

After each lesson you are given a test. Upon completion you are scored for speed and accuracy. You can test at any time

Also TUTOR + has an exciting game mode. While experiencing the thrills of a space invaders type game

you autumatically become proficient at manipulating . the keyboard.

SORT2+

You can sort a file in place with SORT2+. It consumes only 1k free memory, while sorting file in RAM you entered with PUT+ or DATA+. Our original SORT + allows you to sort from cassette, but requires more memory while sorting. SORT2 $\cdot\,$ is for those times when memory or cassette sorting is a problem. SORT2 + also has upper case fold, and true numeric field sort. On cassette with excellent, easy to understand manual.

TENKY +

\$59.95

\$29.95

With TENKY+ the muneric keypad on your Model 100 emulates both a ten-key desk calculator, and a fi-nancial calcultor. The right side of the screen represents the tape, which can also be directed to a file and/or a printer. Ten working registers are visible on the left of the screen, each one functioning independently as a calculator with functions including exponentiation and logarithms. Registers are accessible from each other, including the tape which stores up to 120 values, each associated with a note of up to 20 characters.

Financial functions available at the touch of a key include IRR, MIRR, and NPV on up to 120 cash flows, plus any of its five annuity variables (n, PV, FV, PMT, i). Function key F2 gives a printed amortization schedule, and businessmen will love the breakeven analysis they can receive simply by pressing function key F1.

PCSG provides hodine software support for the Model 100, Give us a call at 1-214-351-0564. MAS-TERGARD/VISA/COD.

Portable Computer Support Group is pleased to offer these program additions. We endea tinue as The Leaders in Software for the Model 100.

TRS-80 Model 100 is a trademark of Tandy Corporation © 1984 Portable Computer Support Group.



11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

ist with coffwrige for the Model to

Manufactured by PERCOM Data Componation. ROM based operating system and access software by Portable Computer Support Group. Mastercard/Visa/COD. PCSG provides hotline software support for Model-100. Call 1-214-351-0564. Available now directly from Portable Computer Support Group. We endeavor to continue as The Leader in Software for the Model 100.

Circle No. 7 on Reader Service Card

MAIL .100

I strongly agree about the style of the manuals: they should be rewritten. As for software support, the 100 has an advantage, but the systems are so similar it's not hard for an author to modify his package for the NEC.

My opinion is the 100's modem is a better choice for those wanting a truly portable system which can easily connect to another computer. The NEC will turn into a "snarly" mess when a lot of cables are hitched to it for connecting to the line of peripherals offered.

I subscribe to Portable 100 mainly be-

cause the majority of articles are appropriate to both systems. I think it'd be a natural extension to add coverage of the 100's fraternal twin's idiosyncracies.

William R. Tyler St. Paul, MN

AMPI DISAGREES

(Editor's Note: On page 68 of our May 1984 issue, Scott L. Norman reviewed TPLAN/NPLAN by American Micro Products Inc. In addition to AMPI's remarks below, the firm has informed Portable 100



8 June 1984/Portable 100

Circle No. 8 on Reader Service Card

they have prepared a point-by-point rebuttal of Scott's review. Readers interested in that rebuttal can obtain it by writing to American Micro or Portable 100.)

N one of the objections *Portable 100* raised, individually nor collectively, detract enough from our program to merit the type of review you've given us. American Calc is the best spreadsheet currently available for 100 and 8201A users. This opinion is shared by *Creative Computing*'s editor, David Ahl (see *Creative Computing*, June 1984). In a recent phone conversation, he informed us that after testing numerous lap-sized spreadsheets, he found American Calc to be the most competitive.

From December to the present we've shipped hundreds of spreadsheet programs. During this time only two customers have asked for, and promptly received, refunds. How many complaints have you received? Certainly if the product is as deficient as *Portable* 100 claims, you should have received numerous negative inputs.

The fact is, American Calc is an excellent full-featured spreadsheet that does exactly what it's advertised to do. Simply stated, the product has all the features one would expect from a first rate quality software company like AMPI. In addition, it has the capability of printing out all spreadsheet formulas and it has the largest matrix capacity of any lap-size spreadsheet. These benefits far outweigh any of the objections your reviewer mentioned.

Unfortunately, *Portable 100* chose not to emphasize this but rather to focus on some rather trivial points. One would assume, after reading your review, that American Calc isn't a viable product. I'd wager to say it is the bestselling lap-size spreadsheet.

We acknowledge our program, like most programs written, has several faux pas. We, however, don't apologize to you or any of our valued customers. The software products developed by American Micro are of the highest quality and we, quite frankly, don't intend to incorporate any changes in our current spreadsheet.

Most of the damage you have caused us could have been avoided if we were allowed to make a rebuttal in the same issue as the review. Now, two or three months later, it'll be almost impossible to recover.

This does, however, bring up an interesting point. If *Portable 100* feels that allowing us to immediately respond to a negative review will, in some way, compromise its integrity, how then can it continue to accept our advertisements? It seems hypocritical of you to tell your readers how defective our program is in one section and then run a full-page advertisement soliciting sales of this product. We deserved a much fairer review than you gave us.

William McNeil, President American Micro Products, Inc. (AMPI)

COMMANDER STILL JARRING

You write a good mag. Jake Commander's material is usually good; Bender's Basic is very useful. But...

Jake's December 1983 column (CompuChurch, page 24) and his November 1983 column (Perils of Portability, page 20) are an insult to paying subscribers. I wish he'd concentrate on what he knows and leave the comedy to others.

Let me also add, I appreciate very much your efforts in the 100 SIG. It's great!

J. Bixby CompuServe 70465,1045

nclude more technical stuff for us old hackers. After surveying four past issues, I'd say you're moving in that direction, but you've a long way to go before reaching the quality of 80 Micro.

On the other hand, I'd caution you to avoid the chronic editorial diarrhea that infected Wayne Green when he was publisher of that excellent magazine. I notice Jake Commander is one of your regular contributors and worry he may have brough the germ with him.

I've always thought Jake a little weird after reading a derogatory remark he made about structured programming. Remember, normal people are slightly afraid of computers and see them as intrusions into their lives. Running off at the mouth about electronic universities and such brings visions of Big Brother to mind. Likewise, Jake's rather irreverent treatise on the CompuChurch may be appreciated by some of us old hands, but I wonder about the solid citizen-types who are sure to be readers too. W.B. Brown, Jr. New York, NY

MAIL 188

NO FREE LUNCH

n regards to the article by Jesse Bob Overholt (March 1984, pg. 36) in which he refers to the "generous folks at Tandy tower" giving me a "data base program absolutely free," I must admit I paid nearly \$1200 for my 100 with full memory. I don't consider that "absolutely free" at all!

> Brad Baxter Athens, GA

NO RESPECT

've little respect for any publication that's as mistake-laden as yours and I intend to stop buying it until the quality improves. The only part worthwhile are the advertisements. The worst thing about this is it reflects poorly on the usefulness of the 100; it deserves better.

> John Shafer San Francisco

GA

◀



 Pockets hold papers, notepads, business cards

- Detachable zippered pouch holds batteries, modem cord, acoustic coupler. AC adapter
- Convenient hand strap
- Comfortable adjustable shoulder strap.
- Also fits the Epson HX-20 and NEC PC-8201

The Kangaroo Chip-ToteTM PCD-1 is available in black or smoke gray for \$59.95. Include \$2.50 for UPS shipment (CA residents add 6% sales tax). M/C. Visa, C.O.D. orders excepted — or mail check or money order to:



KANGAROO VIDEO PRODUCTS INC. 10845 WHEATLANDS AVE . SUITE C • SANTEE, CA 92071-2856 • (619) 562-9696

ENGINEERED CASES FOR SENSITIVE ELECTRONIC EQUIPMENT

Circle No. 9 on Reader Service Card

the maximum in portability

and protection for your com-

Kangaroo Video Products

Inc. has been the leader in

protecting T.V. cameras and

video tape recorders for pro-

fessionals worldwide. Now we

have brought our thoughtful

design and quality construction

to the portable computer

puter and its accessories.



MODEL 100-32K CMOS EXPANSION RAM ITS LIKE HAVING MORE THAN ONE 32K, MODEL 100 AT ONE KEYBOARD!

— EXPAND YOUR (8K, 16K, 24K, or 32K) MODEL 100 to an additional 32K.

- STORE TWO 32K PROGRAMS without having to reload.

— EACH 32K IS BANK SELECTABLE with a single line **BASIC** program (programs may not transfer information between banks).

— The APPLICATION PROGRAMS already in your Model 100 (BASIC, TEXT, TELECOM, ADDRSS, SCHEDL) may be used in either bank.

— THE EXPANSION RAM MAINTAINS ITS OWN MENU of the data stored in it.

--- Self-contained BATTERY BACKUP POWER

- LOW POWER CMOS DESIGN, enhances battery life.

— GO BEYOND THE MEMORY RANGE by installing additional 32K modules without losing the data on the first 32K module.

— FASY INSTALLATION! Installs into the expansion bus in the bottom of the Model 100 — Then concealed once the cover is reinstalled.

- HIGH QUALITY MANUFACTURING and WARRANTY.

- List 325.00 (Just one third the cost of an additional Model 100.)



66040 GRATIOT, RICHMOND, MICH. 48062 (313) 727-2744

NO WARRENTY ON BATTERIES TRS-80 TRADE MARK RADIO SHACK DEALER INQUIRIES INVITED Circle No. 10 on Reader Service Card

THE WIRE



L.A. COMDEX **EXPERTS PREDICT 100 OUTMODED BY THIS FALL**

By Mike Greenly

ave you thought about what you'll do when your Model 100 is outmoded by new technology? A friend of minc, the "M100 Maniac," said when fullsize desk computers are surpassed, they will be an irritant in all their embarrassing clunkiness.

(he said this softly, lest his Model 100 hear him), he'll still feel special about the pal he's taken everywhere.

My friend mused about this question as though decades would pass before the original 100 had real competition (including from Radio Shack itself). Now that I've told him about the Comdex Lap Computer Seminar, he's looking nervous around the edges.

The seminar, "Lap Computers: Look Before You Leap" was offered in April in Los Angeles at Comdex by Gene R. Talsky, president of Professional Marketing Management Inc., and by Richard Dalton, the editor of the "Whole Earth Software Review/Catalog."

There's little question portables and transportables are one of the shining growth areas of the computer business. Talsky, in his opening remarks, identified three types of portable computers:

specialized applications like inventory control.)

• "Suitcase/Transportable" (which Talsky believes will replace desktop computers, with standard removable storage and a 25-line-by-80-character CRT screen.)

• "Lap/Briefcase" computers (Talsky feels this is the real future of portables, which is why it's the subject of this Comdex seminar.)

New developments now include Strategic Technologies, But when some day he buys a more advanced lap computer offering the first plasma display (extremely bright and clear) in a briefcase. Removable storage is another trend. The Sharp 5000 for example has bubble memory cartridges, though the technology still seems very expensive (\$80 for 16K of RAM cartridge).

The next generation of lap portables will have much more memory (512K) and full size display screens, with 80 columns of text.

How soon will we see these predictions coming true? Incredibly, in only the next six months to a year! Talsky was asked about the new Apple portables (the Apple Hc was not yet released). Answer: "unofficially", both of the Apple machines coming out in 1984 seem "eminently sound" to both speakers (both had seen them). In fact, Dalton had one of the Apple Ifc's in his office at that moment. He endorses the machine with certainty.

A Japanese company has just shown a 2-inch color liquid • "Hand Held" (limited screens and functionality, with very crystal display, we are told. It won't be here in the next six

TASKY AND DALTON LOOK AT LAPPERS, COMPANY BY COMPANY

Xerox: This lap unit can't be selling much, Dalton be-lieves. It's been marketed through Diners Club at around \$4500, "I think they've got a real loser on their hands," he said.

Sord: Dalton said it has an integrated tape, which is nice. It's a good product, but it will have trouble later in the year when capable portables will come out. "I can say that you'll be able to get a full-screen portable computer for less than \$2,000 this year. Sord will have trouble competing."

Gavilan: A wonderful little machine, Dalton said, but who knows whether we'll ever really sec onc. The best thing about it is the beautifully integrated software. But so far it's "vaporware" - we haven't really seen it on the market. "My fear is that Gavilan will horse around with this product so long that two or three other companies will jump into the market and steal their lunch," he said. They may have delayed this product out of existence."

Grid: Another option -- "beautiful, sexy machine. The

electroluminescent screen on it is the best I've seen anywhere." But you're likely to spend \$10,000 before you're through! The software is "elegant". But Grid, too, will be heavily impacted by the next round of lap-size portables.

NEC: It has "the most wretched documentation known. The documentation weighs more than the computer.

Model 100: "There's no reason in the world not to use a Model 100 for telecommunications. Their communications are fairly casy."

Teleram 3100: Dalton showed a photograph of this machine, with a wide array of special function keys. That's great for the applications it can do; but it's terrible if you try to download anything and use it in another machine.

Dulmont Magnum: An Australian system, 80186 based, with removable ROM-packs of up to 256K memory! The smart manufacturers will leapfrog to this processor. Talsky feels. <

—Mike Greenly

Portable 100/June 1984 11

THE WIRE

EASIER COMMUNICATION with your host computer

Lapcom^{Te} lets you manage memory and view files while connected to your host computer. Copy one file to another, display files, kill files, and execute immediate BASIC commands without disconnecting. Also, convenient function key selection of XOFF, XON and CTRL C character transmission. Download, upload, echo-print and dial. (Does not access the ADRS.DO file.) **\$39.95**

LaplogTM lets you store and view the communication dialog between computers. (This is not a download procedure.) Instead, 100's of lines of dialog are stored in unused memory. Scroll through the stored dialog using the arrow keys (like TEXT) while retaining host computer communication. The stored dialog can be printed at any time. Also included is the "snoopy" function. It displays control characters from the host as numeric values in reverse video. This is great for finding communication problems. Program has one-key selection of XON, XOF and CTRL C charactrs, echo-printing, dialing and access in BASIC. (Does not incorporate upload, download or ADRS.DO search.) \$39.95

Each program on convenient tape cassette, with thorough user's manual **and well documented source code listing.** (Use the listing for programming tips, and for adapting the program to your unique needs.)

PROGRAMS FOR THE PC-2/1500

PocketCalc[™] IV is a spreadsheet program. Capacity with 6K RAM is 140 cells; with 10K RAM is 640 cells. Financial and scientific format. Advanced user interface...4 auto repeat directional keys for scanning cells, instant recall menu and function keys. Prints bar and line graphs. \$29.95

Developer does cross referencing, renumbering and block deleting of your BASIC program. Very powerful and simple to use. The best programmers' tool available for this computer **\$29.95**

Each program on convenient tape cassette with excellent user's manual.

Money back guarantee if not satisfied.

Send programs as circled above. Check or charge. First class postage included.

□ Send FREE catalog of 40 business and professional programs for the PC-1/1211, PC-2/1500 and Model 100.

My computer	18	
NAME		
ADDRESS		
CITY/STATE/	ZIP	
	Ex	
Signature		
	PocketInfo Corp	
P.O. Box 152	Beaverton, OR 97075	503-649-8145

Circle No. 11 on Reader Service Card

months, but as it gets larger and cheaper, Dalton said, it will be "a very sexy item."

Prices are coming down, he predicted, noting that NEC has a hand-written sign at their Comdex booth lowering their lap portable's price to \$599 to compete with Radio Shack's April price decrease.

Full screens, not just tiny ones, are coming by fall, he confirmed. Full-size screens help software compatibility, letting portables use "real" software programs with no adaptation.

However, partial screens, like the Model 100 at a low price \$600 is a "hell of a deal" for students, he said. The Radio Shack 100 is selling in the hundreds of thousands at this point. Dalton said. "I was in the press room at Comdex in Las Vegas," Dalton said, "and there were six reporters with their Model 100s!"

"A very key development before the end of the year is this," he said, holding up his American Express card. "Technology will allow us to have memory on strips like the back of your credit cards. Look for that by the end of the year. Think of your American Express card as a software medium to insert into the back of a portable computer!"

"We hear that IBM is planning a 2-inch optical disk for some of their portables of the future. You could probably have a whole encylopedia tucked under your arm!

"I guarantee there'll be a lot of public interest in portables after the Apple HC," we are told. "The promotional campaign will be even bigger than Macintosh. Lap-size portables will be in everyone's minds over the next six months." "Macintosh, at 15 pounds and a canvas bag, is a low-price competitor to the transportable computers. And there are people working on battery packs for it."

"A great number of people will be involved with computers for no other reason than electronic mail and computer conferencing," Dalton predicted. "This is where portables will come into their own."

"Communications is really in the dark ages just now," Dalton said. "I couldn't believe how much garbage you have to go through to send a simple electronic message. It should be pure simplicity. And hardware that simply lets you do that – easily – will be a market by itself."

"FM-side band and cellular radio will also open up a lot of flexibility. No longer will you be under the tyranny of the phone company."

Dalton's closing prediction: Look for Apple, HP, Radio Shack, maybe 1BM, and a number of Japanese companies to bring out advanced lap computers this year. You're going to see big growth!

Sitting there, taking down all these notes – occasionally being asked by the Speakers to comment about my Model 100 – I wondered what the room would sound like filled with dozens of machines clacking at once.

I forgot to ask when the "super silent" models would be here. Or, conversely, "talking" ones, like tap robots with keyboards, (I won't think about that idea too closely!)

Judging by the feverish industry progress reported in the Comdex seminar – if you can think about it, someday your portable will do it!

Mike Greenly is president of Mike Greenly Marketing, 235 East 22 St., New York, NY 10010, and known for his interactive reporting on The Source.

12 June 1984/Portable 100



L.A. COMDEX

SORD PRESIDENT SHIINA: TALKING TO A GENTLEMAN

riday morning at Comdex I was testing out the new Sord lap computer at the Japanese Company's booth. Hovering on the outside, around the ring of portable machinery, were the salesmen from Japan. I was assisted by Takayoshi Kurokawa, the assistant marketing manager of the New York office on Fifth Avenue. In English barely acceptable, but with an eager seriousness that won my respect, he explained that the Sord lap computer had some interesting new features: It has a multi-relational data base and up to eight "windows" for working on separate functions simultaneously.

He explained that Sord was the number two company in Japan in personal computers, after 14 years. The name was invented from the "SO" in "software" and the "RD" in "Hard-ware". "Because we believe they must all work together," he told me proudly.

I don't know it he understood for whom I was reporting, but he did understand the bright green press ribbon. So he asked if I would like to speak with the president.

"The president of Sord?" I asked.

"Yes," he replied.

We set an appointment for Saturday morning.

When I arrived for the interview, the president was standing at the perimeter demonstrating the machinery. I agreed with my salesman-friend to enter the plexiglass booth across the carpet from the products. I'd wait for the president there.

I sat down and set out my Model 100 for note-taking, conscious of the irony. I'd be demonstrating a competitor under the president's very nose.

Takayoshi Shiina entered the cubicle wearing a perfect pinstripe suit and a *Wall Street Journal* necktie. We each bowed slightly and he sat at the table across from me. He was younger than I had expected. My guess was 40.

His English was not as good as his manager's, but after all, his daily work is at Kyobashi K-1 Bldg., 7-12, Yaesn 2-Chome; Chuo-ku, Tokyo, Japan 1 told him I had had the pleasure to spend some time in Japan for Avon, and he smiled in a pleasant way. All we were missing was tea.

Meanwhile, outside the doorway, and around the perimeter, people were stopping to watch the two of us — me typing notes into my computer on the table, the two of us like U.N. diplomats in the news.

"How are you finding things in the U.S. so far?" I asked him. A safe beginning.

"The American nucrocomputer market is about 10 times the size of Japan's," he said. "Now the idea is to make a kind of standardization in the personal computer. IBM standardization makes it easy now. Like riding the surf on the water. Standardization with IBM makes it easy for us. We'd like to combine that with good, unique ideas."

M100 SMALL TALK

- Interface your M100 or NEC PC-8210A with the IBM PC or Commodore 64 using a null modem cable
- Send and retrieve files
- Use the screen, printer and disks on your IBM or Commordore
- \$59.95 with null modem
 \$39.95 without null modem

DIALTALK 8200

- Interface your NEC PC-8201A with the IBM PC using your 300 baud modem
- Same functions as M100 DIALTALK
- \$59.95 single user license

M100 DIAL TALK

- Interface your M100 with the IBM PC using your M100 modem
- Send and retrieve files
- Use the screen, printer and disks on your IBM
- IBM operates unattended with password access and event logging
- \$59.95 single user license

NULL MODEM CABLES

- 5 feet long with metal hoods
- These will fit the M100
- \$39.95 specify malc/malc or male/female

Send check or money order to:

Key Solutions, Inc.

19 silvermine Road New Canaan, CT 06840 (203) 966-9773

(Connecticul residents please odd 7.5% sales tax)



IBM PC is a trademark of IBM Corporation. Commodore 54 is a trademark of Commodore Business Machines, Inc.

Circle No. 12 on Reader Service Card



MICRO-MATH

\$15.00 Converts your computer into a convenient caluculator with 7 programmable memories. Destined to become the most often used program on your portable computer.

#MM1

MICRO LABLE #MLI \$25.00 A deluxe list and lable program. Data can be saved to both ram and/or cassette tape files. It allows up to 5 lines of data to be printed onto standard 3½ x ½ inch labels and accepts a 6th non-prioring data line for LCD display use. The program performs alphabetizing and searches for user assigned printing codes.

MICRO-FILES #MFt \$25.00 A powerful data management program that permits up to 25 files of 12 fields each to be resident in the computer at one time. Each file can consist of up to 900 characters. The program can alphabetize, search on all fields and produce hard copies at the touch of a key.

MICRO-SALES #MS1 \$25.00

A point of sales and forms generation program in one! This program will generate personalized purchase orders, sales orders, receipts and invoices. All data can be saved to ram storage. The program is self formatting, climinating the need for expensive pre-printed business forms, and since it can print consecutive copies, expensive multi-part forms are not needed either. The program even supports sales taxes and discounts and performs all mainfunctions

MICRO-SALES 2 #MS2 \$38.00

This enhanced version of the above program adds additional editing functions and the capability to generate packing slips and statements. It also supports both taxable and non-taxable items on the same form.

MICRO-PILOT #MP1 \$28.00 A flight simulator game with multiple airports. Instrumentation consists of an altimeter, air-speed indicator, turn & bank indicator, compass and directional finder. DME. fuel gauge and indicators for flap and landing gear positions. A simple keyboard layout controls throttle, elevator, rudder/aileron, flap and gear controls.

		·
[]#MM] []#MS1 []#MS2	([_]TR\$80MODEL100 [_]NEC\$201A [_]EP\$ONHX-20
Name		
Address		
City		
		t, Illinois 60056 (312) 394-5165
		Circle Nu. 13 un Reader Service Co

June 1984/Portable 100

"The American market is coming up quickly, already 10 percent of the total are getting computers. Now it will grow more quickly from 80 percent to 90 percent. A big growth market."

I decided to take a risk. "You know, don't you, that we read in newspapers here that the Japanese are growing very big in technology?"

He nodded. Perhaps with national pride.

"Well," I continued, "some Americans worry about that. They worry that the Japanese will be too big. That it may not be good. What would you say about that?"

"Ah." he said, "We're not yet in that kind of times. The computer is different than consumer products like the car. The computer needs much explaining on how to use. The Japanese are good at products that are known, but lack the function to explain or service. Even NEC, and others, are still lacking the servicing.

"Sord should take only 2 to 3 percent of the market."

"You'd be happy with that?" Lasked "Why?"

"Yes. The market is already established," he said. "It's difficult to penetrate. I'd be happy in three to five years to have 2 to 3 percent."

"In a seminar today," I said, "people said the Sord desktop computer was very slow. What do you say about that?" (I knew I was talking as distinctly and simply as I could. I was just hoping I wasn't unconsciously being too loud, wanting to be understood within our private, glass cabin.)

"We know it is slow," the president said. "We have already been making it faster. It will be 20 percent faster in the store. Now we are doing beta testings. We have not yet delivered to end users. The final product, 20 percent faster. Not a problem with processing speed. The integration software is very sophisticated. It will be faster. "It is full-bit mapped and eight marked windows. With relational data base. You will learn in 30 minutes."

"You know," I said. "My machine has a built-in modem. Will your machine have a modem?"

"No modem to start," was the answer. "We will introduce one with and one without. Today the excluded one. The included modem in a few months."

"Do people use telecommunications service like The Source in Japan?" I wanted to know.

'Yes, but not popular in Japan. Not yet. Needs improvement.'

"What are you most a fraid of as you enter the U.S.P" I asked.

"We have failed twice before," he said. "Once, 1975. Again, 1977. We wanted to enter U.S. market but we were too small then. Not enough advertising then."

'Now we're small to medium. \$100 million last year. 8 percent profit. We will spend \$1 million in magazines and newspapers."

He wasn't really, it seemed, implying that it was a big budget, but that this time it should be enough for starters.

He told me he had received many distribution inquiries at Comdex and was very pleased.

"In the seminar I just came from," I said, "the speaker said that the Sord ideas were very good. The speaker liked the programs on your machine."

The president nodded.

THE WIRE

"But," I continued, "he said that later this year there will be many full screen machines, and that Sord could be in trouble then, because you have a small screen. What do you think of that?"

"Trouble later in year? New machines in future? We also have a future! We are prepared, the full size of the screen. Bigger.

"We have 350 engineering people. I don't care about that kind of talking, that Sord will have trouble. We have strong engineers. We can introduce plenty products."

We laughed together at the fact that someone doubted his engineers.

"Tell me," I said. "You know I'm an electronic journalist here. Do you know what a 'scoop' is?"

He nodded yes.

"You do? Well, could you give me a scoop?" I was a bit embarrassed. Everything I had read about being a sensitive American had told me to be careful about asking for "gifts", as I was doing in effect. It isn't nice to ask, since the other is obliged to give.

He delighted me with his answer.

"What kind of scoop would you like?" he asked. He started ticking off the potential "scoops" on the ingers of his hand.

"You tell me — new product? Marketing? Other kind of scoop?"

"A new product," I said. "Give me a new product scoop, if you wouldn't mind."

"A new product," he said. "Next May, we are announcing a product like an IBM 3270 SNA computer. With NAPLPS decoder. With MS-DOS, with UCSDP Operating System. Also concurrent CPM."

I didn't understand it all, but I was impressed anyway. "All in one machine?" I asked.

"Yes! Also Sord real-time, multi-job operating system. Also multi-user Basic. Also Fortran, Cobol. Ascii."

"All in one machine?!" I asked, feeling that this must certainly be a long list of wonders. "Isn't that unusual?"

"Is very good," he said.

He must have realized that I was only dimly comprehending him, because he pulled out of his jacket pocket three pieces of paper. Three information sheets on products. Three separate products.

He handed me one. For the product "scoop" he had given me. "The multi-user 16-bit computer that fits on your desk."

"Don't give details," he said, as he handed me the paper. It was a sacred agreement, but as far as 1 can tell the paper supports everything he said and more.

"Tell me," I said. This was my last question. "You are talking to America now. What would you like to tell them?"

He savored the question for a moment or two.

"Tell them," he said, "Sord has continuing software and hardware. Never just a computer, just a tool. The computer is like a human. The hardware must be grown. The software must grow. Like the muscle. Like the brain. We will be growing, like the human. Tell them that!"

I loved his answer. He did too.

We bowed. I was glad to be able to say, "O-hay-o-guhzaimos." He replied in kind.

I had interviewed a gentleman. And I wished him well. —*Mike Greenly*



Circle No. 15 on Reader Service Card

Portable 100/June 1984 15





JAKE COMMANDER

A LOOK AT HOW THE 100'S MPU EVOLVED IS A STUDY IN MICRO-GENETICS

his month I'll take a look at the "soul" of the 100 — the microprocessor or MPU — and its history. By now you probably already know the chip that drives the 100 is an 80C85. But why this chip? Why not the king of eight-bit microprocessors, the Z-80? Or the more powerful 6809?

If you read my last three columns, you won't be surprised to hear the interrupthandling capabilities of the 80C85 obviously influenced the designers of the 100. The 80C85 has an interesting family tree which gives insight into why it's in existence and how it succesfully can rub shoulders with chips that are traditionally regarded as superior.

HISTORY LESSON. The story goes back to the Dark Ages in microcomputing -1971. In that year, the Intel Corporation released the great-grand-father of the 80C85, a chip called the 4004.

This was a four-bit microprocessor and a lackluster start to the species. Intel had seen the direction digital electronics was taking (towards programmable, versatile control equipment) and filled what they correctly saw as a niche in the market. Coupled with the state-of-the-art of integrating many electronic parts onto a silicon chip, the 4004 was an adventurous start.

A four-bit microprocessor is not very powerful. Whereas an eight-bit MPU can handle numbers between zero and 255, four bits can hold only between zero and 15. The 4004, although wellsuited to many low-end control applications, was never going to drive any microcomputer worth its salt. It may have been at home driving an "intelligent" record player, but nobody was going to write a CP/M for it.

SHORT-LIVED. Next, Intel designed the 8008. According to my sources, this was designed to Datapoint's specifications. Its mission in life was to provide control for an intelligent data-processing terminal, an important step towards the concept of a computer on a chip. Probably the most important attribute of this chip was it's eight-bit architecture.

However, Intel already had other ideas. Advances in large-scale integra-

tion (LSI) were allowing for thousands of parts to be etched onto silicon. The days of the 8008 were numbered: the grandfather of the 8085 was to have a short, uneventful life.

According to an autobiographical article in the January 1980 edition of *Dr. Dobbs' Journal*, Gary Kildall was sitting quietly at his desk at Intel when Masatoshi Shima rushed in. It was 1973 and for some time since the introduction of the 8008, Shima had been working on the next Big Thing. In his laboratory was a microscope amid a rat's maze of wires, probes, meters, and oscilloscopes. Under this microscope was a chip of etched silicon which was about to change the face of computing. Kildall peered down at the first *real* eightbit microprocessor, the 8080.

Shima said, "Let there be eight bits." And there were eight bits. And they were good. So good in fact that within a short time, Motorola was competing with the 6800 which was to evolve in two directions: one leading to the 6502, and one leading to the 6809.

CHIP RACE. Fairchild was in the racc with the F-8 (which in 1977 was the world's largest selling microprocessor). At this time, it'd have cost you \$360 to buy an 8080. Within five years the cost had dropped to \$10, and now you can get them for less than \$5.

In the meantime, Gary Kildall, who



16 June 1984/Portable 100

had been working on software simulation of the 8080 for Intel's development effort, was working on a disk operating system to support the chip. In 1975, the first commercial licensing of the CP/M disk operating system took place and two years later, CP/M was officially introduced.

The success of the 8080 was assured. So much software has since appeared for this MPU that any manufacturer who designs a microcomputer around it is assured of a readily available assortment of tested software products. Bearing this in mind, it's easy to see what pressures are exerted on the industry to try and stay as compatible as possible with the instruction set of the 8080.

EVOLUTION. The next step led to both the Z-80 and the 8085. Thus a long line of microprocessor development had led to the chip which presently drives the Model 100. Although the Z-80 went on to greater things by vastly expanding the number of available machinecode instructions (but retaining the original 8080 ones), the 8085 was a comparatively humble upgrade.

All the instructions of the 8080 are there, making that huge software base available. Its main enhancements lay in the way it could deal with interrupts from external devices. Thus the only software difference is two extra instructions exist to deal with the handling of interrupts. As all microcomputers have to deal with external devices of some kind, the 8085 offers advantages over the 8080 in the way it talks to the outside world.

This is what makes it so ideal for the 100. The 100 interfaces at the hardware level with modems, serial ports, printers, cassettes, and bar-code readers in its standard configuration.

MISSING LINK. The final twist in the tale of the Model 100 is we have an 80C85 rather than a plain 8085. This refers to the method of manufacture of the chip. The 80C85 is put together using what's known as CMOS technology. This technology produces logic chips which are well-known for their low power consumption.

For a portable, battery-operated microcomputer, it's difficult to see which microprocessor would have been better suited to its task. In the words of Darwin, it's survival of the fittest. All that micro-evolution was for something. ◀







■DAVID BUSCH

LEARN HOW TO CHANGE RAM FILES WITH THIS REMARK REMOVER

This is the second in a series of columns by Dave on constructing a program generator for the Model 100. The columns. are based on Dave's The Automatic TRS-80 published by Tab Books.

n the first article of this series, we explored opening a RAM file, reading it in line-by-line, then examining a string of characters in order to count the words in that file. The next step is to alter the file, then write the changed file to RAM. Several of the programs in this series are based on that principle, and the first of these is "REMover."

REMOVER. The program will read-in a RAM file like before. However, RE-Mover will print to RAM a new file similar to the old one. The only difference is when the program encounters a remark (REM or '), the remainder of the program line will be truncated. If a line consists only of a line number and a remark, the line will be deleted from the program. The result will be a program with all of the comments removed.

Depending on the number of remarks used in the original program, the remarkless version may be significantly smaller and therefore consume less memory space.

SIMPLE? Ordinarily, one might think clipping remarks from a program would be ridiculously simple. Since the 100 ignores anything after REM or ', a program could simply search for those two strings.

However, what about remarks within print statements? You wouldn't want

18 June 1984/Portable 100

REM and 'removed in those instances. REMover takes care of this stipulation by simply looking at each program line for quotation marks as well as remarks. If a REM appears after one quote, but before the second, then it's contained within quotation marks. This assumes the programmer hasn't mismatched quotes and has included two for every prompt.

REMOVING REMARKS. The program begins by asking the operator for the name of the program which will have its remarks removed. This name, F\$, is used to form the name of the output file automatically.

First, in line 100, the second name, F1\$, is formed by taking its first four letters and adding RM.DO to them.

Next, both files are opened, and a single line is input in line 140. Variable P, where the search for REMs begins, is set to one. Thus, the initial search for remarks will begin at the first character of A\$.

TANDEM SEARCH. Because both REM and 'can indicate remarks, two searches must be conducted. First, in line 160, the program checks for ', and, if it's found, assigns variable R with the position of the suspected remark. Control then branches to line 200.

If no apostrophc is located, the program next checks for REM, in line 180. If no remark is found, then the program line is already remark-free, and the program branches to line 350.

Possible remark lines are examined further at a routine beginning at line 200. There, Q1 is assigned the value of the position of a quote mark. If none is found, then a remark has indeed been located and the control passes to line 260. If a quote is detected, then RE-Mover looks at the rest of the program line, beginning at position Q1+1 for a second quote. That value is Q2. If the position of the remark, R, is less than Q1 (the remark appears before the first quote), or is more than Q2 (it appears after the second quote), then a remark is verified, and the program goes to line 260.

REMARK VALIDITY. If neither condition is true, then the alleged remark is actually within the quotes, and is disqualified. The program instead makes P equal to the next position after the second quote (Q2+1), and returns control to line 160 to see if possible remarks exist after position P. In this way, an entire, multi-statement line can be looked at section-by-section to detect all remarks.

When a valid remark is located, the program takes all of the program lines up to the remark itself, using A^{\$=} (LEFT\$, R 1), as in line 260. This, in effect, truncates the program at the remark.

We aren't through yet. After all, some program lines consist of just a line number and a remark. Cutting off the remark leaves only the line number. This is a bit untidy, and also a waste of computer memory. So, the program cycles through a For-Next loop from 1 to the length of A\$. Each time through, the string variable B\$ is assigned the value of the middle character at position N.

CHARACTER CHECK. This character is scrutinized to see that it's a number in the range 0-9, since all program lines begin with numbers. As soon as B\$ doesn't equal a number, REMover knows the line number is over, and control drops down to line 310.



Our Batteries Take You Anywhere

Whether you're writing your novel in the hills of Texas, your memoirs while sailing to Antiqua or just plain tired of spending time under your desk looking for outlets, PRAIRIE POWER batteries make "Briefcase Computing" a reality.

There's nothing complicated or expensive. Just plug one of our small units into the side of your Model 100, Olivetti M10 or NEC 8201A and forget about electricity. Gain dramatic savings over cost and computing time of AA's.



- PRAIRIE POWER is rechargeable
- Electrolyte immobilized technology
- Leak-proof and totally carefree
- 5' cable included
- Fits into standard cases
- Universal charger available
- For any 6-Volt applications such as radios, recorders, etc.
- Choose weight and battery size appropriate to your needs
- 24 hour ordering
- No memory like Nicads
- Not gelled-cells

SPECIFICATIONS

Size	Rating	Weight	Dimensions
8 amp. hr. 55 amp. hr 2.6 amp. hr.	160 hrs. (32K) 100 hrs. ″ 54 hrs. ″	3.6 lbs. 2.7 lbs. 1.4 lbs.	6x3.75x2 6x3.7x1.3 6x2.3x1.3

Bluestem Productions, Box 334, Wayza Please send me: 6 Amp. Hr. (\$34,93), 5.5 Amp. 1 0 Universal Charger (\$11.95) TERMS: Check. Money Order, Visa/MC Add \$4 to total for freight.	∃r. (\$32.95)2.0 Amp. Hr. (\$29.95)
Name	
PhoneAddress	·
City	_StZip
_VI3AMC#	Tap. Date
Signature	
L	

BUSCH

There, T\$ is assigned the rest of A\$. If T\$ is empty, or consists only of a space, then the program knows it has found an empty program line, and loops back to line 130 without printing anything to the RAM. That line has been deleted from the program entirely.

If T\$ does have characters, a check is made to see if the final character is a colon, as would be the case if a remark followed a colon on a multi-statement line:

10 PRINT"HELLO": REM This is a remark.

If a colon is the last character, it's deleted in line 340. Then, A\$ is printed to the screen (so the operator can monitor

the progress of the program) and printed to RAM. Control goes back to line 130, where a check for the end-offile is made, and another program line input from the RAM.

THAT'S IT. And if you'll excuse the pun, that's all there is to REMoving the REMarks from your programs. ┥



20 June 1984/Portable 100

Circle No. 19 on Reader Service Card

Circle No. 18 on Roader Service Card



Unique software to make your lap-sized portable the equal of any desk-top microcomputer

Professional and personal management programs designed for Tandy Model 100, NEC PC-8201, and Olivetti computers.

Dataccount's proprietary algorithms in assembly language give your computer virtual random access memory, accessing any record in less than a second, even in a 32K byte file. Other features include variable length fields, searching and sorting capabilities, with no memory overhead.

Now available from NEC dealers are four new programs by Dataccount; tax preparation, tax planning, timekeeping, and real estate analysis.

DATACCOUNT

516 S.E. Morrison, Suite 820 Portland, OR 97214 (503) 232-0490 Applications now in use include: Name, Address Data Base Appointments Text Formatting Calculator Real Estate Analysis Timekeeping Tax Preparation Tax Planning Games

Circle No. 20 on Reader Service Card







MEWS owners racing for success can stash their mighty mite in New Yorker, \$59.95, made by In the Bag Inc., El Toro, CA (714-837-2035) and displayed here by Dee Dee Lord of Murielle's.

More than a touch of class can be added to your 100 with this case made of red oak from Reyburn Woodcraft, Sparta, MI (616-887-0191), \$99.95.





CASES TO GO FOR A MICRO ON THE MOVE

For informal and most other occassions, Kangaroo Video Products Inc. of Santee, CA (619-562-9696) makes the Chip-Tote PCD-1, 359 95, modeled here by Julie Stanton of Gibson Girl Modeling in Portland, ME.





Classic protection for your 100 is offered by Radio Shack for \$49.95 (catalog no. 26-3809).



Antique vehicles, costumes and sets furnished courtesy of Owls Head Transportation Museum, Owls Head, ME.

For 100 owners who can't resist the feel of real leather, Radial Concerns of Riverside, CA (714-683-2288) produces this chic case designed by Bianchi for \$109.95.

Photography by W.G. Thuss III® 1984

ro,



TELECOMPUTING



🖬 BILL LOUDEN

HEAR YOUR INTEREST SINGING IN THE PULSES OF THE NETWORK NATION

ohn Naisbitt's best selling book, Megatrends, states we're entering an Information Society where we'll manufacture and consume more information than any other product. I agree. And over the past several months I've concentrated on the information revolution as seen on CompuServe.

TIP OF ICEBERG. But the CompuServe Information Service is only the beginning; hundreds of other specialized data bases also exist. Of the data bases available, some are full-text search, others are keyword search, and a few are still only text files. But the list hopefully will provide insight into the quantity and breadth of electronic information available.

Full-text search data bases generally are the more powerful since you can search an article directly for any word or phrase specified. However, learning the specific commands to accomplish your search generally means learning a complex searching language. Data bases using a keyword searching meth od only allow you to search for words that the data base provider determines.

For example, if you were to search an encyclopedia data base using a keyword search method, you'd have to search for the word "computer". But in a full-text search data base, you also could specify "new computer" or include other phrases as well. You could search for "computer" and "Japan" for information that contained both words.

AVAILABLE DATA BASES. Below is a collection of data bases currently available. It's not a complete list by any measure, but it does show the wealth of commercial information that exists.

Many of the data bases cataloged below may be on more than one data base-provider company so it may be worthwhile to compare pricing and features.

AMMSI Communication Network. Source Telecomputing Corporation. Covers information on the use of the computer and information systems in medicine. This data base includes citations relevant to literature, vendor information, and a calendar of events. Produced by the American Association for Medical Systems and Informatics (AAMSI), membership in AAMSI is required.

ABI/Inform. BRS, Dialog, and ITT Dialcom. ABI/Inform contains citations, with abstracts, to the worldwide periodical literature on business and management. It covers accounting, economics, financial management, law and taxation, marketing, labor relations, and other business areas. Produced by Data Couries Inc.

Academic American Encyclopedia. BRS, Dialog, Dow Jones. The Academic American Encyclopedia contains fulltext search of the 20-volume encyclopedia. On CompuServe, this data base is searchable by keywords only; on BRS and Dialog, it is a full-text search data base.

Accident/Incident Data System. United Information Services Inc. Information on general aviation accidents and incidents is provided. This data base includes date, type, investigating agency, location, aircraft involved, public inquiries, fatalities, etc. and is produced by the Federal Aviation Administration, Flight Standards Field Office. AGRICOLA. BRS and Dialog. Citations to the worldwide agricultural literature, covering agricultural economics and rural sociology, agricultural production, animal sciences, food and human nutrition, natural resources, and soils and fertilizers. Produced by the U.S. Department of Agriculture.

AgriStar. AgriStar(tm). AgriStar contains many files of agricultural business information, including commodity news, cotton trade news, market news, weather reports and forecasts, market analyses and advisory reports, up-tothe-minute news stories that are influencing commodities markets, and graphs of current and historical commodities market data. Produced by AgriData Resources Inc. and others.

Altman Weil Report to Legal Management. NewsNet Inc. Full-text search of the monthly Altman Weil Report to Legal Management. It provides descriptive and evaluative information on services and products used in law offices and tracks trends. Produced by Altman Weil Publications Inc.

AM Best Insurance Data Base. Chase Econometrics/Interactive Data. Financial data on U.S. insurance companies, including life, health, accident, and property and casualty companies. Produced by A.M. Best Company (subscription required).

ASI (American Statistics Index). *Dialog.* Citations, with abstracts, to U.S. government publications containing social, economic, demographic, and other statistical data. Produced by Congressional Information Service Inc.

ALTA Religion Data Base. BRS, Dialog. Citations to books, monographs, journal articles, thesis, and book reviews on all aspects of religion and theology. Produced by the American Theological Library Association (ALTA) Religion Indexed.

Automotive News Data Bank. Data Resources Inc. (DRI). Time series on the North American automobile market.

Portable 100/June 1984 25

Circle No. 22 on Reader Service Card

Avion Communications

Your Notebook Computer Software Source

PORTABLE COMPUTER SUPPORT GROUP

Business Pak +	\$76.50
Data +	51.00
Sort 2 +	30.00
Tutor +	35.00
Tenky +	51.00
Disk +	59.50

AMERICAN MICRO PRODUCTS

American Calc	
Spreadsheet	\$85.00
RPN Calculator	25.00
Equation Solver	34.00

TRAVELING SOFTWARE

Time Manager	\$51.00
Appointment Manager	51.00
Sales Manager	51.00
Expense Manager	51.00
Traveling Writer	42.50

SKYLINE MARKETING

Porta Galc (Incl. Porta Dex & Porta Print) \$59.50 Porta Stat 38.00



26 June 1984/Portable 100

New York, N.Y. 10016

WHERE TO LINKUP WITH THESE NETWORKS

LOUDEN

AgriStar AgriData Resources Inc. 205 W. Highland Avenue

205 W. Highland Avenue Milwaukee, WI 53203 (414) 278-7676

BRS 1200 Route 7 Latham, NY 12110 (518) 783-1161

Chase Econometrics/Interactive Data 150 Monument Road

Bala Cynwyd, PA 19004 (215) 667-6000

CompuServe Inc. 5000 Arlington Centre Blvd. Columbus, OH 43220 (614) 457-8600

Data Resources Inc. (DRI) Data Products Division 1750 K Street, NW Suite 1060 Washington, DC 20006 (202) 862-3760

Dialog information Services Inc. 3460 Hillview Avenue Palo Alto, CA 94304 (415) 858-3785

Produced by Crain Automotive Group Inc. and DRI (subscription of DRI required).

Bank Network News. NewsNet. News and analyses of shared networks for electronic funds transfer services' jointly owned by U.S. or Canadian banks, etc. Produced by Barlo Communications Corporation.

Book Review Index. Dialog. Citations to books currently in print, declared out-of-print, and soon to be published titles from more than 14,000 publishers. Produced by R.R. Bowker Company.

Cablenews (tm). NewsNet. Full text of CableNews, a weekly newsletter covering the cable television industry. It includes direct broadcast satellites and subscription and pay television information. Produced by Phillips Publishing Inc.

Canada Data Bank. *Data Resources Inc. (DRI).* Canadian economic, financial, and demographic statistics. Produced by Statistics Canada, the Bank of Canada, DRI, and other sources.

Casino. Chase Econometrics/Interactive Data. Time series on the legal gambling industry in Nevada and Atlantic City, NJ. Covers wins/losses and number of games/devices per casino for coin-operated devices, table games, pools, and books. Produced by Chase Econometnes/Interactive Data (subscription required).

CIS/Index (R). Dialog. Citations,

Dow Jones & Company Inc. PO Box 300 Princeton, NJ 08540 (609) 452-2000

ITT Dialcom.
 1109 Sprint Street
 Suite 410
 Silver Spring, MD 20910
 (301) 588-1572

NewsNet inc. 945 Haverford Avenue Bryn Mawr, PA 19010 (215) 527-8030

Official Airline Guides Inc. Oak Brook, IL 60521 (312) 654-6000

Source Telecomputing Corporation The Source Source 164 McLean, VA 22102 (703) 734-7300

United information Services Inc. PO Box 8551 Konsas City, MO 64114 (913) 341 9161

with abstracts, to publications produced by the committees and subcommittees of the U.S. Congress. Covers hearings, reports, committee prints, House and Senate documents, and executive documents. Legislative histories of public laws are also added annually. Produced by Congressional Information Services Inc. (CIS).

Commodity News Services. The Source, CompuServe. Price data and news on commodities traded on U.S. commodity exchanges. Also includes political, agricultural, economic, and weather information affecting the supply and demand of over 80 commoditics traded in North America. Produced by Commodities News Services Inc.

Comp-U-Store. Dow Jones, The Source, CompuServe. Shopping services for many types of nationally advertised consumer products. Covers televisions, automobiles, appliances, luggage, sterling silver, cameras, sewing machines, furniture, musical instruments, stereos, and computer equipment. Comp-U-Store claims over 40.000 items available with discounts up to 40 percent from list prices. Produced by Comp-U-Card of America Inc.

CSI Career Network. *The Source.* An employee recruiting and job listing service that contains resumes of job-seekers from executive recruiting firms and lists of employment opportunities from potential employers. Resumes and job openings are classified into technical

LOUDEN

and management job categories. Produced by Computer Search International Corporation.

ERIC (Educational Resources Information Center). *BRS*, *Dialog*, *CompuServe*. Citations, with abstracts, to U.S. journal and report literature in the field of education and education related areas. ERIC includes career, adult, vocational, technical, special, and childhood education. Produced by the U.S. Department of Education, National Institute of Education.

Executive Productivity. NewsNet. Full-text search of Executive Productivity, a monthly newsletter in the area of performance and personal effectiveness of executive personnel. Produced by Newsletter Management Corporation.

The Gold Sheet. NewsNet. Full text of The Gold Sheet, a weekly newsletter covering college and professional football and basketball games in the United States. Includes scores, point spreads, team statistics, and analysis of upcoming games. Produced by Nation-Wide Sports Publications.

Grants. *Dialog.* References to grants offered by federal, state, and local governments; commercial organizations; and private foundations. Produced by the Onyx Press.

International Software Data Base. Dialog and Knoweledge Index. Full-text search of commercially available software for all types of microcomputers and minicomputers. The International Software data base includes a description of the software, hardware, and operating system requirements, distribution medium, price, and supplier's name and address. The data base is the largest and most comprehensive detailed information on software in the world. In addition, the software can be ordered while on line. Produced by The Menu: The International Software Data Base.

IRS Practices and Procedures. *Newsnet.* Full text of IRS Practices and Procedures, a monthly newsletter on U.S. federal tax developments. including court decisions, legislative actions, and Internal Revenue Service rulings and regulations. Produced by Mark A. Stephens, Ltd.

Marquis Who's Who. Dialog. Biographical information for over 75,000 prominent Americans. Includes career history, education, creative works and publications, and special achievements. Produced by Marquis Who's Who Inc. **Medline.** *BRS*, *Dialog*. Full-text access to worldwide biomedical literature contained in articles from journals published in the United States and 70 countries. Produced nationally by the Library of Medicine.

Money Markets Data Base. Chase Econometrics/Interactive Data. Daily rates for money market instruments. Includes certificates of deposits, commercial paper, and government and municipal instruments. Produced by Chase Econometrics/Interactive Data (subscription required).

Nomura Research Institute Economic. Chase Econometrics/Interactive Data. Economic and industry data on Japan. Includes forecasts of domestic economic and financial trends, historical economic time series, and business performance data. Produced by Nomura Research Institute (subscription required).

ÒAG-EE (Official Airline Guide-Electronic Edition). Official Airline Guide, CompuServe. Schedule of passenger and cargo flights of over 600 North American and international airlines. OAG-EE includes origin and destination airports, fares, airline, equipment, and flight number. Produced by Official Airline Guides Inc.

RadioSource (tm). The Source. Shopping service for cassette tape recordings. Includes episodes from "old-time" radio shows from the 1930s, 1940s, and 1950s. Produced by Don Och's Sound Lfbrary.

REL(R) (Real Estate Listing Service). The Source. Data base of real estate and resort property available for sale. RELS includes resort timeshares, resort condominiums, and hotels and motels. Produced by MDR Telecom (subscription required).

Site II (R) and Site.Potential. Chase Econometric/Interactive Date, Compu-Serve, United Information Services Inc. A demographic retrieval generation system based on the 1960,1970, and 1980 census of population and housing. Site II also includes annual income estimates, zip code area data, and demographic information. Produced by CACI Inc.

Twu/Sixteen Magazine. NewsNet. Full-text search of the *Two/Sixteen magazine*, providing hardware and software information for users of the TRS-80 Models II, 12, and 16 microcomputers manufactured by Radio Shack. Produced by *Two/Sixteen Magazine*.



Portable 100/June 1984 27

TANDYTALK

BILL WALTERS

CREATE A DATA BASE WITH RADIO SHACK'S DISK-VIDEO INTERFACE

S preadsheets, spreadsheets anyone got a spreadsheet? You bet. *Spectaculator* should fit your bill nicely. Shipped out over a month ago, it ought to be in computer centers and expanded computer departments by now.

Spectaculator (catalog number 26-3828) sells for \$19.95 and is a tapebased spreadsheet program. It's written entircly in machine language and is fast. Also, it includes a help file which can be deleted to save valuable RAM space.

Stop by and take a look if you need a nice spreadsheet. Oh yes, it requires a Model 100 with 16K memory as a minimum.

MEA CULPA. I want to state unequivocably that I'm not now, nor shall I ever be, a programmer.

I don't have the patience necessary to thoroughly work through a solution to find the best algorithm.

I'm not enamored by a bubble, ripple, or shell-metzner sort.

I don't spend my waking hours in pursuit of the perfect display or input routine.

The line numbers in my programs may not be evenly spaced, the output may be ragged looking, but by damn, the program does the job I want it to do.

What I'm trying to say is that I program to get things done.

There. I've said it and I'm glad. Anybody else out there care to confess? Like the priest in the movies always said, "Confession is good for the soul."

MAKING RAM ROOM. Several people have written in and asked for more information on the Disk-Video Interface. Specifically, they want to know why it

28 June 1984/Portable 100

doesn't provide the capability of random record access and what, if anything, can be done about it.

Well, the reason the disk drive unit doesn't have random record access is the 100 itself doesn't support random access to the RAM files.

The reason for that is buried inside the main read-only-memory (ROM) that contains all the internal software. We ran out of room and random access was tossed out as being too expansive in terms of code required to support it. So much for internal RAM files; how about the disk?

True random access is out as well, but with two commands added to the disk system, you can have pseudo-random access. You'll have to be a tidy programmer and keep up with all the housekeeping chores yourself, but it can be done.

HOUSEKEEPING. The Disk-Video Interface has a 39-track, double-density, single-sided drive. Each track consists of 18 sectors, with 256 bytes each (figure 1). Therefore, multiplying 40 by 18 by 256 equals 184,320 bytes per disk. With a full system disk, part of this storage area is taken up with necessary housekeeping information.

The first two tracks are entirely taken by the operating software for the Disk-Video Interface, as well as the Disk Basic loaded into the 100.

Track 20 is called the directory track and it contains information necessary for the 100 to be able to find and manipulate any file on the disk.

So, on a full system disk, 13,824 bytes are reserved leaving 170,456 bytes for your use.

It isn't necessary for you to keep a

system disk in the drive once the unit has been connected to an operational 100, since all the software is loaded already into the interface as well as the 100. This lets us use all 184,320 bytes, but the penalty paid is we must keep track of what goes where on the disk. But how? Via DSKI\$ and DSKO\$.

ENTER DSKIS. These two commands stand for Disk Input and Disk Output and do just that. They cause data to be input from and output to the disk drive at any specified spot on the disk.

The syntax of these commands is:

• DSKO\$ drive number, track number, sector number, which sector half, expression; and

• DSK1\$ (drive number, track number, sector number, which sector half);

So, if I want to write the word hello to the first 128 bytes of sector 13 on track 9 in drive I, the command will look like this:

DSKO\$ 1,9,13,0,"HELLO"

The entire 128 bytes allocated to the first half of sector 13 will be written. The first five bytes will be "HELLO" and the remaining 123 bytes will be null characters (decimal value of zero, not decimal zero). If I want to read it back, the command is:

PRINT DSK1\$ (1.9,13,0)

FANCY FINANCING. Since we don't need anything but a formatted disk in the drive, let's take advantage of that to simplify the example this month, and next month we'll make it a little more complicated.

Joe wants to organize his finances. His first priority is to put all of his checks by number into a central filing system. Since Joe has his new 100 with a Disk-Video Interface, he's decided to use that. He decides he needs the following information about each check:





Soundsight is proud to announce its new 128K bubble memory module for the Model 100! The module is available in two models, allowing it to be either attached to the bottom of the Model 100, increasing it's overall thickness by approximately half an inch (Model 128X), or set up remotely, along side the 100 in a small package approximately $4^{"} \times 4^{"} \times 2^{"}$, requiring the use of a cable (Model 128R). Both AC and IX operation is provided, requiring only a small 12 volt adapter. Rechargeable batteries are also compatable. The memory will be expandable to one megabyte (one million bytes of memory) through the purchase of additional modules, requiring factory installation (Model 128X), or reconfiguration (Model 128R).

This bubble memory module has a nonvolatile memory which means the memory will not be lost in the event of loss of power

or dead batteries. It can operate like a hard disk in which vast amounts of data or programs may be quickly stored, downloaded, and then run in the Model 100's 32k RAM. Upon downloading to RAM, the data is not erased from the bubble memory. With the use of simple sub-routines, programs which exceed the Model 100's RAM may be made to operate by sampling between the 100 and the bubble. No more I/ O errors or cassettes or disks that won't read, and no more address or note files which take up the majority of RAM preventing the storage of other programs and requiring tedious cassette or disk procedures.

Power consumption is low because the bubble memory is powered up only when it "reads" or "writes" and it performs these functions in less than a second.

Originally developed by Soundsight for

Stevie Wonder's Model 100, this module is especially useful to reporters, programmers needing remote terminals, or anyone finding that they need more memory in order to take full advantage of their investment in the Model 100 and all the software they may have bought but cannot use due to lack of memory.

The two models differ in price and features. The Model 128R sells for \$750.00, while the bottom attachment — Model 128X, sells for \$950.00. The 128X series allows space for the interfacing of additional 128k memory modules and their power requirements.

As certain programming is necessary for operation of the bubble memory module with the Model 100, the software driver sells for \$100.00.

To order, send check or money order payable to Soundsight Communications.



Bilder Trap 00 Bilder Break Break

1) Number 2) Date 3) To 4) For 5) Amount 6) Deductable

WALTERS

Joe programs like me — for results, not aesthetics. He decides he can keep each check's information in 128 bytes so he can store two checks in each sector on the disk. Since he's dedicating a disk, the maximum number of checks the system is capable of handling is 1440 (2 sectors x 18 sectors x 40 tracks). This is adequate for a full year since he writes about 65 to 70 checks per month.

GET ON TRACK. The first task is to figure out how, using a check number, to position the disk drive head to the proper track and sector (including which half of the sector) for each read or write operation. He makes up a chart showing the highest check number stored in a given sector on a specific track (table 1).

The first or second half of each sector he finds can be found by the formula:

(Check Number + 1) MOD 2

Finding the right track number stumps

him for a while, but he gets it with:

((Check number - 1))2)\18

(Note that integer division has been used since whole numbers are the object of this search.)

The exact sector was pretty elusive too, but through trial and error he came up with:

(Check number – (Track Number x 36)) + 1)(2

He verified these by writing a small program to check the values against the table. Use the listing shown to check Joe's work (program listing 1). Was he right?

THE CYCLE. Once he figured out that, all remaining was to write a simple routine allowing him to enter information and then store it properly on the disk

								1	'abl	el.									
				- -				7		iector	· · .		3.2			16	. 1.0	1- 1 -2-	
Track		1	2 =======		4	5 ======		/	8	9 ======	- 10	.11 	12	13	14	15	: 16 ======	17	
0		2	4	6	8	10	12	14	16	18	-20	22	24	26	. 28	- 30	. 32	34	
		38	40	42	44	46	- 48	50	52	54	56	58	60	62	64	66	68	70	
	16.5	74	76	78	80	82	84	86	88	.90	· · · 92	94	- 96	- 98	100	102	104	106	
		110	112	114	116	118	120	122	124	126	128	130	132	134	136	138	140	142	
4	508	146 182	148	150	152	154	156	158	160	162	164	166	168	170	172	174	176	178	
*	5259	102 218	184 220	186 222	188 224	190 226	.192 228	194 230	196 232	198 234	200 236	202 238	204 240	206 242	208	210 246	212 248	214 250	
700		254	256	258	260	262	264	266	268	270	272	274	276	278	280	240	284	286	
8	Boll	290	292	294	296	298	300	302	304	306	308	310	312	314	316	318	320	322	1
9		326	328	330	332	334	336	338	340	342	344	346	348	350	352	354	356	358	
10		362	364	366	368	370	372	374	376	378	380	382	384	386	388	390	392	394	1
14		398	400	402	404	406	408	410	412	414	416	418	420	422	424	426	428	430	· · · •
12	285	434	436	438	440	442	444	446	448	450	452	454	456	458	460	462	464	466	
13	8865	470	472	474	476	478	480	482	484	486	488	490	492	49.4	496	498	500	502	
14		506	508	510	512	514	516	518	520	522	524	526	528	530	532	534	536	538	
15		542	544	546	548	550	552	554	550	559	500	. 562	564	566	550	570	572	574	
16 17	날()요즘 1978년 대	578	580	582	584	586	588	590	592	594	596	598	600	602	604	606	608	610	. (
18	2년만문 시설인문	614 650	616	618 654	620	622	624	626	628	630	632	634	636	638	640	642	644	646	:. (
10 19	de G	686	652 688	690	656 692	658 694	66D 696	662 698	664 700	666	668	670	672	674	676	678	680	682	
20	50 G	722	724	726	728	634 730	152	/34	/36	702	704	706 742	708	710	712	714 -750	716 752	718 754	
21		758	760	762	764	766	768	770	772	774	776	778	780	782	784	786	788	790	
22		794	796	798	800	802	804	806	808	810	812	814	816	818	820	822	824	826	έ
23	eeste be	830	832	834	836	838	840	842	844	846	848	850	852	854	856	858	860	862	ě
24		866	868	870	872	874	876	878	880	882	884	886	888	890	892	894	896	898	s
- 25	565	902	904	906	908	910	912	914	916	918	920	922	924	926	928	930	932	934	5
26	透巖	938	940	942	944	946	948	950	952	954	956	- 958	960	962	964	966	968	970	្ឋ័
27	ب ي زيدو	974	976	978	980	982	984	986	988	990	992	994	996	998	1000	1002	1004	1006	\mathcal{U}
28		1010	1012	1014	1016	1018	1020	1022	1024	1026	1028	1030	1032	1034	1036	1038	1040	1042	. 10
29 30	862	1046 1082	1048 1084	1050 1086	1052 1088	1054 10 90	1056	1058 1094	1060 1096	1062 1098	1064 1100	1066 1102	1068 1104	1070	1072 1108	1074 1110	1076 1112	1078	10 11
31	588	1118	1120	1122	1124	1126	1128	1130	1132	1134	1136	1138	1140	1106	1108	1110	1148	1114	- 11
32	98	1154	1156	1158	1160	1162	1164	1166	1168	1170	1172	1174	1176	1178	1180	1182	1140	1186	-11
33	283	1190	1192	1194	1196	1198	1200	1202	1204	1206	1208	1210	1212	1214	1216	1218	1220	1222	12
34		1226	1228	1230	1232	1234	1236	1230	1240	1242	1244	1246	1240	1250	1252	1254	1220	1256	.1
35		1262	1264	1266	1268	1270	1272	1274	1276	1278	1280	1282	1284	1286	1288	1290	1292	1294	12
36		1298	1300	1302	1304	1306	1308	1310	1312	1314	1316	1318	1320	1322	1324	1326	1328	1330	1
37	265	1334	1336	1338	1340	1342	1344	1346	1348	1350	1352	1354	1356	1358	1360	-1362	1364	1366	1
38	總軍	1370	1372	1374	1376	1378	1380	1382	1384	1386	1388	1390	1392	1394	1396	1398	1400	1402	-1
		1406	1408	1410	1412	1414	1416	1418	1420	1422	1424	1426	1428	1430	1432	1434	1436	1438	- 1-
40		1442	1444	1446	1448	1450	1452	1454	1456	1458	1460	1462	1464	1466	1468	1470	.1472	1474	: 1

30 June 1984/Portable 100

AUTOMATICALLY TEACHES TYPING

TUTOR +

Learn keyboard skills quickly and enjoyably

- 30 lessons fed from text files, presenting exercises at graded speeds
- After each lesson, or whenever you like, you are tested for current speed and accuracy
- Detailed, professional manual corresponding to lesson files.
- Has game mode for fun and excitement while learning.



TUTOR + \$39.95 INCLUDES CASSETTE AND EXCELLENT MANUAL MC, VISA OR C.O.D.

<u>ORTABLE COMPUTER SUPPORT GROUF</u>

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

PC5G PROVIDES HOTLINE SOFTWARE SUPPORT FOR THE MODEL 100. CALL US AT: 1-214-051-0564

Circle No. 26 on Reader Service Card

WALTERS

(listing 2).

So, how does it all work? Very simply, of course.

The input program collects a check's date, to whom it's written, what for, the amount, and if it is deductable or not.

Lines 300 - 350 use the check number to position the data onto a track and sector of the disk.

Lines 400 - 460 place the data into a single string of 128 characters, and line 470 places this string onto the disk. Then it begins all over again.

REVERSE. Recalling the information (listing 3) is pretty much a reverse of the input process from a programming standpoint.

Lines 200 - 230 get a check number and verify that it's within bounds of 0 to 1440

Lines 300 – 350 determine which track and sector the information is on, and 360 gets the information from the disk into a string named Z\$.

450 - 460 check to see if there is any information in this record. If so, it dis-

60 CLS

80 PRINT

90 PRINT

D\$

200 CLS

: CLEAR 512 /O PRINT "Data Loader"

to Disk"

215 IF N=O THEN MENU

: 'PRINT "Saves Check Information

100 INPUT "Press ENTER when ready";A

210 INPUT "Check Number (O to quit) ";

216 IF N<1 OR N>1440 THEN 210 220 INPUT "Date Written (MM/DD/YY) ";

PRINT "Insert CHECKS data disk"

plays it and waits for an enter before returning to the beginning. Otherwise, it displays an error message and asks for another check number.

STAY TUNED. The more Joe looked at the program, the more he was convinced that it must be improved. After all, how was he going to get a listing of all checks stored in sequential order? A listing of checks by date order?

Keep watch next month as Joe learns some new tricks. 🔫

Listing 1. 1 * Validate Track/Sector of Disk based on 128 byte records 3/11/84 31 4 ' by Bill Walters and Joe Example ۳ 10 INPUT "record";A 20 $TN=((A-1)\setminus 2)\setminus 18$ 30 PRINT "Track Number = ";TN 40. SN=((A-(TN*36))+1)\2 50 PRINT "Sector Number = ";SN 60 H=(A+1) MOD 270 PRINT "Sector Half = ";H 80 GOTO 10 Listing 2.

10 ' Check Database 20 ' 3/11/84 ' by Bill Walters 30 40 Ť۴. and Joe Example



32 June 1984/Portable 100

Circle No. 27 on Reader Service Card

TWALTERS



INPUT "Press ENTER to continue . ";A 200 CLS 200 LINPUT "Which Check Number (0 to quit) ";N
220 IF N=0 THEN MENU
230 IF N>1440 OR N<0 THEN 200
300 'Track number
300 'Track number 300 ' Track number 310 TN=((N-1)\2)\18 320 ' Sector number 330 SN=((N-(TN*36))+1)\2 340 ' Which half of the sector 350 SW=(N+1) MOD 2 360 Z\$=DSK1\$ (0,TN,SN,SW) 460 PK + WID#(70 + 18) 400 D\$=MID\$(Z\$,1,8) 410 P\$=MID\$(Z\$,9,41) 420 F\$=MID\$(Z\$,50,61) 430 A\$=MID\$(Z\$,111,17) 440 T\$=MID\$(Z\$,128,1) 450 L=INSTR(1,A\$,"\$") 460 IF L THEN A\$=MID\$(A\$,L+1, LEN(A\$)-L) 500 CLS 510 IF ASC(D\$)>96 THEN PRINT "Record not on file" : FOR X=1 TO SUD : NEXT X : GOTO 200 : GOTO 200 520 PRINT @40, "Check: ":N; 530 PRINT @65, "Date : "D\$ 540 PRINT @80, "Amount: "USING "\$\$##, ###.##"; VAL(A\$) 550 PRINT @120, "Pay: "; 560 PRINT @160,P\$; 570 PRINT @240,F\$; 580 PRINT @315,""; 590 INPUT ""; A 600 GOTO 200 600 GOTO 200

Get more use from your Model 100 Let the Elves help!

ELF-WRITER

Expand your text processor! Features include: - Formatted veiwing mode with horizontal ELF-PAK = ELF 1 + 1 CALCULATOR + ELF-BANKER scrolling — Formatting uses Wordstar™ dot ELF1+1 turns your computer into an easy to commands: Variable margins; Pagination; use calculator. Features: Entry, Total & Headings & Footings; Right justification of text; And Much More!! Memory displays; %, Exponent & Square Root keys: + More! **ELF-COP** ELF-BANKER evaluates your money for the most return. 20 calculations including: Com-Manage your file space problems! pound interest, Present value, Loan & Mor Backup all of your files at one time. A tgage payments, Annuities & Active Savings backup report documents your backup. accounts. ELF-COP will also Copy, Rename, Delete and Report file sizes. TM MicroProInternational Corp Send the coupon below to: \$39.99 EACH Ceres Software Inc. SPECIAL OFFER 4303 S.W. Chesapeake Ave. All 3 for \$90.00 Portland, OR 97201 Price includes shipping. (503) 245-9011 Please send me on cassette: NAME. L ELF-WRITER C ELF-COP C ELF-PAK STREET: Special Offer \$90.00

CITY: _

TELEPHONE:

Circlo No. 28 on Reader Service Card

Send C.O.D.

Check for _____ enclosed

Portable 100/June 1984 33

ZIP:

STATE: ____

TELCOM IS GOOD BUT SOFTWARE DIALER IS BETTER

TELCOM is nice, but just a hair better than manual dialing. You can change all that with this dandy electronic rotary index dialer.

By RONALD F. BALONIS

The 100 will dial your phone for you. Radio Shack has a method shown in the manual, pages 82 to 84. Briefly stated, you use TELCOM with the function keys: dial a manually entered telephone number or one from the ADRS.DO file. This novelty works and is great for TELCOM. But, for regular dialing, it's easier to do it yourself. I figured there's got to be a better way.

DID IT MY WAY. Since the 100 has the telephone hardware built-in, all that's needed to make it into a good, useful telephone dialer is a software program. And that's what my Model 100 Dialer program (program listing 1) is for. It's not too fancy, no bells or whistles, just a beep or two. But it's simple to use, as simple as an electronic rotary index file.

Just move the cursor to the name and number and press enter: it remembers and dials the numbers; you do the rest.

WHAT'S THE IDEA? Most dialers arc simple to use, but none's as simple as a rotary telephone index file. With a rotary index file for a model, the program that emulates the file must be simple to use too. The utility of programs, even frequently used ones, goes down as the number of commands and instructions go up.

The algorithm of a rotary index file is short and simple: Move through a sorted list of names and numbers, and



when the one wanted is found, dial it. But this isn't as simple to do in software: simplicity of operation can create a rather large software overhead.

To make it simpler, keyboard input is limited to cursor and number keys. To save memory and to make saves and loads easy a data-statement file is used for the number directory: Basic's Edit function is used to maintain it. The number of names and telephone numbers in the directory is limited only by the amount of memory in your machine.

They can be in any order; the file is sorted on initialization. And random access to the data-statement file lets you step the cursor through this sorted directory file.

EASY TO USE. The dialer program requires a short initialization time. When the top of the directory appears, use the cursor control keys (up and down arrows) to step to the number you want, then press enter to dial it. Press shift and the cursor keys to step seven at a time. To dial a number not in the directory, move the cursor to the upper left hand corner of the screen, and hit enter. When done, press F8 to return to the operating system (Mcnu). From there, you can maintain the directory by adding or deleting entries with the Basic Edit function.

Each entry is limited to a total of 28 characters, either alphabetic or nuineric; each is one program line and one data statement at the end of the program.

DIAL-A-LOG. Following the program listing, the mainline is from line 0 to 510, with initialization from lines 0 to 150. First you POKE in the small machine-language program to dial the number. It dials the numbers by calling two of the ROM's routines: GETHL (23267D) puts the number's location in the HL register and DIAL (21293D) dials the number pointed to by the HL register. A number is dialed by CALL 62950,0,VARPTR(NUMBER\$).

Next the screen is labeled and the directory data file is read, counted, and the memory address of each is located. At the out of data error, the program jumps to the Shell Sort.

The command interpreter routine is from lines 200 to 510. Number the keys and cursor for a cursor location at the upper left of the screen; cursor only for finding a number in the list.

DIAL-AWAY. From lines 1000 to 8050, you have the subroutines that make the program:

Dial the number, lines 1000 to 1330;
Dial the number the cursor's on, passing this number (in 10 and A\$) to the machine-language program for dialing;

• Via Shell Sort, lines 4000 to 4110, the directory data file is sorted and only the memory pointers in ADDRS array are exchanged;

• Move the cursor, lines 5000 to 5080, and crase the old cursor, printing the new one;

• Make the screen and cursor, lines 6000 to 6100, print seven names and numbers from the data directory on the screen; make the cursor a reverse line on the screen;

• Get a name and number, lines 7000 to 7030, from the routine for random access of the directory file; POKE the address of data statement 10 into the active data location, putting it in A\$

34 June 1984/Portable 100
Tired of waiting for slow cassettes? Holmes Engineering, Inc. has solved your problem with. . . the PMD 100[™] Portable Micro Drive.



WHAT IS THE PMD-100?

The PMD-100 is a HIGH SPEED storage system for SAVING and LOADING programs and files on the model 100 microcomputer.

USER FRIENDLY, menu driven software and a ROM based operating system are incuded.

The PMD 100 is faster and easier to use than cassettes.

PMD-100 FEATURES:

- Up to 64K storage per wafer
- 16K RAM Buffer
- Fast Data storage/retrieval
- Portable and light weight

- ROM based operating system
- Connects to RS232 port
- Rechargable battery
- Replacable wafer tapes

CALL AND ORDER TODAY!

ALSO AVAILABLE FOR THE MODEL 100 IM-100™, 8K RAM Modules Only \$69.50 up to 32K memory upgrade - Plugs into M100 sockets Easy to install - No modifications required

Holmes has a complete line of TRS80 model I, III and IV upgrade products. Call or write today for a FREE product brochure.

5% Cash Discount



Bus. Hours: 8-5:30 (MST) Mon. Fri. 10-2:00 (MST) Sat. (Sales only)

5175 Green Pine Drive Salt Lake City. Utah 84123 (801) 261-5652 or 24 Hr. BBS (801) 263-1103



Call For Dealer Nearest You Dealer Inquiries Invited Full warranty on all products Add shipping/handling for U.S. and Canada. All others add 15%. Prices subject to change without notice.

Circle No. 29 on Reader Service Card



DIALER

with a DATA READ;

• Create a software INKEY\$ function, lines 8000 to 8050; a subroutine making an INKEY-type function with a blinking cursor in software; it returns the character in KB\$;

Store telephone names and num-

bers, beginning at line 10000, each in a single program line and data statement, 28 bytes long.

NUMBER, PLEASE. You're not there yet. To run this program you need to use Radio Shack's telephone interface

0 ' DIALER.BA 1/15/84 -- RON BALONIS ' MODEL 100 TELEPHONE DIALER 10 CLEAR 100, MAX RAM-10 : 'RESERVE MEMORY 15 DEFINTA, F, I, J, M, N, S 20 DIM ADDR(20,2) : 'ADDRS OF TEL NUMBERS 25 NOS⇒0 : ICUR=1 : START=1'INITIAL VALUES 30 RVID\$=CHR\$(27)+"p : NVID\$=CHR\$(27)+"q" 'TO DIAL A # CALL 62950 WITH # IN 35 HL 40 DATA 205,227, 90 : 'CALL GETHL <5AE3H> 45 DATA 205, 45, 83 · 'CALL DIAL <532DH> 50 DATA 201 'RETURN 60 'POKE THE DIAL ROUTINE 65 FOR L=62950 TO 62956 70 READ A POKE L,A 75 NEXT L 80 '--- PRESS F8 TO GO TO MENU 85 KEY (8)ON : ON KEY GOSUB ,,,,,9000 90 ON ERROR GOTO 4000 : 'NOS = DATA ERROR 95 '---MAKE DIALER SCREEN 100 CLS : PRINT @13,"++NAME++ ++NUMBER++" 105 PRINT @80," MODEL 100 110 PRINT @120," 11 DIALER 115 PRINT @200," 120 PRINT @240," PRESS " く 4 个 > 125 PRINT @280," <ENTER> "; 130 NOS=NOS+1 : '---READ DATA FILE ADDRS 135 '---DATA ADDRESS=64440+ 140 ADDR(NOS, 1)=PEEK(64440) 145 ADDR(NOS,2)=PEEK(64441) 150 READ A\$: GOTO 130 190 '---COMMAND_INTERPETER 200 POKE 65450,0 : 'KILL KEYBRD ROLL OVER 205 GOSUB 8000 : IF KB\$="" THEN 200 210 IF KB\$=CHR\$(31) THEN 285 : 'DOWN

36 June 1984/Portable 100

DIALER

cable (catalog number 26-1410). The program, as listed, uses about 4.3K RAM, and runs in an 8K machine. If you remove the pretty print spacing and remarks, you can reduce it to 3.2K making the program run a lot faster. bytes, not including those of the basic line number and data token. Be sure to format each as in the program, otherwise the screen will not format properly. Finally, redimension the ADDRS array in line 20 to the number of numbers in your list.

Each entry to the directory uses 29

215	JF KB\$=CHR\$(20) THEN 400
	: 'FAST DOWN
220	IF KB\$≈CHR\$(30) THEN 290 : 'UP
225	IF KB\$=CHR\$(2) THEN 440
200	: 'FAST UP IF KD\$=CHR\$(13) THEN GOSUB 1000
235	IF ICUR>O THEN 200
240	: 'CURSOR ONLY IF KB\$=BKUP\$ THEN 245
240	IF KB\$=BKUP\$ THEN 245 ELSE 265
245	IF LEN(A\$)>0 THEN 250
250	ELSE 265 PRINT KB\$;" ";KB\$;
255	A\$=MID\$(A\$.1.LEN(A\$)-1)
260	GOTO 200
265	IF KB\$<"0" OR KB\$>"9" THEN 200
270	IF LEN(A\$)=11 THEN 200
275	A\$=A\$+KB\$: PRINT KB\$;
	: PRINT KB\$; : GOTO 200
280	MOVE THE CURSOR
285	ICUR=ICUR+2
	: 'DOWN
290	ICUR=ICUR-1 : 'UP
295	: 'UP IF ICUR <start 400<="" td="" then=""></start>
475	: ' NEW SCREEN
300	IF ICUR>FINSH THEN 440' NEW SCREEN
305	'GO MOVE THE CURSOR
310	GOSUB 5000 ; COTO 200
315	'CURSOR AT TOP - NEW SCREEN??
400	IF ICUR>O THEN 420
405	GOSUB 6000
410	PRINT @O, RVID\$; SPACE\$(12);
415 420	PRINT @O,"";
420	IF START=1 THEN ICUR=0 : GOTO 200
425	START=START-7
	: GOTO 500
430	'CURSOR AT BOTTOM - NEW
	SCREEN??
440	IF FINSH=NOS THEN ICUR=NOS : GOTO 200
445	START=START+7
500	ICUR=START
510	GOSUB 6000
000	: GOTO 200
900 1000	
1100	IF ICUR=0 THEN 1300
1110	IO=ICUR
	: GOSUB 7000

Circle No. 56 on Reader Service Card SURVEY,100 PORTABLE SURVEY SOFTWARE COGO ROUTINES FOR CLOSURES FIELD NOTE REDUCTIONS SUBDIVISION CALCULATIONS • POINTS NUMBERED 1-65535 COMPLETE TELECOMMUNICATIONS **RECEIVE DATA/SEND RESULTS** CASSETTE, TRSDOS 1.2/6.0 DISK or MODEM DELIVERY \$12500 VISA/MC SURVEY SOFTWARE ASSOCIATES **4 MAHER AVENUE GREENWICH, CONN. 06830** 203 661-4869 Circle No. 76 on Reader Service Card THE PORTA STAND Improved Viewing Angle Improved Typing Angle PORTABLE - Can be carried in your MOD 100 pouch VERSATILE - Can be used on lap or desktop. For MOD 100 or NEC 8201 Send check or money order for \$12.95 plus 82.00 shipping and handling tor PORTA PRO P.O. Box 15456, Denver, CO 80215

dealer inquiries invited



```
: 'GET A$
 1200 '---DIAL THE NUMBER IN A$
 1300 BEEP
         PRINT @0, RVID$; SPACE$(12);
 1310 A = A + CHR (0)
        : PRINT @0,""
 1320 CALL 62950,0, VARPTR(A$)
        : '-DIAL IT
 1330 BEEP
        : BEEP
        : RETURN
      t
 1340
 4000 '--- DO A SHELL TYPE SORT OF #S
 4005 NOS=NOS-1
        : MID=NOS
 4010 MID-INT(MID/2)
         'CUT LIST IN HALF
 4015 IF MID<=0 THEN RESUME 500
 4020 FOR J=1 TO NOS-MID
'DO A PASS
 4030 IJ=J
 4035 IM=IJ+MID
 4040 IO=IJ
       : GOSUB 7000
         BS = AS
       :
         'GET B$
 4050 IO=IM
       : GOSUB 7000
                 GET A$
 4060 IF A$>=B$ THEN 4100
       : ' NO SWAP
 4065 I1=ADDR(1J,1)
       : I2=ADDR(IJ,2)
4070 ADDR(IJ,1)=ADDR(IM,1)
4075 ADDR(IJ,2)=ADDR(IM,2)
4080 ADDR(IM,1)=11
        ADDR(IM,2) = I2
4085 IJ=IJ-MID
4090 IF IJ>=1 THEN 4035
4100 NEXT J
4110 GOTO 4010
       : 'GO FOR ANOTHER PASS
4500
5000 '---MOVE THE CURSOR
5010 PRINT @O,NVID$;SPACE$(12);
5020 IO=II
       : GOSUB 7000
        ---ERASE OLD
5030 PRINT @IKUR.A$:
5040 IF ICUR>II THEN
                      II = II + I
         IKUR = IKUR + 40
5050 IF ICUR<II THEN II=II-1
       : IKUR=IKUR-40
5060 10=11
      : GOSUB 7000
        '--MAKE NEW
5070 PRINT @IKUR,RVID$;A$;NVID$;
5080 PRINT @0,"";
      : RETURN
5900
6000 '---MAKE A SCREEN AND CURSOR
6005 PRINT @0, NVID$; SPACE$(12);
6010 FINSH=START+6
      : CUR = 51
```

DTALER

38 June 1984/Portable 100

	Circle No. 34 on Reader Service Card
////LER/	
6015 IF FINSH>NOS THEN FINSH=NOS	TRS-80 ALWAYS AT SALE PRICES
6020 FOR I=START TO FINSH	
6030 IO=I	COMPUTER WE SHIP
: GO3UB 7000 : 'GET A NAME & #	
6035 IF ICUR=I THEN II=I	CENTER FAST!
: IKUR=CUR	DFW COMPUTER CENTER
: PRINT @CUR,RVID\$; 6040 PRINT @CUR,A\$;NVID\$;	326 MAIN ST., GRAPEVINE
6050 CUR=CUR+40	TEXAS 76051 — (817) 481-7283
: '-COMPUTE NEXT PRINT@ 6055 NEXT I	
6060 IF CUR>320 THEN 6100	OUR TRS-80s Have the Radio Shack warranty
: 'CLEAR BOTTOM?	
6070 FOR I=CUR TO 291 STEP 40 6080 PRINT @I.SPACE\$(28):	
6090 NEXT I	
6100 A\$=""	
: PRINT @O,""; RETURN	
: PRINT @0,; : RETURN 6500 /	
7000 'GET A NAME & NUMBER A\$ = IO	
7010 POKE 64440,ADDR(I0,1) 7020 POKE 64441,ADDR(I0,2)	
: KEAD A\$	
7030 RETURN 7900 '	
8000 'A SOFTWARE INKEY\$ WITH	
0005 'A BLINKING CURSOR	To get YOUR SALE price CALL:
8010 KR\$(0)=CHR\$(255) : KR\$(1)=" "	1-800-433-S A L E
8020 BKUP\$=CHR\$(8)	
: CT=1 8030 PRINT KR\$(CT/10)BKUP\$;	Circle No. 35 on Reader Service Card
: CT=CT+1	
: KB\$=INKEY\$ 8040 IF KB\$<>"" THFN PRINT " "BKUP\$;	
- OUTO IL VRP(> IHEN AKINI RKO52: 1	
: RETURN	RPN Calculator
: RETURN 8050 IF CT>19 THEN 8010	
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030	For the Model 100.
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 9000 MENU	
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT	For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs.
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY	For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. • CALCULATOR PROGRAM
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914	For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs.
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274	For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. • CALCULATOR PROGRAM + /. y ^x , x ² , sort x. 1/x. x!. Inx, e ^x , 10 memories with memory arithmetric — displays
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914	For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. • CALCULATOR PROGRAM + /. y ^x , x ² , sqrt x. 1/x. x!. Inx, e ^x , 10 memories with
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623	For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. • CALCULATOR PROGRAM + /. y ^x , x ² , sqrt x. 1/x. x!. Inx, e ^x , 10 memories with memory arithmetric — displays stack or memory registers • DATA INPUT SUBROUTINE
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA VGI ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA STUDIO 824-4666	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x. x!. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x, x!. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 820-4231	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x, x!. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOG TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y*. x². sqrt x. 1/x. x!. Inx, e*, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048:
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10900 DATA BELL LOC TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y³, x², sqrt x. 1/x, xl. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA DPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA FIRE HAN. TWP 825-8521	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x. xl. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish motation) by observing
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x. x!. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish notation) by observing stack in operation
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA PPL ELEC 824-9811 10050 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOG TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA POLICE W-B 826-8111 10150 DATA POLICE W-B 826-8111 10150 DATA HOME 696-1489	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y*. x². sqrt x. 1/x. x!. Inx, e*, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish motation) by observing stack in operation Help function included
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 826-4231 10100 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA FIRE HAN. TWP 825-8521 10140 DATA POLICE W-B 826-8111 10150 DATA HOME 696-1489 10180 DATA PORTABLE 100 1 207 236 4365	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x, x!. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse pollish notation) by observing stack in operation Help function included
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA PPL ELEC 824-9811 10050 DATA PPL ELEC 824-9811 10050 DATA FAA 654-8623 10060 DATA STUDIO 824-4666 10070 DATA LUZ COUNTY CD 822-5115 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOG TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA POLICE W-B 826-8111 10150 DATA POLICE W-B 826-8111 10150 DATA HOME 696-1489	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x. xl. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish motation) by observing stack in operation Help function included Includes tape and instruction booklet.
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA G54-8623 10060 DATA FAA 654-8623 10060 DATA KAC ELECTRONICS 675-2654 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA FIRE W-B 826-8181 10130 DATA POLICE W-B 826-8111 10150 DATA POLICE W-B 826-8111 10150 DATA HOME 696-1489 10180 DATA PORTABLE 100 1 207 236 4365 10190 DATA C.C.MAG 6-9621	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y², x², sqrt x. 1/x. xl. lnx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish motation) by observing stack in operation Help function included Includes tape and instruction booklet. To order send check or money order for \$19.95 to: COMPUTE/ACCOUNT
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA G54-8623 10060 DATA FAA 654-8623 10060 DATA KAC ELECTRONICS 675-2654 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA FIRE W-B 826-8181 10130 DATA POLICE W-B 826-8111 10150 DATA POLICE W-B 826-8111 10150 DATA HOME 696-1489 10180 DATA PORTABLE 100 1 207 236 4365 10190 DATA C.C.MAG 6-9621	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y^x, x², sqrt x. 1/x. xl. Inx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish motation) by observing stack in operation Help function included Includes tape and instruction booklet.
: RETURN 8050 IF CT>19 THEN 8010 ELSE 8030 8060 ' 9000 MENU : 'F8 PRESSED! QUIT 9990 ' DIRECTORY 10000 'DATA *** NAME *** *** NUMBER *** 10010 DATA BELL TEL LINES 1800 932 0914 10020 DATA TOWER SERVICE 1-455-3274 10030 DATA UGI ELEC 288-6516 10040 DATA PPL ELEC 824-9811 10050 DATA G54-8623 10060 DATA FAA 654-8623 10060 DATA KAC ELECTRONICS 675-2654 10080 DATA ARTCO ELECTRONICS 675-2654 10090 DATA BELL LOC TEST 826-4231 10100 DATA WILK TRANSMITTER 822 4594 10110 DATA VAL-TRONICS 655-5937 10120 DATA FIRE W-B 826-8181 10130 DATA FIRE W-B 826-8181 10130 DATA POLICE W-B 826-8111 10150 DATA POLICE W-B 826-8111 10150 DATA HOME 696-1489 10180 DATA PORTABLE 100 1 207 236 4365 10190 DATA C.C.MAG 6-9621	 For the Model 100. What is it? It's a RPN* calculator program. It's also a data input subroutine that can be used in your own programs. CALCULATOR PROGRAM + /. y², x², sqrt x. 1/x. xl. lnx, e^x, 10 memories with memory arithmetric — displays stack or memory registers DATA INPUT SUBROUTINE Calculator hidden in cursor at any prompt you choose — instead of INPUT X use GOSUB 5048: X = AN fully transparent RPN TUTORIAL Facilitates learning RPN (reverse polish motation) by observing stack in operation Help function included Includes tape and instruction booklet. To order send check or money order for \$19.95 to: COMPUTE/ACCOUNT

Portable 100/June 1984 **39**

Olivetti's briefcase micro survived the market politics delaying its introduction into North America, but can it weather a pricing storm?

By JOHN P. MELLO JR.

fter months of delays resulting from reported attempts by the Tandy Corporation to block Ing. C. Olivetti & Co. from importing its M10 portable microcomputer into the United States, the Italian firm has perservered; M10s now are being sold in North America.

BACKGROUND. Did Tandy try to prevent the M10 from entering the United States? Officials from Tandy and Kyocera (the Japanese firm manufacturing the Model 100, NEC8201A, and M10) interviewed by *Portable 100* refused to comment on that question.

According to reports in the computer press, Tandy opposed the M10's entrance into the United States because it would contain the same modem that's in the Model 100. Mark Yamagata, director of personal computer products, told *Portable 100* Tandy holds a patent on the modem in the 100.

This wasn't the first time it was reported Tandy was jealousy guarding the modem in the 100. Similar reports surfaced when NEC introduced the 8201A into this country. At that time, it was reported Tandy's opposition to NEC marketing a Kyocera machine with a modem induced NEC to introduce a modemless 8201A here.

It also was reported that when it appeared Kyocera would be selling Olivetti portables with modems, Tandy filed a lawsuit in Japan to block the deal. Neither Kyocera nor Tandy would comment on whether or not such a suit was ever filed. If a suit existed, Olivetti didn't know anything about it, according to Roberto Rigone, product planner at Olivetti.

Tandy objected to the M10 when it did, said George Christian, personal computer marketing manager at Docutel-Olivetti, because in "my personal opinion they wanted to keep us out of the Christmas market, and obviously that happened."

Christian explained Kyocera notified Olivetti it would go through with its U.S. deal in early January. It has



been reported Kyocera paid Tandy a substantial sum of money to eliminate the roadblock to importing M10s into the United States. Tandy and Kyocera remain mum on that subject.

However, whatever differences existed between Tandy and Kyocera, they appear salved, since sources within Tandy said the Japanese firm is working on an upgrade of the Model 100 to be marketed later this year.

OLIVETTI'S OFFERING. What does the M10 offer consumers that the Model 100 doesn't? Aside from cosmetics (the M10 is a stylishly two-toned metalic olive and smoke gray with aquatrimmed function and cursor keys), the answer is very little. The two machines are sinfully similar, but two features distinguishing the M10 from the 100 are its liquid crystal display and cassette storage.

The M10's 8-line-by-40-character LCD is hinged and locked into place by a magnet. When the screen is released, a spring holds it at a 30 degree viewing angle. The screen will also maintain a 15 degree angle. This feature addresses the problem some Model 100 owners have finding the proper angle for their machine. This spring arrangement scemed fragile, however, and its ability to withstand wear and tear questionable

A feature Model 100 cassette vetcrans will appreciate is the M10 can save and load Basic, machine-language, and text files to and from microcassette recorders with none of the special modifications outlined in Bill Templeton's article (page 48). This is because the M10 uses microphone input, instead of auxilliary input, to store its data on cassettes. I used an Olympus C100 microcassette recorder and Olympus MC-15 CT tape with the Olivetti and had a sterling load and save success rate.

KEYBOARDS. Another dissimilarity between the 100 and the M10 are in the computers' keyboards, although both machines have the same number of function keys (12, including paste, label, print, and pause-break) and their cursor keys are identical.

The Olivetti has 73 keys, while the 100 has 72.

The M10 doesn't have the 100's code key.

Programmers will dislike Olivetti making the equals sign a shifted key on the M10 keyboard, although the colon, used for multiple statements, is unshifted.

The first thing a Model 100 user will notice while tickling the M10's keys is delete-backspace has been moved from the top row to the right of the space bar. A 100 user will often hit the Olivetti's bracket key two or three times before realizing delete-backspace is elsewhere.

The M10's control key, located to the right of the space bar, seemed more conveniently located than on the 100, especially if control functions, rather than cursor keys, are used to move the cursor through text.

Tab on the M10 is a symbol (an arrow pointing at a line) rather than a word. This was initially confusing, but easy and quickly adjusted to.

When the number key locks the keypad on the M10, other keys are locked out. This prevents typing strange things into the machine when the number key is accidently depressed. However, it creates other problems. While in terminal mode, 1 accidently depressed the number key. I kept depressing function key 8 and getting a disconnect message, but when 1 depressed Y, nothing appeared on the screen. After several abortive attempts to cut loose from term, I finally caught on to what happened and remedied we the situation.



OLIVETTI

CHARACTERS. The M10's main character set is slightly different from the 100's (see photo 1). In practice, I found the letters less legible than the Tandy computer.

The M10 offers two additional character sets: one by pressing graph and any other letter; one by pressing graph-shift and any letter. The graphletter combinations are primarily foreign characters, with some graphics. The graph-shift-letter combinations are uppercase foreign letters, arrows, mathematical symbols, money symbols, and phone, plane, car, and hotel symbols.

EXTERNALS. Every port the 100 has the M10 has, too (see photo 2).

The RS232 connection worked fine with the Model 100, and the two computers traded files (with the help of a null modem) without a hitch. However, when connected to a TRS-80 Model 4P using Microterm, the M10 refused to upload files. According to Olivetti, the M10 is perfectly compatible with its other computers. including its M18 MS-DOS microcomputer.

The M10's Centronics parallel port is identical to the 100's and the Olivetti's printer cable works with both machines. One catch here is the Olivetti cable fits into its socket with the tab side facing down instead of up.

The phone and tape plugs are identical to the 100's.

Both computers can share 6-volt DC adapters. This applies to alternate power sources, also, like the Prairie Power gel cells reviewed on page 72.

A recessed reset button makes it more difficult to accidently reset the machine (although I've never accidently reset my Model 100 with its protruding button).

Unlike the 100, the M10's bar-code reader socket is also on the rear panel. The socket is for a Hewlett-Packard HED-3050 or HEDS-3000 bar code reader.

BOTTOM. Olivetti chose to segregate the compartments for the system bus and ROM slot (see photo 3). It also made the bus connector a male instead of a female plug. The plug's pins are round, making them sturdier than flat pins (like the pins on Tandy's Disk Video Interface). Overall, Olivetti's hus set-up, while still a fragile one, is more rugged than the 100's.

The M10, unlike the 100, doesn't



Photo 1. Olivetti and Model 100 Screens Compared.

FILES TRANSFERRED INSTANTLY WITH A SINGLE FUNCTION KEY

DSKH

NOW your MODEL 100, plus your other computer is an instant disk system

FINALLY! Use disk storage with your Model 100

SIMPLE! Transfer any file (Text, Basic, Machine Code) with a single function key

IT'S SO EASY!

Simply place the disk in the disk drive and power it up. Place cursor on DISK + on your Model 100 menu and press enter. You are shown the disk directory on your Model 100 screen. You transfer any file from RAM to disk or disk to RAM with merely a single function key. **INSTANTLY**!

FULL ERROR CHECKING!

Guaranteed integrity of all data you transfer. Every line transmitted until verified, at 19,200 Baud, 10K bytes in 5 seconds!

COMPATIBLEI ALL TEXT FILES COMPATIBLE WITH OTHER COMPUTERS.

DISK + \$69.95 Includes cassette, disk and excellent manual (CABLE \$40.00 or use R\$232 with null modern) MC, VISA, or C.O.D.

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

PCSGPROVIDES HOTLINE SOFTWARE SUPPORT FOR THE MODEL 100. CALL US AT 1-214-351-0564

Circle No. 36 on Reader Service Card

Radio Shack's TRS-80° I Now Offers Disk Sto

The Revolution Continues

Our Model 100 Portable Computer's built-in software and easy portability started a revolution in the way America computes. Professionals of all kinds—managers. reporters. ambulance drivers—have found the Model 100 a valuable tool they can use anytime, anywhere. Now, with the new TRS-80 Model 100 Disk/ Video Interface, you can turn your Model 100 into a versatile diskbased home or office system, too!

Greater Storage Capacity and Faster Access to Data

The new Model 100 Disk/Video Interface features a built-in singlesided, double-density 184K disk drive to let you create, store and retrieve files quickly and easily. You'll find it much faster and more reliable than cassette storage. When you're ready to hit the road again, just load the files you need into your Model 100 and take off.

D° Model 100 Computer Storage and Video!

Attaches Easily to Any Television

1

The Disk/Video Interface also lets you enjoy a big 40-character by 25line screen display on any TV. The larger screen is perfect for writing notes and reports or developing your own programs in BASIC. When accessing data by phone, you can read a full 25 lines of information without scrolling. And you can utilize all of Model 100's graphics characters.

No Computer Wizardry Required

It couldn't be easier to use. Just plug the Disk/Video Interface into an AC outlet, connect your TV and a Model 100 with a minimum of 16K—all cables are included. One simple command switches all the output to the video screen. There's no new operating system to learn, either—the command structure is exactly the same.

Easily Expandable

You can add a second 184K disk drive (#26-3807, \$239.95*) to the Disk/Video Interface for even more versatility. Best of all, the Disk/ Video Interface doesn't use any of Model 100's standard connectors, so you can add a printer, bar code reader, RS-232C communications device or cassette recorder. You can make your Model 100 a highperformance desktop system.





Get Down to Business With an 80-Column Display

A Compact Office System

The Disk/Video Interface can turn your Model 100 into a professional desktop system for the office, too. With any standard video monitor, you get a large 80-character by 25-line display that's equal to other desktop computers. You'll also get the rapid access to files and storage reliability that are so necessary in today's business world.

Perfect "Second System"

A disk-based Model 100 system is an economical alternative to a second office computer. And you'll still have the advantage of portability when you need it.

Circle No. 37 on Reader Service Card



Come In Today

The TRS-80 Disk/Video Interface, along with our complete line of Model 100 accessories, is available coast to coast.

Available at over 1100 Radio Shack Computer Centers and at participating Radio Shack stores and dealers



Send me the all-r	new TRS-80 Cataloo RSC-11
Mail To: Rad 300 One Tandy (io Shack, Dept. 84-A-799 Center, Fort Worth, TX 76102
ADDRESS	
CITY	
STATE	ZIP

*Installation not included. Prices apply at participating Radio Shack stores and dealers. TRS-80 Model 100, Disk/Video Interface and TV sold separately. CitiLine is a service mark of Citicorp.



have to be taken apart to upgrade its RAM or add a ROM chip. Removing the panel to a second compartment in the machine exposes the RAM and ROM sockets and makes upgrading the machine less traumatic than with the 100.

SOFTWARE. The M10's built-in software works identically to the 100's. The Basics are alike, so programs written in Basic (and without machine-language subroutines or POKEs) will run on the Olivetti. According to Olivetti's Don Herrick, most of the ROM addresses in the M10 are offset from the 100's by several bytes.

During the last several months, Olivetti has been contacting Model 100 third-party vendors and soliciting their assistance in supporting the M10. So far. Traveling Software of Seattle, WA, has been the only vendor to jump into the Olivetti market, but a spot survey by Portable 100 indicates others are ready in the wings.

DOCUMENTATION. The M10 comes with a 4-inch-by-8.25 guick reference manual and an "operations guide," also in a convenient size (4.75 inches by 8.25 inches).

The operations guide is divided into 15 sections covering the applications programs in the machine, cassette loading and saving, and Basic.

The five Basic sections in the manual are well-written and easy to understand, and section 15, explaining each Basic word and function, is a great tool for any beginner in the language.

There are eight appendices in the manual --- including a detailed listing of error codes and what they mean but no index.

WILL IT FLY? Will the M10 start siphoning potential customers from Radio Shack? Tandy's Yamagata doesn't think so. "The market is big Photo 3. Bottom of M10,

enough," he told Portable 100, for all three companies in the Kyocera sweepstakes.

But as a late starter in the North American market, the M10 will have to overcome some tough initial obstacles. One of them is distribution.

Christian of Docutel said Oliveui has 450 dealers in the United States. He added the M10 would also be offered to mass-merchandisers carrying Olivetti products.

Docutel, Olivetti's American marketing arm, will be going outside its established network to sell M10s, Christ ian said. Although he declined to name the possible new outlets, Christian noted they would provide substantial additional distribution for the M10. One of the potential distributors alone had more than 1000 outlets, he added.

Asked how many M10s Olivetti expected to sell in the United States, Christian declined to make that information public. But apparently Olivetti is setting some aggressive sales goals in Canada, where Product Manager Patricia Smith said the company plans to sell 10,000 units this year.

An even tougher obstacle to the M10's success will be pricing. In April, the month the M10 was introduced at \$799 for a 8K machine and \$999 for a 24K machine, Tandy slashed \$200 off the price of the 100, selling 8Ks for \$599 and 24Ks for \$799.

Yamagata said Tandy's sale had nothing to do with Olivetti's planned entrance into the American market. And Christian agreed with him: "I'd like to think it was us, but honestly, I really don't."

The Docutel marketer said Olivetti would maintain its price structure as long as its competitors limited their price cutting to sales and special promotions, but he admitted that if Tandy kept its 8K price at \$599, "everyone is going to have to react to that."

Enter CompuServe's Electronic Mall and shop at your convenience in these exciting departments.

The Micro Mart The General Store The Travel Agent The Book Bazaar The Record Emporium The Photo Booth The Software Shop The Financial Market The Magazine Kiosk The Gardening Shed The Newsstand

A sample of the companies participating in CompuServe's Electronic Mall[™]includes:

Amdek American Airlines American Express AST Research Bank of America Bantam **Big T Automotive** Buick CBS Publishing CDFX Colonial Penn Commodore Computer World Digital Equipment dilithium Press 800 Software 47th Street photo Grolier Harvard Business Review Heath Heinold Commodities Hertz E.F. Hutton Inmac Innovative Software Knapp Press Magazine Entree Magazine Supply House Manufacturer's Hanover Trust Max Ule McGraw-Hill Metropolitan Life Microsoft Miracle Computing Misco Newsnet Novation Official Airline Guide Pan American Electronics Peachtree Software Practical Peripherals Program Store Professional Color Labs RCA Record Clubs Record World Sears Select Information Exchange Sim Computer Products Simon and Schuster Small Computer Book Club Software Advisor Stark Brothers Supersoft Vanguard VisiČorp Waldenbooks Woman's Day Books Ziff-Davis Merchants and manufacturers who want to participate in the Electronic Mall may contact: Stephen A. Swanson, L.M. Berry & Co., P.O. Box 6000, Dayton, OH 45401, (513) 296 2015.

46 June 1984/Portable 100



Introducing the first computer shopping service that brings you convenience, savings and enjoyment.

Here's your chance to expand the

practical uses of your personal computer. Sign up for CompuServe and shop in our new Electronic Mall. It's easy to use. It tells you more about the products you're buying. It lets you order faster. And it's totally unique.

CompuServe's new Electronic Malloffers you all these shopping innovations.

- It's enormous! So it gives you in-depth information on thousands of goods and services, and lets you buy even hard-to-find merchandise. - Its unique "Feedback" service lets you ask the merchants themselves specific questions. - It's incredibly efficient in ordering the products and services you want. - Its special discount opportunities make it economical, purchase after purchase. - And its name-brand merchants assure you of top-quality merchandise.

Make the CompuServe Electronic Mall 15-Minute Comparison Test. What you can do in 15 minutes shopping the Electronic Mall way.

- Call up on your computer screen full descriptions of the latest in computer printers, for instance.
- Pick one and enter the order command.
- Check complete descriptions of places to stay on your next vacation.
- Pick several and request travel brochures.
- Access a department store catalog and pick out a wine rack, tools, toys ... any thing!
- · Place your order.

What you can do in 15 minutes shopping the old way.

· Round up the family and get in the car.

The Flectronic Mall, a valuable addition to the vast world of CompuServe.

CompuServe's Consumer Information Service brings you shopping information, entertainment, personal communications and more.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to CompuServe and learn how to subscribe, call or contact ...

CompuServe

ar Information Service P.O. Box 20212 5000 Arlington Centra Columbus, OH 43220 800-848-8199 In Ohio call 614-457-0802

Circle No. 38 on Reader Service Card An H & R Block Company

The Electronic Mall* is a cooperative venture between CompuServe Inc., and L.M. Berry & Company.

MICRO RECORDERS SHRINK MASS STORAGE MEDIUM FOR MODEL 100



The Model 100 isn't tailor-made for microcassette storage, but don't let that stop you from pairing your MEWS with a pygmy recorder.

BY BILL TEMPLETON

ave you taken your Model 100 on a trip recently and pined for just a few more bytes of storage? You're all set to use your 100 to write an important document to send a few hundred miles away via electronic mail, but alas, you're out of memory!

The solution? A microcassette recorder — something easy to carry in one of the many cases for the 100 on the market.

WHICH IS BEST? It won't take long in your search for the best recorder to find several 100 users have been researching this subject and have reported their findings to the Model 100 Special Interest Group on Compu-Serve.

These owners, including this author, have tried many different recorders, but soon found that, because of the 1500 bits per second data transfer rate of the 100, only the higher quality recorders, running at a tape speed of 2.4 cm/scc, would consistently and reliably do the job.



The names Olympus and Sonv appeared often in the online convertations on recorders working best with the 100. And the specific models mantioned most often were the Olympus Pearlcorder models C100 and X-(d) and the Sony Micro Magneto-Cassette recorder, model M-202.

ABOUT EACH RECORDER. The Olympus Pearlcorder C100 was announced late last year as the first microcassette data recorder on the market and, because of the ease of interfacing it to the 100, became the popular choice among SIG-100 members.

The most popular features of the C100 are its size (5.4-inches by 2.6-

inches by 1.1-inches), its weight (10.2 ounces), and the case the 100's cassette plug fits into the three jacks located at the top of the recorder.

Olympus points out three other special features on the C100: instant cue/ review (fast forward/rewind, independent of the 100); a monitor switch enabling you to listers and databand saved on the microcressetten and a above saved paibility with any completent works of the C100 with the 100, end work gas most users Evenedical.

The Olympics Perdecider 5.3.1. docontinued to make to an include X-towas a popular choice to those looking for the smallest neutratible digital LCD counter and softwards controls. Because of its small softwards (with has submini jacks and requires two optional plug adaptors (2.5mm to 5.7 cm) to use the 100's casene endst-

The later models, the XoP, and NR, are very difficult to interface to the 100 because of a special 7 pm remote control connector, instead of the single-pin



Olympus C100 fits comfortably in case manufactured by Kangaroo-Video Products Inc.



Photo 1. Three Microcassette Recorders and Radio Shack Adapter.





A powerful word processor in only 2.5K. Save your RAM for text. Featuring:

- 1. Menu control with defaults.
- 2. Standard pica, elite, and micro formats.
- Automatic paging and numbering.
 Use of continuous forms or single
- sheets.
- Multiple copies with personalized input.
 Basic word processing without special
- 7. Expanded power using easy to remember
- commands to:
- · Resct top and bottom margins.
- Reset side margins and line length.
- Indent text.
- · Delayed or hanging indents.
- Center headings.
- Print page headings.
- · Input text from keyboard.
- Turn right justification on and off.
- Set line spacing.
- · Skip multiple lines.
- Redefine page numbering.
- Start a new page.
- · Print double width headings
- · Insert non-printing comments.
- · Stamp pages with fine, date, and time.
- Send printer control codes.
- Chain files together.
- Director display for file selection.
 Buffered typewriter operation without
- files. 10. Output to tape, phone, files, in R30232
- port. 11. Limited support of underlining and features requiring imbedded control
- characters. 12. Gustomáze to utilize primer features.
- Print long documents from RAM and/or tape.
- Counts characters in a document.
 Prints unjustified text at 25 to 50 cps.

TRIAL OFFER

Send \$7.00 to cover the cost of documentation, mailing and handling. Use AUTOPEN 10 days. If you decide to keep it send the \$24.50 balance, otherwise return the program. Expires September 1, 1984

CHATTANDOGA SYSTEMS ASSOCIATES POST OFFILE BUR 22201 CHATTANDUGA IN 37422 PHUNE (DI5) 892 2339 DEALERS INQUIRE

50 June 1984/Portable 100



Photo 2. Tools for Modifying Adapter.

remote jack found on the C100 and X-01. Even though the X-01 is a discontinued model, it is included in this review because it can still be found at large mail order camera stores at very attractive prices. Some physically handicapped 100 users require solenoid actuated switches and have found the X-01 the best choice for their needs. It is definitely the smallest (4.7-inches by 2.4-inches by 0.7-inches) and lightest (6.9 ounces) of the three microrecorders reviewed.

The Sony M-202 worked very well with the 100, after installing a remote control switch to alleviate the constant use of the manual pause switch on the Sony when the 100 needed to turn the recorder on and off. The size of the M-202 (5.75-inches by 2.6-inches by 1.1-inch) is between that of the C100 and X-01, and weighs the most (13.75 ounces), but seems to be the most rugged and least sensitive to abuse.

The Sony M-202 has the added feature that you can visually confirm the transfer of data by monitoring the intensity of a light-emitting-diode mounted on the front panel of the recorder near the record button.

Neither the monitor switch on the C100 nor the flickering LED on the M-202 can detect any bad spots on the tapes, and thus do not take the place of



Photo 3. Adapter Fits in Microphone Jack.

verifying cassette saves! They're merely time saving indicators that let you know you are recording data from the 100 to the recorder.

WHAT'S THE CATCH? If you try to record data directly from the 100 to any of the recorders available today, you will quickly find you are missing one very important ingredient, commonly known as auxillary (AUX) input.

Before you can use the 100 reliably with any microcassette recorder, you must reduce the 100's recording signal by a factor of 15 to 25 decibels to match the microphone input voltage level required by the recorder you're using. You can modify a standard Radio Shack signal reducer shown with three recorders in photo 1, or you can assemble these parts in the D1N connector of your 100's cassette cable (*Portable 100*, January 1984, page 20).

The advantage of using the minijack plug adapter (Radio Shack catalog #274-301, \$1.99) is you can use the same cassette cable with the standardsized recorder needed for commercial software.

In the case of the Sony M-202, a simple all-resistive voltage divider circuit (shown in figure 1) is all that's required. If you plan to use either of the Olympus recorders, you will need to build



Circle No. 40 on Reader Service Card PROP LEGS •Elevate your Model 100 to the proper angle for use Slip easily into rear screw holes in case Snug fit. Non-skid rubber feet •Durable plastic legs •Handy — your Prop Legs fit in your pocket! Only \$5.00/pair Includes shipping, handling, & CT residents sales tax. Send check or money order to: KJM Development P.O. Box 698, W. Hartford, CT 06107 **DEALER INQUIRIES INVITED** Circle No. 41 on Reader Service THE SOLUTION =TO= ECK CONTROL Quickly find your current balance Easily reconcile your account Sort on any field Works with an 8k machine Reports formatted for the display Reports formatted for the printer

 Your data can be located from and saved to rs-232 modem, and cassette

\$19.95 MICROHELP 4009 Pacific Coast Hwy Torrance, Ca. 90505 SHIPPING AND HANDLING IS INCLUDED CA RESIDENTS MUST ADD TAX.

Portable 100/June 1984 51



the simple resistor-capacitor voltage divider circuit shown in figure 2.

All of the components shown in figures 1 and 2 are standard, off-the-shelf parts available from any electronics dealer or from a local Radio Shack store for less than \$1.

BUILDING IT. My recommendation is to buy the Radio Shack signal reducer and use the tools in photo 2: small vice, hacksaw, pair of needlenose pliers, soldering iron (25 watts or less), and 60-40 rosin core solder.

If your adapter (also called an attenuator) is to be used with a Sony M-202 recorder, carefully saw the red plastic cover, about ¼-inch from the female end, until you have two separate pieces connected by the center wire.

Using the soldering iron, remove the 11 ohm resistor on the female end of the adapter. Then remove just enough red plastic material so you can solder the two metal-cylinder halves together to provide a good return-ground path for the recording signal.

Finally, fill any gaps in the red plastic cover with a good silicon scalant, or melt the red plastic material with the side of your soldering iron to form a final seal for added strength.

OLYMPUS MOD. If your adapter will be used with the Olympus C100 or X-01 recorders, carefully saw the red plastic cover about 1/4-inch from the male end until you have two separate pieces connected by the center wire.

Use your long-nose pliers and gently remove the 11-ohm resistor inside the female end of the adapter.

Next, using the soldering iron, longnose pliers, and vice, replace the 11ohm resistor on the male end of the adapter with a 100-ohm resistor, and add a .01 uf ceramic capacitor between the existing 3.3K ohm resistor and the center wire from the female end of the adapter.

As the final step, solder the two metal cylinder halves together and form a final seal as with the Sony adapter. Use your needlenose pliers as a heat-sink wherever possible to avoid overheating the components, and insulate any exposed wires with plastic tape or heat shrink tubing to prevent unwanted shorts.

i

а

£

t

Providing you have done your soldering properly, you are now ready to use your adapter to save either programs or text on microcassettes!

52 June 1984/Portable 100

THE FINAL TEST. By inserting the signal reducing adapter between the microphone input of the recorders, and the larger grey plug on the 100's cassette cable (see photo 3), you are ready to begin saving your Basic files, data-text files, or machine-language files to tape.

As with larger, standard sized recorders, it is recommended you verify information stored on a microcassette. and that you make a backup of any important files on a separate tape or disk.

It is also generally recommended you use the microcassettes recommended by the recorder manufacturer -- the Olympus MC-15/CT tapes with the Olympus C100 and X-01, and the Sony MC-60's with the Sony M-202. If you use Olympus MC-15/CT tapes with other recorders, you will probably have to turn your 100's sound off to achieve a good load.

Several 100 users are now storing as much as 256K bytes on a single side of a C-60 microcassette tape. The shorter MC-15/CT tape, recommended to reduce file search time, will hold up to 64K on a single side, or 128K using both sides.

THE FINAL CHOICE. It's up to you, Use these guidelines to help you decide which recorder would be best for your needs

Although the suggested retail price on the Olympus C100 is \$122.50, you can buy it from the large mail-order camera stores for \$79.95 (Wall Street Camera Exchange, N.Y., 800-221-4090) or \$89.95 (Olympic Camera, L.A., 800-421-8588). The original price of the Olympus X-01 was \$269.50, but can still be tound at the same mail order camera stores, while the stock lasts, for under \$100.

You will also find, if you call Sony Headquarters (800-222-SONY), that the M-202 has been replaced with a newer M-205A, with essentially the same specifications, at a suggested retail price of \$99.95. The cost of adding a remote control switch would be extra and would depend upon who does the installation.

The key question remains: Which is the best recorder to buy for use with your 100? The consensus of opinion seems to point to the Olympus Pearlcorder C100. It was designed for voice and data recording; it is the latest unit on the market; and it works well with the 100 - provided you follow the steps described in this article!

SK RAM MEMORY MODULES

EXPANSION RAM FOR TRS-80 MODEL 100 PORTABLE COMPUTER NEC 8201 COMPATIBLE

\$64.95 EACH 3 OR MORE \$59.95 EACH

△ EXACT REPLACMENT △ EASY TO INSTALL △ INSTALLATION INSTRUCTION INCLUDED △ HIGH QUALITY MANUFACTURING 🛆 WARRANTY INCLUDED

DESIGN ELECTRONICS

66010 CRATIOT

RICHMOND, MICH. 48062

313.293.6630

Circle No. 44 on Reader Service Card

DEALERS INQUIRIES WELCOME

TRS-80 is a trademark of TANDY CORP.

VCALC: A FULL MULTI-FUNCTION SPREADSHEET FOR THE MODEL 100

- 99 ROWS OR 26 COLUMNS
- USER SELECTABLE OPERATION FOR STAND-ALONE OR WITH VIDEO DISK UNIT
 - 8 X 40, 25 X 40, OR 25 X 80 DISPLAY OPTIONS (VIA LCD OR CRT)
 - SPLIT SCREEN CAPABILITY
 - LINK MULTIPLE FILES TOGETHER BY EQUATING CELLS WITHIN DIFFERENT FILES • AUTO-ADVANCE FEATURE TO MOVE CURSOR FROM CELL TO
 - CELL DURING TEXT ENTRY
 - MULTI-FILE MERGE CAPABILITY
- CURSOR MOVEMENT UP, DOWN, LEFT, RIGHT, GO ANYWHERE
 DATA ENTRIES FOR NUMBERS, LABELS, AND FORMULAS
- FULL ARITHMETIC FUNCTIONS WITH ROW/COLUMN SUMMATION AND AVERAGING
- TEN LEVELS OF PARENTHESIS
- REPLICATE FORMULAS
- INPUT/OUTPUT FROM/TO CASSETTE, DISK, RS232, TEXT FILE, OR MODEM
- INSERT OR DELETE ROWS OR COLUMNS
- ON-UNE HELP FILE (OPTIONALLY REMOVEABLE) AVAILABLE ON DISK OR CASSETTE W/FULL DOCUMENTATION
- REQUIRES 32K (FOR REASONABLE USE)
- COST: \$59.95

SEND CHECK OR MONEY ORDER TO:

ProSoft Enterprises 2026 Alaeloa Street Honolulu, ĤI 96821 (808) 737-5437 (Hawaii residents please add 4% sales tax)

Circle No. 77 on Reader Service Cord

LDOS GIVES MODEL 100 MASS STORAGE

There are programs on the market to make a desktop the 100's slave, but for TRS-80 owners, LDOS is all they need.

By JEFFREY W. LEVIN

ave you been looking for an easy way to get your 100's document files uploaded to a TRS-80 Model I/111/4 computer where they can be refined via a full-feature wordprocessing program? If so, you probably haven't had much luck. As of the November issue of the *TRS-80 Microcomputer News*, Radio Shack has published only one short article on transferring files between the 100 and its Z-80-based personal computers.

The technique described in the article (from the November 1984 issue) is painfully awkward, mainly because it requires the larger computer to be configured as a terminal, rather than a host. When you connect the Model 100 via a null modem, what you have in effect is a terminal communicating with a terminal — an inefficient "who'sin-charge-here" arrangement which necessitates keyboard input on both units before a the can be transferred.

Fortunately with the 5.25-inch disk drives in the Z-80 Tandy micros, a means exists to transfer files quickly and efficiently with keyboard entry, coming solely from the Model 100. The only software required is a product which Radio Shack wisely added to its line a little over a year ago: Logical System's superb LDOS operating system.

BRIEF OVERVIEW. Back in the days of Model 1 TRSDOS versions 2.0 to 2.3, a TRS-80 user was pretty much locked into Radio Shack's peripheral devices, especially in the area of disk drives. Fortunately, there were some very sharp system programmers among



Model I users who weren't about to take this lying down, and they are resionisible for the alternative operating systems which supported a wider range of peripherals.

Apparat's NEWDOS-80 was the first to gain wide acceptance, and is still popular today. Early in 1981, LDOS appeared, heralded by advertising claims it put "muscle in your TRS-80." The claims were entirely justified; Model I users soon began discovering just how powerful and flexible their systems could be.

The technique for transferring Model 100 documents to a Model I/ HI/4 makes use of two major innovations which LDOS introduced to TRS-80 users: device independence and job control language.

DEVICE INDEPENDENCE. Simply stated, this enables you to configure your system's input-output in whatever manner you want. You can run just about any disk drive, printer, or RS232 device in existence; you can customize keyboard input so the pressing of a key in conjunction with a control key results in an entire sequence of keystrokes being produced; you can

make a disk file into an input or output device; you can route from one device to another or link two devices together; you can filter a device in some unique manner, customization options approach infinity.

What's also nice is whatever system configuration you construct can be conveniently stored to disk. A reconfiguration will automatically occur whenever you initialize your system using the same disk anytime in the future.

JCL. The job control language is a fcature enabling you to get prestored keyboard input. This permits you to make occur an entire sequence of LDOS system commands and application programs in response to a simple command. Unlike the files you construct with the build command under TRS-DOS, JCL files permit user input, variable names, and conditional branching. All of these features will be used in a JCL file for 100 uploading.

Radio Shack began marketing LDOS in the fall of 1982 when it came out with a hard disk drive for the Models I and III. After the headaches Tandy had encountered in developing a reliable floppy disk operating system, acquiring a powerful independent operating system was irresistable. Already field-proven on hard drives, this was the obvious choice when compared to the alternative of developing a hard drive TRSDOS. (The TRSDOS 6.0 operating system which Radio Shack provides with its 64K Model 4 is actually a modified version of LDOS.)

CONFIGURING THE 100. There have been several revisions to LDOS since it was first marketed. As of this article, the most recent version is 3.13. If you have an earlier edition, you may have to acquire the most recent one before the techniques described in this article will work. If you have a Model 4, you'll have to be using LDOS in the Model III mode.

First, make a backup copy of your master LDOS 5.13 disk. Do a directory listing and be sure the RS232T/DVR (RS232R/DVR if you're using a Model 1) and PR/FI.T files are on the disk. Follow the manual's instructions for installing LBASIC if it's not already installed.

At the LDOS Ready prompt, type the lines in exhibit 1, terminating each one by pressing the enter key.

54 June 1984/Portable 100

LDOS

THE HOST. If you've typed everything correctly, the video display now should be operating much slower than usual. Press the enter key a couple of times, and the prompt LDOS Ready should repeatedly come up one character at a time, like you're on line with a time sharing service.

Guess what? Your Model I/III/4 is now a host for your 100! As soon as you connect the two units together via telephone or a null modem, you can enter LDOS commands directly from your 100 keyboard, with everything which appears on the larger unit's video display echoed back to your 100 video. No further keyboard input is necessary on the unit running LDOS.

If you're going to connect the units

and save it to disk in an ASCII format

FILTER *CLUSING PR/FLT (ADDLF)

LINK *DO *CL

LINK *KI *CL

.Preparing to upload a Mod 100 document

SET *CL RS232T (BAUD=300, WORD=8, PARITY=OFF, STOP=1, DTR, BREAK)

Exhibit 1. LDOS Configuration Commands

via a null modem, you later can change the baud value in the above Set command to a much higher number. For now, let's just preserve the current settings by typing:

SYSTEM (SYSGEN)

and pressing enter. This stores the current device configuration in a system file. The configuration will automatically be reloaded every time you boot the system with the disk currently in your drive zero.

ON THE 100 END. You should enter the TELCOM program and use the Stat function to configure your RS232 to match your new host. With a tele phone connection, the setting should be M8N1E; with a null-modem connection, use 38N1E for now.

As soon as the two units are connected and you enter the Term mode on your 100, the LDOS Ready prompt should appear on your screen as soon as you press enter a couple of times. Try executing simple LDOS commands such as Dir and Free from your 100. Whatever appears on your larger unit will appear on the 100 as well, with wraparound occuring when the length of a line exceeds 40 characters. If you make a mistake and need to backspace, don't be concerned if the previous characters don't disappear from the 100 display; the backspaces are being effectively transmitted to your larger unit.

You even can run some application programs from the 100. Programs which use direct video addressing (which includes almost all machinelanguage programs) will not work. This is because what you see on the screen bypasses the larger computer's video driver, and thus its RS232 line altogether. If you want to write a Basic



LDOS

program on your host which will run well from the 100, avoid using PRIN1@ statements and PEEKing and POKEing addresses in the video display area.

FUSING. Transferring information from the 100 to the LDOS-equipped unit would normally require typing a sequence of commands for every file to be uploaded. However, thanks to LDOS's JCL feature, the sequence only has to be typed in once! At the LDOS Ready prompt, type:

BUILD TRANSFER

and press enter. After a brief pause, you can type the lines in exhibit 2, ter-

Preparing to upload document and save it to disk in an ASCII format //IF-FILE //ASSIGN FILE=TRANSFER/ASC //END SYSTEM (BREAK=OFF) COPY *CLTO #FILE# (ECHO) SYSTEM (BREAK-ON)

//EXIT

Exhibit 2. JCL File for Data Transfer

minating each one with an enter. (Note: If you still have your two units tied together, there's no reason why you can't be doing all of this from your 100 keyboard!)

Be sure to include the first two lines which begin with a period. These are text lines, and a JCL file has to begin with at least one line of text. After the last line, press break on your LDOS unit (or control-A if you entered the lines from your 100.) This closes the newly-created [CL file.

PREPARATION. If you have a document file ready for transfer, the only thing you have to do to prepare your Model I/111/4 to receive the file is to type:

DO TRANSFER (FILE=Filename/ extension)

at the LDOS Ready prompt. (Be sure to use a "/" instead of a period between the filename and the extension; it's easy to get in the habit of using periods after using the 100 for a while.)

If you prefer, you can forego use of this option altogether, and a filename

of Transfer/Asc will automatically be assigned.

As soon as the line from your JCL file, which begins with the word copy, appears on your 100 monitor, you can use the <F3> upload key to designate a document file for transfer. Be sure to default in response to the 100's width prompt, so hard line feeds won't be transmitted with your text. If you do permit these line feeds to be transmitted, you won't be able to use the right-justification feature of your word processor.

SCROLLING ALONG. If you've done everything right to this point, your text should be scrolling up the screen of both computers as it gets written out to disk. What you see on the 100 monitor is exactly what is being received on the other end, and this makes it easy to verify the data's integrity.

When the transmission is complete, just press control-A on the 100, and the disk file will be closed. The JCI, file will cease executing, and the LDOS Ready prompt will reappear.



A word-processor. 1,000 words per second, ultra-compact, 100% machine-language.

Only TEXT POWER gives the Model 100 all the pre-printing aides you need: Page Plot^{**} to "see" up to 64 intes of text similtaneously on the screen. Display mode to preview your document, Page breaks, too?

PRESS ONE KEY, exit to the TFXT mode of your file. Return to TEXT POWER 100 with one keystroke.

Only TEXT POWER 100 gives so many printing options: Use the LetterSetter^{**} for automatic vertical centering of a letter. Use our built-in **MERGE** for form letters AND mailing labels! Begin a new page or change margins from within the text file!

Printer control is easy. Single-letter codes turn on and off bold-face, double-strike, condensed print, super subscript and other print modes. Modes stav on until you turn them off.

Other features: Footer, header, page numbering, horizontal centering, top margin, hottom margin, left margin, right margin, page length, line count, page count, control codes codes remain active through carriage returns, and a lot more. More than 37 features in all!



The Covington Group • 310 Riverside Dr., Suite 915 • NYC, NY 10025 • 212 678-0064 • 864-1700

Payment: We accept Visa, MasterCard, Money Orders and Certified checks. Make checks payable to **The Covington Group**. Checks require bank clearance. *Order information: \$49.95 plus \$2:00 Shipping & Handling. N.Y. residents add sales tax. Specify brand name, model number of your printer. Include \$10.00 for each add.tonai printer TP100 DOES NOT support SERIAL printers unless you use a parallel-to-senal converter. Linefeed "patch" program supplied at no additional charge if needed. Technical information: \$124. TP100 is under 2500 bytes long, depending on the printer supported. Operating speed in excess of \$000 cps. Bytes free to operate. 256. Hardware. Any mogen to computer, from as to 324. This PHOGRAM DOES NOT OPERATE ON THE NEC PC-0201A, send a self-addressed, stamped envelope, and we'l let you know as soon as the NEC version is ready. ANON-PRINTING version of TP100 with most features is available on Compuserve free of charge in the Model 100 XA0 dala base. Type GO PCS-154 and download TP100 DOC, TPHEX DO, TPLOR BA

LDOS

10 OPEN 'O',1, "ZERO/ASC" 20 PRINT#1,CHR\$(0); 30 CLOSE1:END Program Listing 1, LBASIC program

ONE MORE PROBLEM. If the word processor which you use on the Model I/III/4 is Radio Shack's SuperScripsit (which RS has published LDOS patches for), you're not home free ... yet. The ASCII conversion utility which comes with the package will not convert the file you've just transmitted into a Scripsit-compatible format.

For some reason the conversion utility was written to work with only ASCU files terminated with a zero byte. This holds true whether you're running the software on either TRS-DOS or LDOS. If the file which you're trying to convert does not end with a zero, the utility will abort with either of the two following error messages:

ATTEMPT TO READ PAST EOF

RECORD NUMBER OUT OF RANGE

This precludes the conversion of ASC11 files generated by a number of different sources, including the Video-text Plus terminal package which Radio Shack recommended for use in the file transfer in its November article.

THE ONE-STEP. To get around this problem, I went into LBASIC and wrote the three-line program in listing 1. What this program does is create a file consisting of a single zero byte. You only need to run the program once; there's no need to save the Basic code. Once the Zero/Asc file is created, you only need to append it to your ASCII file, and the file then can be converted into a SuperScripsit document.

Since Append is a standard LDOS command, I simply added one line to my JCL transfer file (exhibit 3).

TREND-SETTER. So there you have it. A simple, execution-wise, one-step process for getting a document from your 100 to a disk file which can be loaded into your full-feature word-processing package. With an auto-an-

swer modem on your personal computer, you now can run it and transfer files to it from anywhere in the world! And I'm sure that many variations on my basic technique, such as totally unattended transmission, will be popping up in magazine articles in the near future.

I read Jim Hughes' article about his troubles in communicating with CP/M in the October issue of *Portable 100*. I've tried unsuccessfully to set up a host operation on an IBM PC using MS-DOS. I think it's a tribute to the genius of the LDOS authors that they've created an operating system so powerful it totally supports a revolutionary device which didn't *exist* when they began. ◀

//IF-FILE
//ASSIGN FILE=TRANSFER/ASC
//END
SYSTEM (BREAK-OFF)
COPY *CLTO #FILE# (ECHO)
APPEND ZERO/ASC TO #FILE#
SYSTEM (BREAK-ON)
//EXIT
Exhibit 3. Modified JCL File



P.O. BOX 1528 CRANFORD, N.J. 07016

(Programs Require A Model 100 with a minimum of 16K RAM, N.J. Residents include sales tax.)

Circle No. 48 on Reader Service Card





TANDY LAB ONLY GOOD AS MATH REFRESHER

TRS-80 Model 100 Basic Language Lab

Tandy Corporation Radio Shack Fort Worth, TX 76102 Cat. No. 26-3821 Manual and cassette tape \$29.95

By DAVID DUNN THOMAS

When first advertised, I thought TRS-80 Model 100 Language Lab would be a software program. The local Radio Shack personnel thought so too! We understood it'd enable the user to sit at the computer, run the program, and receive hands-on experience in Model 100 Basic.

Not so by a long shot!

First, let's examine the package:

• One 204-page manual in a threering loose leaf binder; and

• One cassette tape containing three programs: a simple calculator, a simple musical memory game, and descriptive statistics, an application program that prints histograms.

The format of the manual clearly indicates we have a classroom textbook on our hands, no matter what the advertising and sales personnel state.

There are 15 "lessons" rather than chapters. The lessons consist of *detailed* instructions for the conduct of each experiment. There are from four to nine per lesson. Many of the instructions in the manual are frequently repeated. The manual states "The programs used ... will be explained line byline...". Yea verily! This user lost track of the number of times he learned about the command for clearing the screen.

FORMAT. Following two lessons in basic Basic and the 100's saving-loading sequences, the lessons become almost totally business oriented with about 77

percent of the programs demonstrating business applications while teaching INPUT; CLEAR; PRINT USING; IF, THEN, ELSE; STEP, DIM, GO-SUB, and TAB.

Most of the other exercises are concerned with computer functions such as \$, SOUND, EDIT, RND, and PRINT@.

The manual is fairly well-indexed with some weaknesses. Generally a command is indexed for the first discussion; no more advanced coverage is indexed later. Appendices are non-existent.

These are errors I discovered; corrections are shown in parentheses:

• "The smallest line allowed is 1," page 12. (0 is often used.)

• "The number of files which can be saved is limited only by the amount of RAM available," page 17. (A user is more likely to run out of space on the menu than run out of RAM.)

• "DIM Y(24) ... a subscripted variable having a maximum of 24 storage locations...," page 93. (0 to 24 = 25 locations).

MANUAL DEFICIENCIES. Unfortunately, the text wasn't without its inaccuracies:

• On pages 3, 4, 19, and 33, the screen drawings are misleading or don't match the text.

• On page 58, it's indicated THEN isn't needed with IF-GOTO. Far better programming advice would be the GOTO isn't required with IF-THEN

On page 61, where the STRING\$ command is discussed, there isn't one word suggesting use of STRING\$(n,n). The STRING\$(40,7*") is described rather than the better STRING\$(40,42).
On page 62 and 64, there's an awk-ward tuethod of determining the value of the variable HH. Why not HH = VAL(LEFT\$(TIME\$,2)) right_away instead of defining HH\$ first?

• On pages 70–86, during the discus sion of using EDIT, there's not a hint of using EDITnn. Examples lead one to believe to change one character in one line, the entire program must be subjected to the EDIT command.

There aren't any instructions for

emptying the paste buffer.

None of Language Lab's programs are packed, therefore each uses 7.35 to 17.8 percent more memory than necessary. And none of the programmers seem to have heard about IF-THEN-ELSE.

The simple calculator program included with the package has the advantage of handling parenthetical arguments; nesting 10 deep is allowed. The shift key is required for multiplication, addition, and caret entries. However, the program has got to be scary for a rank beginner; there are no prompts. The first thing encountered on running the program is a blank screen; it surely smells of cold start time'

Memo is a sound memory game program. There's not much to see and it's on the slow side.

Stat is probably meant as the graduation present: "This program computes a variety of common statistical measures on a set of data." The data comes from a text file out of RAM or cassette. Data may then be listed as stored, sorted, relisted in sorted order, then graphed in histograms. However, when Stat graphs its results, the base line is one unit instead of zero. All operations may be output to a printer.

Though certainly not valueless, for some reason the importance of the three programs escapes me. On page 151, though, there's a cute little slot machine game, erroneously referred to as an animation exercise.

OTHER GRIPES. Though there are undoubtedly thousands of 100 users, many haven't the foggiest idea what MEWS stands for. It'd appear Tandy is welded to the idea the 100 is synonymous with *Business Executive*. The users who are journalists, teachers, doctors, and hobbiests don't fit into Tandy's software scenario.

So if you want a classroom textbook for training businessmen in *some* uses of the Model 100, try Basic Language Lab ... a refresher course in business mathematics.

58 June 1984/Portable 100

TRANSFORMS YOUR MODEL 100 INTO A COMPLETE BUSINESS ANALYST TOOL



Performs strategic "what-ifs" at the touch of a function key

- Does complete compilation with text-notations of any aspect of your business finances.
- Generates breakeven analysis reports, showing sales volume and selling price studies in relation to business costs.
- Prints fully formated amortization schedules also gives instant on screen loan, term, interest or payment information.

of ib



Does detailed printout of costs of goods, fixed costs, sales, or breakdown of any variable on your financial statement. Solve for any of over 12 variables in financial formulas — with a single function key.

Does IRR/MIRR, NPV, compound interest, annuities calculations.

- Does logs, powers, recipocals.
- Use TENKY + for all calculations, from the simplest to the most complex.

TENKY + \$59.95 INCLUDES CASSETTE, STEP-BY-STEP INSTRUCTION MANUAL.

MC/VISA/C.O.D.



11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

PCSG provides hotline software support for the Model 100. Call us at 214-351-0564

Circle No. 49 on Reader Service Card

MICROBYTE INTRODUCES

POWERFUL BUSINESS AND HOME SOFTWARE AT MICRO COST FOR THE MODEL 100

DATA 1

DATA 1 A data management system written specifically for the Model 100. It's features along with the 100's built in features combine to make this the most powerful Model 100 program to date. DATA 1 is designed to allow you to set up files to store, retrieve, update, sort, and print data in a format created by you.

DATA 1 is ideal for a large variety of business and home uses such as tracking progress, income, expences, mailing lists, home budgets, and numerous others.

DATA 1 is easy to operate and like all MICROBYTE software is priced to reduce the high cost of guality programs.

SOFTWARE SALES VOLUME 1983

_ _ _ Ξ Ξ Ξ Ξ Ξ Ξ 111 Ξ Ξ Ξ Ξ Ē Ξ Ξ = Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ Ξ = Ξ Ξ = _ Ξ Ξ Ξ Ξ Ξ = Ξ Ξ Ξ Ξ -Ξ Ξ 111 Ξ = = Ξ Ξ = 111 Ξ -Ξ = Ξ -= Ξ Ξ = Ξ Ξ Ξ Ξ Ξ Ξ = Ξ = Ξ Ξ Ξ Ĩ 111 Ξ 111

GRAPH1 uses keyboard to enter heading and accepts numbers either from keyboard entry or direct from DATA 1 files

GRAPH1 Screen display of line graph and bar graph, prints bar graph either narrow or wide on dot matrix printer for standard or 132 coulmn paper.

GRAPH1 will graph an individual rocord from a DATA 1 file or sort first then graph the totals. GRAPH1 is excellent for graphing production, income, expences, sales and much more.

Both programs are supplied on cassette tape and come with easy to understand manual.

DATA1 \$39³⁵ GRAPH1 \$19.95 BOTH \$55⁵⁰ CHECK, C.O.D., MASTERCARD, VISA MICROBYTE 602-943 9080 11047 N.19th Ave., Phoenix, AZ, 85029

Circle No. 50 on Reader Service Card

hund

REVIEWS

ECHO BOX GIVES THE 100 A VOICE OF ITS OWN

Echo GP Speech Synthesizer Street Electronics 1140 Mark Ave. Carpinteria, CA 93103 805-684-4593 \$150

By GLEN C. BIRBECK

A mong the exhibits of the "world of tomorrow" at the 1939 World's Fair, was a machine that spoke. A project of the Bell Labs, the machine was operated by a human, not a computer. It was called the Vocoder.

Learning to operate the machine took a year or more of sitting at its large, organ-like keyboard. Sounds were produced by rapid manipulation of switches. If the right switches were moved in the right order, something resembling human speech came out.

By 1961, Bell Labs was using million dollar mainframes to produce a highquality synthesized voice. Today, with just a few silicon chips, the Model 100 not only synthesizes speech, but actually speaks from text.

The Echo speech synthesizer, from Street Electronics. is an example of just how far this technology has come since 1939.

TI OHIP. The Echo is built around a Texas Instrument's TMS 5220 speech-processor chip. The chip uses a method called linear predictive coding to model the human vocal tract.

It is the size and weight of a small transistor radio. A calculator-type transformer powers it from the AC line. The Echo contains its own speaker and a socket for external speaker or headphone.

To the host computer, the unit looks like a modem. It is connected to the computer's RS232 port by a simple cable (supplied).

Switches on the Echo set the serial transmission rate from 75 to 9600 baud. Echo will buffer up to 1744 characters from the host before sending a busy on the status line. It comes with a transformer pack, RS232 cable, and manual.

MANUAL. The 46-page manual is well-written and concise. I was verbally exercising Echo within an hour after opening its box.

The speech synthesizer works much like the Vocoder operator of 1939. It controls a group of switches which it must operate at the right times and in the right order to produce humanlike speech.

Invisible to the user is the Echo's internal software which manages its two modes, Text to Speech and Phoneme.

In speaking from text, the synthesizer must consider nearly 400 rules. Unfortunately, as many frustrated students have noted, English breaks its rules much of the time. To get Echo to say "robot," we spell the word "rowbot"; "typewriter" becomes "type writer."

PHONEME MODE. In phoneme mode, words are coded to produce a steady stream of basic sounds (phonemes). In

this mode, Echo spells its own name EKO. Other codes allow control of in flection, stress, pitch, pitch rate, pause, and volume.

Some editing is required to create easily understood speech from text. However, the synthesizer does surprisingly well at reading text "cold" (i.e., unprepared).

It is fascinating to experiment with the synthesizer and dream up uses for it. One application for Echo is in language study. I soon had the device speaking German and Spanish words by spelling out the sounds. The pronouncing guide in a foreign language phrase book could probably be spoken from text with few changes.

OTHER APPLICATIONS. Another application could be remote operation of a home security system. Echo would be helpful in the darkroom as a timer for critical film development.

Possibly the most exciting field for inexpensive computer speech is in systems for the blind.

How about a verbally outputed spreadsheet program? A word processor for spoken words would be interesting and useful.

Echo, and devices like it, should soon encourage a new type of software: software for the car.



Portable 100/June 1984 61

CALCULATOR AIDS PLANNING AND INVESTMENT

Calculator

Radio Shack Catalog no. 26-3827 Tandy Corporation 1500 1 Tandy Center Ft. Worth, TX 76102 Model 100 Cassette, 26-3827 8K (CALC), 16K (BCALC) \$19.95

By STUART HAWKINSON

n the near future our voracious appetites for Model 100 software will be dulled. Then program developers will have time to concentrate on providing truly outstanding software, where no effort has been spared to create efficient, error-free applications. For the present, however, we must endure "fast food" software.

The Model 100 Calculator program from Radio Shack consists of a useful collection of calculator and financial functions. The two programs in the package provide many of the calcula-

REVIEWS

tions you need for financial planning and investment analysis.

The basic calculator program (CALC), only requires 8K RAM, performs the usual arithmetic operations in a calculator-style format. Also included are functions such as square root and logarithms.

BUSINESS CALC. The business calculator (BCALC) runs in 16K RAM and includes all the CALC functions. In addition, it serves as a financial calculator, with a menu of five major categories, each containing two to six options.

The Radio Shack program is offered in an attractive padded jacket containing the cassette tape and convenient operating manual. The manual illustrates each program section with the actual screen formats. It also leads you step-by-step through an example of each function. A small reference pamphlet in the back of the binder gives a summary of the Model 100 file handling and Basic program operations. It serves as a guide to loading, saving, and running Basic applications programs.

I encountered no problems loading the programs from cassette tape. After loading, the programs may be saved as RAM files. When selected from the Model 100 file menu, each begins execution by displaying a function-key menu of the more esoteric calculator functions.

Both programs start in the calculator mode. The only difference is that BCALC displays a 'Calc' option which takes you to the financial menus. The calculator mode works in a familiar hand-calculator style. The input values and basic arithmetic operations (add, subtract, multiply, divide, and exponent) are keyed-in normally. The extended functions (1/x,-x, sqr, x*x, Log, exp) are selected with the function keys.

NOT ERROR PROOF. Although the calculator mode functions smoothly, it is not error proof. The program checks some inputs, but it doesn't give you the solid feel of an electronic calculator. Holding down a number key will result in repeating number. a frantic error message, and a completely ruined display. You can also enter multiple decimal points (all numbers after the second are ignored). If you press the label key, the menu selections disappear and only return after restarting the program.

CALC traps two of four frequent er-



Now Your Model 100 Brings You The World

Announcing The P-100 Network

— A Full-Service Online Information Utility, Exclusively for Model 100 Users.

The only source of its kinds, dedicated to the Model 100. Use this service to

- Send or receive electronic messages from friends, associates, or collegues, at your convenience (MAIL)
- read electronically current or back issues of Portable 100, including newsclipping features (P100)
- order software, peripherals or services for the Model 100 (in the case of most software packages, & teledelivery will download the software to your Model 100 while you wait, over the telephone lines) (MARKET)
- read objective reviews of products and services for the Model 100 (REVIEW)
- upload files from your Model 100 to your storage area, freeing up RAM and download at your convenience (FILES)
- utilitze a host of additional services, including latest news stories, electronic conferencing and much more (BELLS & WHISTLES)
- an electronic bulletin board for answer to your Model 100 questions, general rumors and good gossip (**PRPOST**); and **HELP**, your instant companion for aid in exploring the easy-to-use services on **PIOO NETWORK**.

Easy To Use

The only online service that won't confuse you with operational parameters, hand rates and communications protocol. The system is as easy to use as your Model 100. Every service on the NETWORK is designed for the Model 100's 40-character screen, and makes maximum use of your Function Keys (Download, Upload).

Send For Demo Cassette

You decide: send for our demonstration cassette. Concepts are difficult to express, particularly when the system is so easy to use. Our demonstration will show you, at your convenience, how you can maximize and extend the usefulness of your Model 100, without requiring hours of computer training. The P100 NETWORK can help you — the beginner, user or advanced programmer; hobbyist, businessperson or technician use your Model 100 to its fullest.

Send for P100 NETWORK's Demonstration Cassette; it's only \$10.00. Decide for yourself whether you need this service. Call 1-800-CALL-800 if you are a Credit Card holder. Or, send the coupon below today.

P100 NETWORK. Dedicated to the Model 100.

P100 NETWORK; 69 ELM STREET, CAMDEN, MAINE 04843

 \square Please send me P100 NETWORK's Demonstration cassette and brochure (a \$10,00 for First-class handling.

☐ Enroll me now. Enclosed is \$35.00 for membership registration (includes Demonstration Cassette). I will receive full privileges and understand that you will bill my credit card (information provided on right) at the basic rate of \$15.00 per hour (non-prime hours) plus applicable surcharges for additional services. I understand that I will receive a full refund if I choose not to participate upon receipt of your material.

Check enclosed for demonstration cassette (\$10.00)

Corporations: bulk discounts available.

Please charge my credit card for i	membership (\$35.00) and ongoing useage	
((a prevailing rates)	· · · ·	
MasterCard	TIVisa	

		-		
67				
Name (Print)			 	
Company Name			 	
Street			 	
City	<u> </u>	State _	 Zip	
Telephone			 	

For further information, contact Carl Cramer, P100 NETWORK, 69 Elm Street, Camden, Maine 04843 Tel. (207)236-4365.

REVIEWS

rors: overflow/underflow and divide by zero. (Underflow is only detected in Model 100 Basic during exponentiation.) However, commonly made errors in finding the square root of a negative number, or the log of zero or a negative number, do not produce polite error messages. They simply give the cryptic FC code found in the Model 100 manual.

There is no way to enter numbers into calculations using scientific (exponential) notation. However, numbers are displayed in that notation if they are less than 1.OE-3 or greater than 1.OE+14. One serious problem is the lack of control of the significant figures displayed; you are stuck with the default display format provided by Basic. Also, you can't store values in a memory buffer or repeat calculations with constants.

These deficiencies make the calculator program less useful than popular hand-calculators. It may be convenient to have basic calculator functions available in the Model 100 when needed, however.

GET TO BUSINESS. BCALC combines the calculator functions with the business financial options. This program requires 16K RAM to operate. The main menu lists five sub-menus: days and dates, interest, loans, bonds, and futures (savings plans). Each sub-menu then details the calculations performed. For example, days and dates provides options to calculate the day of the week from the mm/dd/yyyy calendar date, calculate the number of days between two dates, or calculate the date in days from the given date.

The financial functions deal with the interest on a transaction, the amount required for a certain investment, or the future value of payments being made. The bonds section, for example, calculates the price of a given bond or its yield at maturity. This latter calculation requires approximately two minutes to complete and the program displays 'Computing ...' to assure you all is not lost in the ether.

The loan and interest sections will calculate various unknown quantities, depending on the information available. You select various sub-menu options rather than having the program fill in the missing information. As with many programs which calculate loan amortization, the exact amount of the last payment is not calculated. It often differs from the regular payment by a few cents.

PERFORMS WELL. In general, the financial functions in BCALC perform well. The format of data input is consistent between sections, and the outputs are properly formatted dollars and cents, where appropriate. You can return to the next higher menu level by pressing the escape key. This escape isn't given on any but the first menu, but is mentioned repeatedly in the manual. If you return to the calculator mode, your last value is still in the accumulator.

In only a few places in BCALC do you get suspicious results. For example, the 'present worth' of \$1 at 0.5% interest paid in a single installment yields \$10. Pretty good deal, huh?

The programming in the package is very well laid out. The style is clear and crisp. You will be able to learn a number of useful programming techniques by reading the Basic code. Function keys, both ON KEY GOSUB and returned values, error trapping, screen format control, and modular subroutine are all demonstrated.

If you desire a more compact version for day-to-day use and permanent storage in the Model 100, you can alter the Basic programs. I was able to reduce both programs by 45 percent by using some standard space-saving methods. You can use multiple statements, renumber with unit increments starting at zero, use string variables to store common text (like 'payment' and 'interest'), and generally tighten up the logic. These code-saving techniques also make the programs run significantly faster and feel more responsive.

In a few places I got suspicious results.

ADEQUATE JOB. The Calculator program package does an adequate job of providing most needed financial functions for business and home planning. However, the calculator functions are not up to the professional standard in hand-held calculators. The programs need better error trapping, better input checking, and more display flexibility. Without storage registers or the ability to nest parentheses, many standard calculations are nearly impossible.

After the initial surge of Model 100 programs fills the void of consumer applications, I hope software developers will take the time to produce better programs. We deserve software that matches the excellent hardware design of the Model 100 and the extensive Basic provided in ROM.

TEXT FORMATTER, RENUMBER UTILITY IN THIS PACKAGE

PFORM: Page Formatter for Text and Basic

Discovery Computer Systems 1541 Pennwood Circle Clearwater, FL 33516 813-581-3041 Minimum RAM: 8K \$21.95

By STUART HAWKINSON

P FORM is a text formatting program that gives the Model 100 many of the capabilities of a word processor. The program, supplied on tape, complements the excellent text editor already present in the Model 100 ROM. Now you can prepare professional looking documents, business memos, and letters.

The program provides options to set margins, specify line spacing and line widths, number pages or force new pages, center or indent lines, and select a double-strike font.

It also formats Basic listings. It will print programs with specified line lengths and margins. You can select between normal multiple statement lines or statements printed on separate lines to improve readability

A BONUS. The cassette tape also contains three bonus programs: RENUM, a Basic renumbering program; DOW, a stock quote retrieval program; and DIXIE, a graphic, musical alarm clock. These programs certainly spice up PFORM and give you a chance to explore some of the Model 100's other features.

The ninc-page documentation pack age describes the operation of the program and leads you through each step of text preparation. It also provides exam-

BULLETIN

Kensington Microware Ltd. 251 Park Avenue South D New York, NY 10010 (212) 475-5200 C Telex: 467383 KML NY

Introducing **REMOTE CONTROL** The link between portable computers and your IBM PC.



IBM PC™

NEC PC 8201A

Radio Shack Model 100™

When Radio Shack and NEC introduced their portable computers, we were impressed with their integrated software environments. Built-in text editing and communications software made these portables perfect travelling computers. But one thing was missing: an easy link between the portable and the office IBM PC. We went to work. The result is **REMOTE CONTROL**^{*}software.

Here's what REMOTE CONTROL software will do for you.

1. At the office: When you load REMOTE CONTROL on your IBM PC, you have an integrated text editing and communications environment. You no longer have to switch between word processing and communications programs REMOTE CONTROL is modelled after the highly regarded software in the Radio Shack and NEC computers. If you have one of these portables, you'll find the command structure is identical. You don't have to learn any additional programs.

© 1984 Kensington Microware Ltd.



用的研究研究的目的

3. Host mode: This is great. Now you can communicate with and control your unattended IBM PC over telephone lines from your portable computer keyboard. Move files, execute DOS commands and run stand-alone programs from your remote site as easily as if you were at your desk. For example: You're travelling with a portable computer. Late at night you dial your office PC with your portable. REMOTE CONTROL answers your call and gives you control

over the PC. You can scan your disk drives for messages your office has left behind. You can download files into your portable computer. You can create messages with your portable and upload them to the office PC, save those messages to disk, even print the messages out on the PC's printer. Your correspondence is waiting for your office staff when they come in the next morning.

REMOTE CONTROL, only \$180. Contact your local IBM dealer, or call us to order direct at 212 475-5200.



3620~244 Street, Langley, B.C. V3A 4P6 Telephone 604-856-8858



ples of printed output to illustrate most of PFORM's options. The "free" programs are described on separate pages.

HEAD PROBLEMS. I had trouble loading the programs from cassette, so I used two different recorders and varied the volume settings over a wide range. Most of the problems seemed to be with the last few records in a program file. After getting a successful load, I immediately made a backup copy on another tape. Those copies loaded normally.

I haven't experienced problems with tapes from other manufacturers, so Discovery Computer Systems may have tape recorder head-alignment problems. I haven't had such difficulty loading tapes since the early days of the TRS-80 Model I.

When you run PFORM, you are presented with a list of the files in memory. This is a great feature! It simplifies selecting the text file to be printed. You can only print ASCII text files (with the .DO extension). This means that Basic programs will have to be saved in the ASCII format. The documentation clearly shows you how to do this.

PRINT PIZAZZ. When printing a Basic program listing, PFORM first leads you through a series of options. You select top and bottom margins, page numbering, line width, left margin (so you can punch the listing for a binder), and output format

You can also specify double-strike printing, if desired.

The Basic program is listed with a header on each page giving the date and name of the program file.

If a line is too long for the specified line length, the rest wraps around neatly.

A friendly feature of the program is it accepts either upper- or lower-case commands. Programs which specifically require a particular case for input can be very frustrating to operate.

When you select a text file to be printed, you are presented with a similar series of choices. You select margins, line length, line spacing, page numbering, and single- or doublestrike printing.

In addition, you can specify indentation (uniformly spaced tabs) and left offset (unindent). These special features are selected by imbedding special characters in the text. You can also specify lines to be centered and page breaks with imbedded characters.

66 June 1984/Portable 100

TM NEC CORP.

TH TANDY CORP.

Circle No. 55 on Reader Service Card

TM MICRO PRO CORP.

TM IBM CORP.

With these controls, you can format simple letters and memos, as well as technical documents and outlines. The indent features make it possible to emphasize numbered paragraphs, and highlight special sections by offsetting from the normal text.

LIMITATIONS. The only features lacking are the ability to right justify text or print sections flush right (as in some letter-heading formats).

A more sophisticated system might also allow headers and/or footers to be printed on each page.

Since the program was written in Basic, you can modify it to suit your particular printer. My printer is set up to skip over page perforations. This entails using a 60-line page, rather than the usual 66-line format. To change the value in PFORM, simply edit the value in line 120.

MODIFICATIONS. If your printer uses different codes for double-strike or emphasized printing, you can change the codes used in lines 240 (select font) and line 260 (clear selection). The program only prints a single uniform font, so you can't select a special font for just a word or two.

The program can be shortened to conserve precious memory space by removing the initial sign-on message and some unnecessary spaces.

You can also renumber the program, using small line number increments. The RENUM program can be used for this purpose. It will renumber Basic programs that have been saved in the ASCII format.

The program will handle statements containing GOTO, GOSUB, THEN, ELSE, RESTORE, and RESUME commands. You can't renumber multiple ON-GOTO or ON-GOSUB statements, however, RENUM also has problems with very long lines, and can't remember lines with numbers larger than 32767. Despite these limitations. the RENUM program will go a long way towards getting your programs cleaned up. As a bonus program, it's obviously worth the price.

DOW AND DIXIE. The other two programs in the package illustrate some of the Model 100's unique capabilities.

The DOW program is designed to retrieve quotes from the Dow Jones Information Service. It will call at a preprogrammed time, and sign on using

ATTENTION SUBSCRIBERS

all correspondence concerning your subscription, i.e., changes of address, duplicate copics, etc. should be sent to:

please include your mailing label for prompt service.

PORTABLE 100 MAGAZINE

P.O. BOX 250, ELM ST. CAMDEN, MAINE 04843



Circle No. 57 on Reader Service Card

Ask your dealer for the Porta[™] series from Skyline—to help you work faster and better!

PortaCalc^{III} — Model 100 "electronic spreadsheet" with 14 column by 26 row workspace! Full use of the built-in function keys to save, load, screen print, report print, or to look behind the data at the formulas in use.

Full arithmetic operators including exponentiation, absolute value, integer, summation, and averaging. Calculations are done to 14 digits of precision and displayed up to 9 digits. User selectable decimal place from none through seven—not just one, two, or floating! Formula replication is included to allow fast creation of worksheets.

Worksheets may be saved, loaded, or merged using the computer's memory or cassette. Often used templates can be saved in memory for instant recall.

Two powerful utility programs are included with **PortaCalc** at no extra charge! **PortaDex**^{**} is a data exchange program that allows reformatting **PortaCalc** files into the DIF format used by **VisiCalc**. **PortaPrint**^{**} is an enhancement to the Model 100's text editor, adding the ability to adjust left, right, and top margins, and page length. Page numbering, headers, centered lines, flush right justification, new page control, and more.

Comes with extensive documentation in padded 3-ring binder. Includes tutorial, detailed reference section, and executive level sample templates. Fully illustrated with screen prints, examples, and hints.

PortaStat[™] — Correlation, regression analysis, and descriptive statistics package, designed to be a working tool for today's businessman. Data can be input from cassette, memory, or keyboard. Interactive with **PortaCalc** data files! Thoroughly documented, includes tutorial.

PortaFin[™] — Present value, net present value, future value, annuities, interest factors, loan constants, internal rate of return and more! This user-friendly package prompts you for the needed input data, then gives you the answer to your loan or investment problem! Interactive with **PortaCalc** files, allowing you to "read" cash flow data from memory. Keyboard or cassette input also available.

PortaMax¹⁰ — The powerful 'simplex' method of linear programming. Find the optimum 'mix' for a given set of constraints. Interacts with **PortaCalc** files to avoid time-wasting ropotitive data entry. Tutorial, examples, and bibliography included.

PortaFolio[™] — Stock and bond valuation, betas, Macaulay's duration, yield to maturity, bond swap calculations, and much more. All in an easy to use program, interactive with **PortaCalc** data files. Supplied with comprehensive instructions and reference manual.

All **Porta** series programs are supplied on cassette and require 24K RAM. **Pricing** — **PortaCalc** is **\$69.95**, all others are **\$44.95** each. If ordering direct, add \$2.00 shipping and handling per order. Dealer inquires invited.



dy Corp. VisiCalous a trademark of VisiCorp. Diffus a hodemark of Software Arts

4510 W. Irving Park Rd. • Chicago, IL 60641 • (312) 286-0762

Circle No. 58 on Reader Service Card

your password. It then asks for the quotes you want, saves them to a file, and signs off.

The DIXIE program serves as a novel alarm clock. At a specified time, the program draws a rendition of the Confederate flag and plays a couple of verses of "Dixie."

The PFORM package provides a number of interesting Model 100 applications. The text formatter is capable of producing a good-looking presentation. It won't rival a full featured word-processor, but it certainly adds new dimensions to the Model 100. The other programs supplied with PFORM make novel uses of the 100 and utilize many of its capabilities. PFORM is a welcome companion to the Model 100 text editor. ◀

CALENDAR PROGRAM MAKES DAYS COUNT — SOMETIMES

Executive Calendar version 1.0 Radio Shack Catalog No. 26-3833 Tandy Corporation 15001 Tandy Center Ht. Worth, TX 76102 Minimum of 24K required (32K preferred) \$19.95

By MARY JEANN BATHAM

xecutive Calendar is two programs in one:

A calendar program to manage time

REVIEWS

and appointments; and

• A dates program to calculate the days between dates and list floating holidays.

The software is neatly packaged in a padded binder with a well-written instruction manual and two, small quickreference booklets which fit in a pocket at the back of the binder.

No loading instructions were given in the manual, but the "applications quick reference" booklet gave detailed step-by-step instructions on loading from tape.

SOUND OFF. Both programs loaded immediately from my Minisette-9 tape recorder, with volume setting 5. The booklet suggested that if problems are encountered loading the tape, go into Basic, type SOUND OFF, and press enter. This is an excellent suggestion and one I'll use in the future.

The mini-instruction booklet told me to load the program by typing CLOAD, the name of the program file, and pressing enter. But it didn't tell me the name of the programs. The cassette tape label showed "dates" and "calndr," but I managed to load both programs using CLOAD without a file name.

Otherwise, this booklet gave a fine summary of loading and saving Basic, document, and machine-language tiles, and its 4-inch-by-6-inch size is handy when traveling with the Model 100.

CALENDAR. The calendar program is 14.5K bytes long and the dates program consumed 10K. If you have only 24K of memory, you'll be unable to

have both programs in memory at the same time.

The instructions caution you not to exit the program by pressing shiftbreak. 1 did and found the function keys in Basic changed. The next time I ran Calendar, 1 exited properly using function key 8 and everything worked correctly.

TIME MACHINE. The function keys are clearly defined in the manual:

• F1 displays the previous month's calendar;

F2 displays next month's calendar;

• F3 displays the calendar for any month and any year from January 0001 to December 9999;

F4 displays the week's activities;

• F5 shows the day's appointments;

• F6 saves the calendar as a NOTE.DO file in RAM; and

• F7 writes the calendar to tape and returns to the main menu.

After selecting a month and year, you can display your week's appointments. The days are divided into 30minute segments from midnight to midnight. Appointments are marked with an asterisk (see figure 1).

When vicwing a day's appointments (see figure 2), you're limited to 14. In this mode you may use a submenu letting you add an appointment, edit a schedule, remove a schedule, or return to the main menu.

When adding an appointment, you must use the 24-hour clock. And the program requires insertion of a colon



Portable 100/June 1984 69





Tired of manually calculating the averages, the handicaps, the top 3's plus much more throughout the bowling league season? Your time can now be drastically reduced!

a.

Available for the TRS-80 Model 100 (32K) is a set of two bowling programs: (1) individual bowler and (2) team.

- All calculations needed
 Clear printous
- <u>____</u>
- ⊠ SixdiferentJormais
- [X] Unlimited number of bouclers
- [X] Greatlexibility
- 🗵 Completerenhusermanuals
- (X). Cassenes inchaca

ONLY \$69.95

Postage and handling included

Send check or money order to: Mikael Hansen 500 Fifth Street, # A3, withrette, Illinois 60091



REVIEWS			
	Figure 2. Daily Schedule		
	ily Schedulc For 06/11		
Time Du	ra		
09.00 01	.00 deutist apputatment		
10:00 00			
11:30 00 12:00 01	130 Job interview Mary M.		
	:30 Irene birthday lunch :30 job interview Nancy G.		
15:00 00	:30 Job interview Bruce B.		
18:00 04	:30 dinner with John		

between hours and minutes. I found this annoying since the machine kept beeping until I found the colon key. Perhaps the authors could have written a short routine that would automatically add the colon.

SOCIAL SUSPENSE. I also had to enter the length of my appointment (called "duration" in the program). This would be practical if I were interviewing pro spective employees for a job opening, but I plan to use the calendar program to keep track of social activities, too.

Somehow "duration" takes the mystery out of my social life, and I resent having to figure out beforehand what time I send a date out the door.

I also was surprised I could enter a two-digit hour for duration time. How many of us schedule an appointment 10 or 12 hours?

I was given only 21 letters to describe my activity. If I had a trade show at the Holiday Inn on State Street in Hayfield, IA, I'd have to abbreviate it to "tradeshowHIStageHayIA." I wonder if, weeks from today when I saw that appointment, I'd remember what it meant.

I also had the option of editing my appointments. If you position the cursor over the time and wait long enough, you can also edit time and duration, too. (The manual didn't point out this nifty feature.) However, if you do that, you'll have two listings for the same date; so you'll have to to remove one of the entries. This edit feature was very confusing and should have been explained in more detail in the manual.

The software authors could have saved some memory length by using a few tricks. Multiple statements could have been placed on the same line, saving three bytes for every extra line number eliminated.

Also, I'm not certain how many times I need a calendar for 1776 or the year 1999, so some of the data for other centuries could have been eliminated. **DATES.** When the dates program is run, this menu appears:

- (I) conversions
- (2) holidays
- (3) weekdays
- (8) menu

Conversions converts Gregorian calendar dates to Julian days. I quickly got out of that program. Somebody out there must have a use for it, but I don't.

Holidays was more practical — and interesting.

It's nice to know when Easter, Mcmorial Day, President's Day, Labor Day, Father's and Mother's Day, Election Day, and Thanksgiving fall for future years.

I could also find out when the First Sunday in Lent. Passion Sunday, Palm Sunday, Good Friday, Ascension Day, Pentecost and Trinity Sunday fall each year. If I were a member of the clergy, I would probably find these holidays very useful. However, I would rather know when the Jewish floating holidays fall, like Yom Kippur or Passover, in case I were making sales calls on those religious days.

In this mode, you may also display the date in any year for a holiday. I moved the cursor to Election Day, hit F3, typed in 1985 when prompted with "which year," and the screen displayed Tuesday, Nov. 5th, 1985.

FIND. The find function allows you to specify a given date to see if a holiday falls on it. I positioned the cursor over Thanksgiving, pressed F5, and typed in 12/25/1984. The program flashed for all years from 1984 to 2084, and finally told me that Thanksgiving Day does not fall on 12/25.

The weekdays function allows the calculation of the number of days between two dates. When I tried to calculate how many weekdays fall between Sundays, the program kept coming back with six weekdays. (Wish I could
REVIEWS

get my staff to work that extra weekday without overtime pay.)

When Tandy decides to revise this software, they might want to start on this routine first. It would be so much more useful if it worked.

This function is also supposed to calculate the number of times a day falls between two dates. I tested the program to see how many Mondays fall between this Sunday and the next Sunday. The program figured two. When I tested it again, trying to calculate how many Mondays fall between a Sunday this month and a Sunday next month, it advised there were minus 51. Oh well. Mondays are always bad days anyway.

Features in this function that *do* work include:

• Finding the nth occurrence of a day of the week in a given year;

• Calculating the number of years a specific day of the week falls on a certain date; and

• Calculating nine days that a specific day of the week falls, after a starting date. For example, I chose Sunday and the program listed the next nine Sunday dates for me.

The Executive Calendar is a very useful program, subject to a few minor limitations. The "holiday" function of "dates" is useful, but more practical holidays should be added. And the bugs need to be worked out of the "weekday" and "number of times" portions of the program. The price is reasonable, and the two small booklets are excellent reference material for Model 100 users. ◄

THE GROUP FROM DALLAS DOES IT AGAIN WITH TENKY

Tenky+

Portable Computer Support Group 11035 Harry Hines Blve., No. 207 Dallas, TX 75229 214 351 0564 \$59.95

By ROBERT K. KAWARATANI

Portable Computer Support Group (PCSG) is one of the leading third party software vendors supporting the Model 100. Hot on the heels of its highly successful Businesspak+ (see Portable 100, September 1983, page 54; October 1983, page 17; November 1983, page 54; January 1984, page 58), PCGS has introduced five new business programs for the 100, including a financial calculation package called Tenky+.

The name of the package comes from the 10-key numeric keypad incorporated in the keyboard of the Model 100, which gives it the capability of performing a wide variety of financial functions. The package includes an instruction manual and cassette (housed in a three-ring notebook), as well as six stickers to apply to keys, designating their special functions within the program.

TWO-MODE OPERATION. The program is in two modes: tape and analyst. The tape mode, referred to as the "dynamic tape", is located on the right side of the display. It works much like a desktop calculator, "scrolling" the entered values up the screen. You can store up to 120 tape entries, including related notes that don't exceed 26-characters per line. Each of these tape positions functions as a calculator, allowing chain calculations and nested parentheses.

Eight numeric entries are visible at any given time, although you can only view the last note entered. The dynamic tape allows for editing of both the numeric and note entries, and performs a variety of tasks including addition, subtraction, multiplication, division, reciprocals, changing sign, natural logs, antitogs, and percents. Additionally, it permits you to have up to 10 levels of parenthesis open at one time.

The contents of the dynamic tape can be saved to RAM, cassette, or printed. Conversely, stored files can be loaded from RAM or tape files. Tape entrics also may be saved to the analyst mode registers, located at the left and center of the screen.

ANALYST. This mode converts the Model 100 into a sophisticated financial calculator, allowing "what if" calculations with just a few key strokes. The 10 analyst registers make it possible to perform amortization schedules, breakeven analysis, compound interest (annuity) calculations, internal rate of return, modified internal rate of return, and net present value.

It sounds pretty versatile, but let's put it to the test. I've chosen to use an example from the manual for problem solving with an unknown value. The



Circle No. 61 on Reader Service Card

The MSTRAP provides the Model 100 user with a convenient way to hand or shoulder carry their Model 100. Conversion from hand to shoulder carry and back again takes only a few seconds installation of the MSTRAP will not void any of Tandy's warranes and can be performed by the purchaser in just a few minutes. The MSTRAP comes with full instructions and has a instructions and has a



AUTOPLOT for the TRS-80 **MODEL 100** (16k +) and the CGP-115 Color Graphic Printer A picture is worth a thousand words. Now you can produce color graphs of professional quality effortlessly in minutes wherever you go. Plot tabulated bata or functions. Choose from line graphs, scatter plots, bar graphs and more.

Axes are automatically scaled and labelled. A few keystrokes select from many options, such as plot size, continuous curves and/or separate marks, multiple curves, optional grid overlay. Linear or log plots, numeric integration or differentiation... A label-maker program lets you add fancy littles or legends. AUTOPLOT is written in BASIC and comes on cassette, together with an exceptionally clear 09 page manual.

Why such a small ad for such a fantastic program? By keeping down our overhead, we can offer you **AUTOPLOT** at the unheard of introductory price of \$49.50

Also available:

AUTOPLOT for TRS-80 Mode! I/III (48k, 1 disk and CGP-115 - \$69.50

AUTOPLOT for THS-80 Model I/III and EPSON printer with Graphtrax...\$79.50

AUTOPLOT for LNW-80 (+ HilBes video graphics) \$9950

Please and \$3.00 for shipping and handling CA residents please add sales tax. Phone orders, VISA and MASTERCARD we come.

MENLO SYSTEMS

3790 El Camino Real, Suite 221 Palo Alto, CA 94306, Tel (415) 856-0727

THS-80, CGP-115 TM of Tandy Corp

REVIEWS

problem: If one were to borrow \$8500 from a bank for a new car at 17.5 percent APR, paid over a 48-month period, what would the monthly payments be?

The interest rate is entered into register 5 (17.5 divided by 12), the principal is entered into register 7, and the number of payments is entered into register 9. The cursor is placed over register 6 and the payment amount (\$247.47) appears in the register. Simple, right?

Vou can easily perform a "what if" calculation on the problem by changing the amount of payments from 48 to 60. Simply move the cursor to register 9, press F6, and the new monthly payment (\$213.54) appears.

CHILD'S PLAY. Tenky+ actually is easier than a spreadsheet for interest and annuity calculations because any of the values can be varied and the unknown value selected simply by moving the cursor around the screen. Altering the variable being solved in a spreadsheet requires redoing the formulas.

Printing a formatted amortization schedule is elementary. The note option in the tape mode is used to enter a heading for the amortization schedule. Values for interest rate, principal, and number of payments are used to compute the payment value.

F5 is then pressed and prompts for month of first payment, first year to print, and last year to print. Enter is pressed one additional time with the printer connected, and the formatted amortization schedule is printed. Break-even analyses and calculation of internal rate of return and modified internal rate of return are also easy to perform.

The tutorial section of the manual provides step-by-step instructions for operation of the programs, as well as examples of the various functions. The manual would have been enhanced by visual aids, particularly for explaining the location of the registers in the analyst mode. I had to do a little exploring before I found them at the bottom center of the screen.

TYPOS OR BUGS? Also, it wasn't possible to confirm whether disagreements between the supposed and actual results in working through examples of break even, internal rate of return, and modified internal rate of return in the manual were typos or pro-

72 June 1984/Portable 100

gram errors, as the specific formulas for using these functions weren't explained.

Although the manual does explain some of the calculations the program performs, it isn't a substitute for a book on financial calculations, nor does it pretend to be. It would be advisable to have a copy of the book recommended by the manual, or an equivalent, for the user with a limited financial background.

PCSG DOES IT AGAIN. While not a frequent user of the types of calculations this program is designed to perform, the user interface and convenience of this program follows in the best tradition of PCSG's previous products.

POWER FROM THE LAND OF A THOUSAND LAKES

Prairie Power Bluestem Productions Box 334 Wayzata, MN 55391 612-471-7795

By ROBERTL GREEN

B cing the proud owner of a Model 100, I feltfreed from the constraints of power cords and wall outlets. However, this feeling was short-lived. I learned too soon that batteries run down and have to be replaced. Batteries also leak.

Enter Prairie Power, the family of rechargeable batteries from Bluestem Productions (see table 1).

Bluestem's offering seemed like a fair one. I easily could save the original purchase price of batteries over the life of one rechargeable battery. My order, with personal check, was received by them March 2, and the product arrived by mail March 21. **NICELY PACKAGED.** The box contained the battery, versatile connecting cable, electrical adapter, and one page of instructions.

The instructions give clear warnings: how to connect, use, charge, and store the battery (which is a lead-lead dioxide electrochemical system packaged in a spill-proof container with two wellmarked electrodes — positive and negative.

The battery I purchased was the 8 ampere, 6-inch-by-3.75-inch-by-2.25-inch model. It weighs more than my 100!

Thanks to this battery, I now have use of four slightly-used AA batteries. I also have no need for the Radio Shack AC adapter.

Prairie Power provided a super AC adapter. It has selectable 110–120 and 220–240 VAC options, plus variable voltage output of 3, 4.5, 6, 9, and 12 volts. There's a selector for negative and positive polarity. The \$10.95 price tag for such versatility is a bargain.

STAV CONNECTED. Local Radio Shack personnel told me taking out the four batteries wouldn't affect the memory, and it didn't. They also told me the 100 needs recharging of the internal nicad battery or the RAMs would go blank and lose memory.

As the portable battery also needs to be used and recharged to prolong its life, this was an easy arrangement. I now have the units connected most of the time except when I carry the Radio Shack computer case. (The side attachment from the battery might be damaged by the side of the carrying case.)

The carrying case has doubled in weight and is packed with: printer cable, telephone connector cables, Model 100, reference manual, portable battery, and adapter/charger unit.

ROUND-THE-CLOCK MOBILITY. Now I casily can go anywhere and not worry about the battery indicator light. I'm not relegated to sitting next to an electrical outlet for my AC adapter, and

UNITS	PRICES	HOURS OF USE	RECHARGE
8 amp. Hr	\$34.95	150160	48 Hours
5.5 amp. Hr	\$29.95	90105	24 Hours
2.6 amp. Hr	\$21.95	50	12 Hours

Table 1. Prairie Power Vital Statistics.

Make your Model 100 Grow... with the Q-3024 Interface from Quasitronics



For less than \$500* you can add this proven interface unit and expand your Model 100's capabilitice. Now you can use it for data collection and to control and actuate alarms, motors, pumps, heaters, laboratory apparatus and a host of other equipment. Hundreds of these quality interfaces have been in use for over a year with documented results.

Take a good close look at this combination of performance benefits.

- Easy to connect to any computer with an RS232 serial port.
- Can be programmed through Model 100 in BASIC.
- Contains a Z-80 micro.
- Can store information on discs to permit long-term data logging (or it can print out).
- Provides 2 high resolution analog inputs; 4 digital outputs.
- Can rescale information into engineering units for your own programming.
- Can control up to 4 devices such as alarms and actuators.

- Sample software examples included on disc.
- Compact-only 8%" x 8%" x 2".

And there's more!

Quasitronics has specialized in interfaces for over a decade. The Q-3024 is just the first in a new and complete line of state-of-the-art interfaces. It's ready now for immediate shipment from stock.

We'll be adding other interfaces soon. If you'd like to learn more about Quasitronics, the Q-3024, and our expanding line of interfaces, call Chuck Jones, collect, or write to the address below. Dealer inquiries are most welcome.

*List price \$495.00 each (plus shipping). Quantity discounts available.



211 Vandale Drive, Houston, PA 15342 • Telephone 1-800/245-4192 Telex 81-2550

Circle No. 63 on Reader Service Card

Circle No. 64 on Reader Service Card



don't need to keep a set of batterics handy for emergencies. Bluestem advertises batteries used three hours a day can cost \$188 per year.

I'm concerned, though, about how to tell when the Praire Power battery eventually does run low. Recharging time seemed long for a fully-discharged battery (48 hours). With AA batteries, my 32K unit would run only 19 to 20 hours continously and would *retain* memory for eight days with power off. off.

My 100 now can be operated 24 hours a day for 6.25 to 6.75 days, which translates into over a month of four-hour-per-day operation.

REVISION COMING. Bluestem didn't include what voltage level should be set on the charging unit for recharging the 8 ampere unit, nor was anything mentioned about removal of the AA batteries. A call to Minnesota revealed a revised instruction sheet soon will be available with that information. They said they'd call me back as to the proper voltage setting (which I assume would be six for the 6-volt battery).

As with any new company, how long the product holds up in the field, cost, time for repairs, and survival of the company are all speculative. But for \$49...

ALMOST A TEN. On a rating scale from one to 10, I'd certainly give this product a 0.5. It's worth the price and the com pany offers, at no extra charge, a oneyear warranty. This certainly fills me with confidence as to the quality of the batteries and longevity of Bluestem. ◄

YORK SOFTWARE WILL MAKE YOU FINANCE WIZARD

Financial Analysis Packages York Software 2885 Tanglefoot Lane #8 Bettendorf, IA 52722 319-322-5715 8K and 16K versions available \$39 total package

By CHARLEY FREIBERG

York Software's Financial Analysis program is a menu-driven collection of programs that includes: amorti-

а

Circle No. 66 on Reader Service Card

zation, compound interest, annuities, and bonds analysis. The programs are provided in 8K and 16K versions.

None of the programs were a problem to load, save, or run. The menudriven aspect is well done, using function keys to switch back and forth between different programs and the main menu. While working on any routine, you can press F8 to return to the previous menu screen.

CONTENTS. The amortization program allows you to determine equal payment amounts, original balances, number of payments, and interest rates. The compound interest program determines future and present values and equivalent rates. The annuities application determines ending and deposit amounts. The final program, the bonds routine, determines yield and purchase amounts.

I tested the different routines and established they do work and work in the manner intended. For example, I checked the payment amount of the amortization routine by entering \$34000 for the principle amount, 10 percent for the annual interest rate, and 300 payments to begin December 1983 on a monthly basis. Having checked the results against what my banker told me, I can verify the math routines in the program.

I checked the other routines and verified the answers against results from financial counselors. I also checked the time it took to figure payment number 300 paynent: 46 seconds.

VERSION 2.0. This version produces a flashing "wait" which reassures you you haven't lost your data, program, or patience. But be prepared to wait.

A previous version gave me problems on data entry. Version 2.0 offers easier data entry, with latitude for fumbling fingers, missed entries, zeroes in the wrong place, and other common mistakes. The up arrow is used to delete an entry so clean up is a simple task.

There's now a printing routine to print out an amortization schedule. You have to give the program simple printer information on request, though, before you receive your hard copy.

TRUE TO ITS WORD. The Financial Analysis program does what it should, and more importantly, what it says it will do.

EXPANSION TO GO

Battery powered interface for the Model 100. Gives Analog and Digital I/O capabilities to your Radio Shack or NEC portable. Whether in the lab or in the field, Data Acquisition and Process Control are now more affordable than ever. Easy to program using BASIC input and output statements.



SISTER DRIVES BROTHER

Maybe you've seen the incredible new Broiner EP-44 printer — a battery powered correspondence quality printer just about the same size and weight as your TRS Model 100. Or maybe you already own its predecessor, the EP-22. These are the perfect portable companions to the Model 100, but.

The usual printing and formatting programs won't drive these Brother printers properly, because of timing and overflow problems, and because of their reliance on printer control characters which the EP printers don't respond to. However, ...

We at Bullet-Proof Software have developed a tailormade program, SISTER.BA, for formatting text and driving the Brother EP-44 or EP-22 from the TRS-100. It formats. DO document made in TEXT mode and prints a beautiful copy. No more need to "configure" a generalized format/print program that is not geared or really suited to the exact printer you have, or to struggle with confusing parameters — just load and run and print a perfect document first time. NEC PC-8201 versions are also available.

We think this program is the most comprehensive text formatter/printer yet made for the lap computer market. It has facilities not found even on many fullblown full-price dedicated word processors. Partial feature list: dynamic margins and line spacing and automatic right justification, conditional and unconditional page end with optional nage-number gap. Line numbering, underlining, overstriking (for lawyers), centering, right-flushing, paragraph indening, superscript/subscript, special characters, composite characters (by backspace), soft-hyphen, hard-hyphen, automatic/manual hyphen, required space, word and line counting, alternating-side headers/footers, continuous print from roll paper with optional page throws or stopping for paper tearoff, multiple copies, recover on printer fault, skip through document, automatic dating, defaultparameter setting, merge from variables-document (for repetitive letters) or keybuard, print from cassette, stop/interrupt, full vertical margination, headers and footers availables together, date and page number in header/footer, starting page number settable, and optional page legend omission on first page (for headed paper).

PS: You won't be happy with this complex program if your machine has less than 24K. But, we intend to produce a ROM version soon! Watch this space, but don't hold your breath — full trade-in on the cassette version will be given. By the way, you can change the name of the program once it's loaded if you dun't like it!

((please supplement ordering information)) PRICE \$60 (plus %% for credit cards) (ask customers to specify EP-22 or EP-44, TRS or

NEC) DEALER ENQUIRIES INVITED



Shimizu Bldg. 2F 1-20-12 Nishiterao

Kanagawaku Yokohama 221 JAPAN

Portable 100/June 1984 75



ANALOG TO DIGITAL DEVICE FROM N.J. FIRM

M casure analog voltages with 1 millivolt resolution with Humphrey Instruments' Model 100 A/D. The unit will accept digital data byte-by-byte, output single bytes of digital information, or shake hands with external analog or digital devices.

The A/D accepts up to 160 to ± 4.095 volt inputs at a terminal strip on the front panel and provides ± 2 -bit output data from the integrating A/D converter. Also available at these terminals are ± 15 volts, ± 15 volts, and a ± 1.22 volt potential.

The precision unit comes with logging and test software on cassette, a manual including program listings, a 40-pin ribbon cable for direct connection to the 100 buffered bus, and a plug-in power supply, all for \$580. Contact Humphrey Instruments Inc., 35 Cold Soil Rd., Lawrenceville, NJ 08648, 609-896-1612.

SURVIVAL KIT FOR PORTABILITY AND PRODUCTIVITY

f you're one of those individuals constantly thwarted by losing your pen, and fumbling with dislocated 100 prop legs, perhaps Workstation-100 is the answer.

The kit includes seven items: support legs (\$3.50), pen (\$2.75), mechanical pencil (\$1.75), case for extra batteries (\$3.95), and a clip-folder/typing stand (\$6.50). The compact kit is designed so all items attach/detach using velcro while allowing the computer to still be stored in either the original carrying case or the Radio Shack briefcase. Save \$9.50 by ordering the complete kir for \$14.95.

Orders may be placed by calling 804-794-6675 with your charge card, or by writing A.R.M.S., 12131 Old Buckingham Rd., Midlothian, VA 23113.

LET TYPESETTING EQUIPMENT TALK TO MODEL 100

This new software program makes the 100 totally compatible with any system capable of receiving data from a Compugraphic MDT 350 terminal. Requiring few keystrokes at the 100, the MDT Communicator lets the user select either the acoustic coupler or RS232 communication ports for data transmission. When using the RS232, 300 or 1200 baud rates may be selected.

The software with the 100 can be used in plant or remote. ICll transmit formats, text files, typesetting commands, and translation tables. The MDT Communicator package is \$495, a complete Model 100 package is offered at \$2495. For more information, contact Gary Porter, 603-424-4161, or write to Switch & Mux Inc., 10 Oakridge Ave., Merrimack, NH 03054.

BATTERY-POWERED DEVICE STORES RAM ON THE ROAD

CA, manufacturer of computer peripherals has developed a portable RAM-disk for the 100, NEC, and Olivetti M10.

Weighing in at 3.75-pounds (about half the size of the 100), the PortaPac 100 stores 60K of programs and data, expandable to 252K, and provides two days of storage between charges. The built-in proprietory operating system stores information in RAM exactly the same way the 100 does, making dataaccess almost instantaneous.

PortaPac connects to computers via



—TARGET-WRITER—

Manuscripts, Reports, Proposals, Newsletters, Personalized Letters

- Columns with decimal alignment UP TO 5 FOOTNOTES' PER PAGE typed "inline" where referenced and automatically moved to the bottom of the page.
- PARACRAPH TEXT ALIGNMENT under paragraph headings (I., B., 1., a., etc.) and under "bullet" characters of your choice. Paragraphs may be ANY length.
- MAILER feature for customized personal letters with up to 9 inserts while maintaining even margins. Letters for TARGETED names or for an entire list. Plus:

SURNAME RECOGNITION

- MULTIPLE OVERLAPPED ADDRESS LISTS
- ENVELOPE & LABELS
- ATTENTION LINE

CENTERING

OR LEFT

RIGHT JUSTIFIED, and RIGHT ON THE same line!

 CHARACTER STYLES (superscript, subscript, underline, compressed, italic, expanded... or whatever your printer will produce) pre-defined to single character controls for on/off operation.

MIXED CHARACTER STYLES ON THE SAME LINE while maintaining even margins!

- JUSTIFIED MARGINS
- SINGLE-CHARACTER CONTROLS
- PAGE BREAKS, SIZE AND LENGTH
- DRAFT or FINAL QUALITY
- MULTIPLE COPIES
- Pass-through control for special printer codes

- INCLUDING OTHER FILES

- TAB WIDTH AND MARGIN CONTROL

- HEADING AND PAGE NUMBERING

- CONTINUOUS or LETTERHEAD
- CR/LF option

Program size 8k; in BASIC. Price \$69.95; California residents add 6% or 6.5% sales tax as applicable. Price includes cassette, 12 page user guide and shipping. Specify printer type and model when ordering. For other than EPSON, GEMINI, RADIO SHACK printers, enclose copy of control code summary with 5 character styles preferred. To order, send check or money order to:

TARGET SYSTEMS BOX 507, PACIFIC GROVE, CA 93950 408-646-1547

¹ May be superscript, numbers, letters, or symbols.

Circle No. 68 on Reader Service Cara

the RS232 interface port, allowing easy data-transfer between portables and desktops. The \$395 unit works with all CP/M and MS-DOS microcomputers.

Contact Cryptronics Inc., 11711 Coley River Circle No.7, Fountain Valley, CA 92708, 714-540-1174.

PORTABLE POWER SUPPLY SAVES ON BATTERY COSTS

P ower Prop brings freedom to 100 users, allowing you more time away from an AC source. A totally portable power supply, it uses D size batteries which last longer than AA size batteries.

Power Prop sells for \$12.95 each, three or more at \$9.95 each; add \$2.50 for postage and handling. For more information. contact Wagoner Inovations, P.O. Box 330, Ooltewah, TN 37363.

INFO-MATE MAGIC OFFERS AUTO-DIAL MODEM

E asy installation, intelligent features, and reliable data communications are how Cermetek Microelectronics Inc. sum up their modem, Info-Mate 212A. It's a microprocessor-based Bell 212A-type that fits beneath your tele phone.

By plugging the modem into the data terminal or computer, the telephone line, and a power outlet, you're ready to go. It automatically adapts to the host's communication parameters, eliminating system integration prob-

NEW PRODUCTS

lems that often arise. Features are: auto-dial, auto-answer, auto-speed select, auto-parity select, and auto or manual selection of pulse or tone dialing.

Priced at \$595 for a single unit, Info-Mate is available directly from Cermetek Microelectronics, Inc., 1308 Borregas Ave., Sunnyvale, CA 94089 or from one of their dealers.

TEXT FORMATTER FOR COMPUTER ILLITERATE MIND

W ow'em with this slick print formatter: Lone Writer, by The Great Oak Company, promises professional-looking business letters or ad layouts with a minimum of effort. Developed with the computer-illiterate in mind, all that's needed is the insertion of a couple of "common sense" format and font control commands. Often no commands are needed at all, the default settings do the job.

The software works with any printer compatible with the 100 and Nec 8201. With a dot-matrix printer. Lone Writer gives you up to 16 different fonts and options such as underlining, subscript, and superscript.

Interested readers may contact The Great Oak Company, 7 East 14th St., Suite 1530, New York, NY 10003.

SOFTWARE OFFERED FOR IBM-100 LINKUP

The missing link between the 100 and the office IBM PC has been discovered: 1-to-1 Remote Control software from Kensington Microware.





NEW PRODUCTS

Remote Control works at the office, on the road, and during meetings by integrating word processing and communications. Modeled after the software in the 100 and NEC, the command structure is identical. You can move files at high speed over a standard RS232 cable between the 100 and PC; a null-modem cable is included. Users also can communicate and control unattended PCs over telephone lines from their 100 keyboards.



Remote Control, for \$180, can be ordered directly by calling 212-475-5200.

FIVE GAMES FOR 100 TEST FUN CAPACITY

And for those of you still looking for more computer fun, five games have made their debut from Micro Software Systems. Each pack contains three games: Casino Games, Fun 'N Games 1, Fun 'N Games II, Board Games, and Graphic Games. Each is available for \$29.95 per package of three games. Include \$1.50 per pack for postage and handling to Micro Software Systems, 444 North Grove Drive, Alpine, UT 84003.

AVAILABLE FREE: COMMUNICATOR'S RESOURCE BIBLE

The January 1984 edition of the *Black* Bax(R) Catalog is free for the asking. Over 300 problem-solving products designed to enhance data communications and computer operation capabilities is featured in this 112-page book.

The Black Box product line ranges from basic installation hardware like cables and data switches to sophisticated modems and line drivers. Each product is described in detail with photos, diagrams, and prices.

To obtain your free copy, write Black Box Corporation, P.O. Box 12800, Pittsburgh, PA 15421, 412-746-5500. ◀



Mail Check or Money Order to: **DISKUS PRODUCTS** 6003 Bandini Blvd., Los Angeles, CA 90040. VISA or M/C call (213) 726-3088 The POCO STAND \$17.95 plus \$2.00 each unit Shipping & Handling — CA residents add 6.5% sales tax. Patent Pending. © 1983 DISKUS PRODUCTS For RUSH Delivery add \$2.00 extra — U.P.S. Blue Label

Circle No. 70 on Reader Service Card

YOU WILL NEVER USE TEXT AGAIN ... **TO ORIGINATE A DOCUMENT**



YOUR MODEL 100 PLUS ANY PRINTER BECOMES THE MOST FEATURE-RICH ELECTRONIC MEMORY **TYPEWRITER YOU CAN BUY**

TYPE + is an exciting new program from PCSG that completely changes the way you use the Model 100.

Simply put the cursor on TYPE+on the Main Menu, press ENTER and you are immediately typing directly on your printer.

It lets you generate and create documents on your printer as finished copy. You see it as it comes from the computer and you can arrange it the way you want, right on the paper.

Fantastically, everything you type is stored in a .DO text file. You set the margins, left and right. Paper feeds automatically into the printer with a function key setting.

A screen buffer that you control, allows you to view your last line before it goes to the printer. You can set the

screen view area from an entire line of characters to one word to immediate print as you desire.

You can send the text to the file formatted as you typed it, or unformatted for less memory consumption (if you send it unformatted you can format it with SCRIPSIT 100), TM

You have features for word processing that you thought were missing. For example: full TAB control, you set as many as you want, where you want them, with a function key, automatic centering of words or phrases, on and off with the function key.

Everyone who starts to use TYPE + is immediately addicted. We have heard the statement "I'll never use TEXT again to write a letter," from every person who has used the program.

Other comments from users show us that this is a very logical method of generating a document. You are creating it and seeing it on paper, but you're also writing it to memory at the same time so that you can edit what you have created any time you wish.

The use of the function keys in this program will amaze you. You can right justify, set margins, underline, do boldface print, on any printer, all with function key switches, (no control codes to look up and enter).

You will love this program. We honestly got rid of our typewriters. You will wonder why this concept hasn't been done before. It is the logical way to create a document.



A

1(in

Pi

рі

Ľ

ch

οι

COMPLIER SUPPORT

Type + is part of Business pack II CALL 1-214-351-0564 MASTERCARD/VISA/COD.

Circle No. 71 on Reader Service Card

IT'S BRAND NEW IT'S DIFFERENT you loved businesspak +

Now businesspak + +

\$80.95

Six more programs designed for the businessperson Each on its own cassette Excellent easy to follow manuals



Again PCSG provides for your Model 100 programs that turn your computer into a far more powerful business tool. Picture what you could do with these programs.

INVOIC: Prepares involces, does purchase orders, does time billing. Prints out on printed forms complete with math extensions, sub-totals and totals. Remembers stock items and unit prices, or type in new. Automatically numbers. Choice of long or short forms. Stores records in RAM file. (Your record file interfaces with AR program sold separately.) So fast and casy it could be used as a cash register.

FINANC: Writes checks, balances checkbook, reminds you of regular expenses and due bills. Prints detailed report. Maintains category records. Interfaces multiple accounts. Keeps track of charge accounts.

- -

<u>TELEX++</u> New super Telex sending program that enables you to send Telexes and Mailgrams from any phone in the country using nationwide toll-free number with automatic verification of receipt instantly.

<u>CALNDR:</u> Generates up to an 18 month calendar. Prints out full sized calendar pages with events you schedule, detailed in each day's box. Print single week, month, year or 18 months. Records accessible on screen as well. Print out looks like page of conventional wall calendar.

<u>TYPE+:</u> The Model 100 now becomes, with the addition of any printer, the finest, most feature rich, electronic typewriter available today. You can type directly to the paper (some printers have a one line buffer). Underlines, and does bold-face print on any printer with function key (no control codes to look up or embed). Right justifies at the touch of a function key.

BRKEVN: Analyzes your business, or any business proposition. You enter cost of each raw material, detail of fixed costs and variable costs. Calculates point at which your business breaks even, or shows a profit or loss.

You examine costs, sales volume or price at different levels. Prints out detailed report showing all entries and studies of each variation.

Be the hero at meetings. When your associate says "We'll sell twice as many if we lower the price ten percent," you can key into your computer and quickly say "Yes, but we'll lose a dollar on every one we sell." And then print out a study of the whole price vs volume picture.

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

PCSG provides hotline software support for Model 100. Call 1.214.351.0564. Available now directly from Portable Computer Support Group. We endeavor to continue as The Leader in Software for the Model 100.

SCRIPSIT 100 is trademark of Tandy Corp.

Circle No. 72 on Reader Service Card

FULL-DUPLEX



Editor's Note: Full-Duplex is dedicated to solving reader's Model 100 problems. Readers needing assistance should address their letters to: Terry Kepner, c/o Portable 100, 67 Elm St., Camden, ME 04843

CHINESE WORD PROCESSING

use my Model 100 to write in Chinese for Chinese magazines. The 100 is an efficient tool, but I'm encountering some difficulties in formatting the output to a printer.

First, I bought a Chinese character generator board. It is connected to the 100 via the RS232 port.

Each Chinese character is generated by typing on the 100's keyboard a group of one to five lowercase letters. The adapter board takes these groups and displays the Chinese character they define on an Amdek monitor.

Sending CHR\$(6) from Basic activates the printer function of the Chinese character generator board. With the board and the rules for making valid Chinese characters, you can generate up to 24,000 different characters.

Now for the problems.

The Amdek monitor supports a horizontal line of 26 Chinese characters exactly the right length for Chinese writing. This represents a line length of up to 155 ASCII characters on the Model 100, since each Chinese character is defined by one to five Roman characters, plus two spaces between the groups for separation purposes.

When using the print feature of the Model 100, the maximum line length is only 132 characters. The result is awfully ragged lines on the Amdek and Epson FX-80.

In the September issue of *Portable* 100 was a program called Text Helper. I tried it using a right margin of 155, but it only works right if I put a carriage-return after every 26th Chinese character. This is terribly time-consuming, since I often miscount the groups on the 100's small display and always must redo them.

A friend told me it would be possible to write a program to count the groups of Roman characters and insert the carriage-return after the 26th one. It would have to take into account that sometimes there's a voluntary carriagereturn inserted in lines with less than 26 groups.

The second problem is, each group of characters must be separated by two

10 MAX FILES =2 : CLEAR 600 20 PRINT " Roman-to-Chinese Character File Scan' 30 FILES : PRINT INPUT "Name of file";2\$
 40 OPEN Z\$ FOR INPUT AS I
 50 OPEN "RAM:NEWTXT.DO" FOR OUTPUT AS 2 60 A=0 70 IF EOF(1) THEN GLOSE : PRINT @280,"Total number of words is"A"." : GOSUB 250 RUN SO LINE INPUT #1,A\$ 90 B=0. 100 C=INSTR(B+1,A\$," ") : GOSUB 230 IF B=LEN(A\$) THEN 70 ELSE IF B->C AND C<>O THEN 100 110 IF D=0 THEN 140 120 D=0 : IF C=O THEN PRINT #2,A\$: A = A + 1: E-0 : GOTO 70 130 IF LEFT\$(A\$,1)<>" " THEN PRINT #2. MID\$(A\$,B+1,C-(B+1)); : GOTO 190 ELSE 190 140 IF C=0 AND LEN(A\$)=255 THEN D=1 : PRINT #2,MID\$(A\$,B+1, LEN(A\$)-B); : GOTO 70 150 TF C-O AND B-O THEN : PR1NT #2,A\$

```
: A=A+1
: GOTO 70
160 IF C=O AND B<255 THEN PRINI #2,
      MID$(A$,B+1,LEN(A$)-B)
      : A=A+1
      ; E=0
: GOTO 70
170 IF C=0 AND LEN(A$)<255 THEN PRINT
      #2,MID$(A$,B+1,LEN(A$)-B)
      : A=A+1
      : E=0
       : GOTO 70
180 PRINT #2, MID$(A$, B+1, G-(B+1));
190 A=A+1
      : E=E+1
200 IF E=26 THEN E=0
      : PRINT #2,
ELSE PRINT #2," ":
210 B=C
      : PRINT @280,USING "Word Count =
      #,###";A;
: IF D=1 THEN 70
220 GOSUB 230
      : IF B=LEN(A$) THEN 70
      ELSE 100
230 IF B<LEN(A$) THEN IF MIDS(A$,B+1,
1)="" THEN B=B+1
: GOTO 230
240 RETURN
250 PRINT @281, "Press <ENTER> to
      continue, M for MENU";
260 A$=1NKEY$
: IF A$="M" OR A$="m" THEN MAX
      FILES =0
      : CLEAR O
      : MENU
270 IF A$<>CHR$(13) THEN 260
ELSE RETURN
```

PRO AID - Still our number one product. PRO AID - Still our number one product. PRO AID - Still our number one product. PRO AID is a machine language program that adds many powerful features to vour model 100. You get 26 new, easy to define, super function keys that can be used in TEXT and TELCOM as well as BASIC You also get automatic line numbers, instantaneous deletion of any range of BASIC lines, a

MERN

MUSIC

special calculator mode with new BASIC commands, immediate access to MENU programs, a program status key, and much more PRO AID uses less than 1.8K of your memory, and can be located anywhere there is room. PRO AID comes with complete documentation.

DASM - A full featured disassembler. You can easily follow the logic of a program that contains many jumps and calls. During the disassembly process, you can incluire about such things as contents of memory, and the keyword for a given token. The latest version has a split-screen feature that allows you to review the previous 8 lines of disassembly.

Music - Using a modified SOUND routine, it becomes possible to hold a tone as long as a key is held down. This makes it possible to turn the model 100 into a musical instrument.

Micro Demon brought you three sensational programs... Here's four more!

ASM - A Powerful 8085 assembler. ASM contains all the features you expect in an assembler as well as several features that are specific to the model 100. For instance, there is a built-in macro library that will simplify writing code. Among these macros are relative branch instructions for programs intended to be called from BASIC. ASM comes with extensive documentation, including lots of information on the ROM.

Example programs will help the novice get started with machine language programming. The perfect way to learn about machine language.

TEL PRO - A TELCOM enhancement. With TEL PRO you can remain connected to the phone line and still read the menu, kill files, read text files, upload BASIC programs (with .BA extension), download the screen, access the time, set an alarm, delete unwanted carriage returns from downloaded BASIC programs, and more. An excellent companion program for PRO AID.

Guestn - Artificial intelligence with a sense of humor. Ask this program any question, and it will respond with a relevant, often humorous reply. Philosophical and personal questions are the best. A nice program to show off your computer. Requires at least 24K memory. Questn comes with a list of questions for those who have trouble thinking of something to ask.

Napoleon - It's you against the computer. In this card game from England, each player gets a bid and the high bidder tries to make his contract. The computer makes a worthy opponent. You can choose the computer's style of play.

Send mail orders and requests for information to Micro Demon, inc., P.O. Box 50162, Columbia, SC 29250, Visa and Mastercard are welcome. Or, call our 24 hour order line, 803-733-0980.

Name		Quantity	Product & Price	Total Price
			Pro Aid (\$39.95)	
Address	·		ASM (\$69.95)	
City	State		Tel Pro (\$49.95)	
			DASM (\$29.95)	
Signature	· · · · · · · · · · · · · · · · · · ·		Questn (\$29.95)	
Card Number			Napoleon (\$29.95)	
		—	Music (\$19.95)	
$\lambda \Lambda T C$	<u>AICRO</u>			
		Paying by:	Total Cost of Items: (SC Residents Add 4%)	
	YON, INC.	Master- Card	Shipping & Handling (Overseas is Extra)	\$1.50
	² .0. Box 50162 Jumbia, SC 29250	Check	Total Amount Due:	

FULL-DUPLEX

spaces. Using one space makes the Chinese characters appear too close together. I'm a touch typist and sometimes forget to press the space bar twice after each group. Trying to locate the places where I forgot to space properly is time-consuming and frustrating. I've been told a program could be written to do this for me. Can you help?

Caroline Chin New York, NY

Your advisor is correct. Basic programs can be written to solve both problems.

The first problem arises because one line of 26 Chinese characters can have anywhere from 26 to 155 Roman characters and conventional word processors look at the length of each line in total Roman characters.

Both programs are simple in concept and could easily be combined. See listing 1 for such a program.

This program requires room in memory for two documents. It reads the first one, and writes a second one with all the corrections added.

If you don't have enough room to do that, plug in your tape recorder and

change the second open statement (line 50) to read OPEN "CAS:TEXT" FOR OUTPUT AS 2. This will make the program read your target file, and save the corrected file to tape. Now you can load the corrected file into memory and proceed to print it out.

The program works very simply: It reads one line of your text file into A\$ (where one line is determined as everything up to a carriage return or 255 characters, whichever occurs first) and scans through A\$ looking for the blanks between "words". As each of these is found, it's counted and written to another file. If the word count is under 26, two spaces are added to the end of the word, and the next word in A\$ is examined. If there isn't another word, or that was the 26th word since the last carriage return, a carriage return is sent, and the next line of the second file is started.

The variable C indicates the position of the next blank in A\$, or that the last word has been found. B is the start position of the current word, and E is the number of words written since the last carriage return. D indicates the previous A\$ was 255 characters in length and that it's a continuation of the current line. A is used to count the total number of words in the file, so as a bonus the program will tell the number of Chinese words in your text file, which, as a writer, I'm sure you'll find useful.

BATTERY QUESTIONS

w can 1 prolong the life of the nickel-cadmium batteries over and beyond their limit of eight days for a Model 100 with 32K?

> Fred Forrester Santa Barbara, CA

► As long as you leave the Model 100 plugged into the AC adapter (which is plugged into the wall socket), the batteries are not used. You can actually remove the batteries from the Model 100 and power it entirely from the AC adapter (Idon't recommend doing this).

Depending on who you talk to, some technicians insist the batteries are recharged by the external AC adapter when it's used, others say the batteries aren't recharged. I tend to believe that the batteries aren't recharged in the Model 100.



FULL-FEATURE SPREADSHEET Application Templates

For Your Radio Shack TRS-80 Model 100/NEC PC-8201A Portable Computers

AMPI's AmericanCalc Spreadsheet-designated TPlan for the Radio Shack TRS-80 Model 100, and NPlan for the NEC PC-8201A-is a fullfeature spreadsheet program. It has the following features: handles up to a maximum of 90 rows or 26 columns; cursor movement is left, right, up, down, and go to any location; accepts data entries for numbers, labels, and formulas; formulas include addition, subtraction, multiplication, division, power, trigonometric, integer, absolute, natural logarithm, and exponentiation; replicate numbers or formulas; insert or delete rows or columns; copy, save, load, and screen dump; and built-in calculator. The program is shipped with bound instruction manual, pre-recorded audio tape, and vinyl album case.

This popular spreadsheet now has three new templates especially designed for busy people who do not have the time to set up their own spreadsheet applications. Once the TPlan or NPlan is loaded, simply select and load the application template that fits your particular need. The three new templates are:

- Financial Management Includes T Plan and N Plan application templates for: Stock Portfolio, Home Ownership, Home Budget, Life Insurance Requirement, and Personal Check Register.
- Business Management Includes T Plan and N Plan application templates for: Income Statements, Balance Sheets, Business Startup, Break-even Quantity, and Expense Analysis.
- Sales and Marketing Management Includes T Plan and N Plan application templates for: Sales Forecast, Profit Mark Up, Sales Analysis, Project Cost Estimate, and Advertisement Efficiency Measurement.

AMPI also has available several additional new software programs for the Radio Shack TRS-80 Model 100 and NEC PC-8201A. These include: Income Property Analysis, Portfolio Analysis, Curve Fitting, Histogram and Plot, Equation Solver, RPN Calculator, and FORTH.

Write for free catalog listing additional Radio Shack TRS-80 Model 100 and NEC PC-8201A business and engineering programs.





AMERICAN MICRO PRODUCTS, INC. 705 North Bowser Richardson, Texas 75081 (214) 238-1815 Circle No. 74 on Reoder Service Card

STANWYCK

continued from page 88

Far from exposing the ills of this industry, the computer-print media embodies them. These magazines typically aren't more than public relations devices and are themselves a large component of the problem. There are a few exceptions but the dominant editorial content is paid and unpaid advertising, and it often seems editorial policy is a direct extension of advertising sales. The priority is to coddle and protect advertisers rather than inform users.

Patiently waiting for the shakeout and the promised maturity doesn't offer much hope. So long as the industry and the media which support it are obsessed with tomorrow's innovative technological breakthrough, all of the retooling will be in the factory, and not where it's needed — in the office.

SATIATED. There's been more than enough innovative technology during the last five years to sustain me for the next 20. The products I already own have capabilities so in excess of my needs, that the unused power dwarfs the actual benefits.

Try to find a decent and reasonablypriced accounting program for a small business to run on a 16-bit computer. I don't have 65,000 customers, 20,000 vendors and 12 checking accounts, and don't need a program which can accommodate them. Users' needs would be better served by working on the existing technology so it's more accessible, more relevant, and more durable.

It is against this backdrop that my column, End User will be written. I'm strongly committed to the value of computers for the everyday person, and it's with equal intensity that I reject the way the industry now deals with us. The sole purpose of this column will be to champion the cause of end users, with special emphasis on those who have lap-sized portable computers. My only concern is the products and services offered end users be sensitive to their needs in all respects: form, function, case, size, and price.

WITCH TRIALS. I don't embody the broad range of perspectives of all end users, so please help by writing me yours.

Portable 100 has to be recognized for providing (even paying for) this forum. Rather startling. Mark Twain thought the essential difference between a dog and a man was that if you gave a hungry dog something to eat, the dog wouldn't bite you. Twain correctly suspected man to be less appreciative.

Next month's column will take a critical look at *Portable 100* (subtitled, Biting the Hand that Feeds You). The following month Tandy and NEC will discover their transgressions haven't gone unnoticed. Next, CompuServe, the company who defines customer service as a busy signal, will be on the block. And then ...

Advertisers Index

PG	RS#	Advertiser	13	12	Key Solutions
74	64	ARMS	51	40	KJMDevelopment
17	16	Alpine Data Systems	71	62	MenloSystems
38	33	Alphaware	60	50	Micro Byte
CIII	2	American Tourister	83	73	MicroDemon
85	74	American Micro Products	51	41	Micro Help
26	22	Avion	38	- 32	Micro Peripheral Corp.
87	75	Axonix	57	48	Passco
74	65	Billcomp	10	10	PGDesigns
19	17	Bluestein	53	44	PGDesigns
75	67	BPS	12	U	PocketInfoCorp.
3	5	BRS	32	27	Polar
27	23	Cabbage Cases	43	36	PC.SupportGroup
33	28	Ceres Soliware	CII	1	PCSupportGroup
36	- 30	Chattanooga Choo Choo	80	71	PC Support Group
50	39	ChattanoogaSystems	81	72	PC Support Group
6,47	38	Compuserve	7	7	PC Support Group
39	35	Compute Account	31	26	PC Support Group
56	47	Covington	59	49	PC Support Group
55	46	Cyptronics, Inc.	67	57	Purple Computing
27	24	CustomSoftware	73	63	Quasatronics
21	20	Dataccount	62	51	Radial Concerns
30	34	DFW	44.45	37	Radio Shack
79	70	Diskus Products	52	42	Reyburn
75	66	Elexor	66	54	Russel
24	21	EVS	20	19	SecureSystems
52	43	FACS	68	58	Skyline Marketing
37	56	Fink Biener	53	45	Skyline Marketing
15	14	FortWorth	66	55	Software Plus
15	15	Great Oak	29	25	Soundsight
63	52	Gunther International	8	8	Statware
70	60	Hansen	71	61	Stevens
35	29	Holmes	14	13	Susie Software
4	6	In The Bag	77	68	TargetSystems
20	18	IRD	CIV	3	Traveling Software
Q	Ω	Kangaroo	1	4	Tunnel
65	53	Kensington Micro	70	59	Wagoner

=ThinPrint 80=

FULL PAGE PRINTING IN A 4 POUND PACK

At last, a rugged battery-powered full-page printer that fits in less than half a brief case.

"ThinPrint[™]80" supports either serial or parallel interfacing to most computers including: □ Tandy 100 & PC-2 □ H.P.-75C □ EPSON HX-20 □ NEC 8201A □ IXO Telecomputer □ Compag □ IBM PC XT, JR □ Workslate and many others.

Features include:

- Weighs only 4 pounds
- Size: 2½" H x 7½" D x 11½" W
- 80 or 136 columns per line
- 40 C.P.S. bidirectional printing
- 2048 character buffer memory
- 120 dots per inch graphics
- Silent thermal printing
- Holds 80 pages of 81/2" wide paper
- 5 years of **3M** proven reliability

ThinPrint 80



Your portable computer's best friend. At a suggested retail price of \$279 complete*, it adds professional portable printing at a very friendly price. *includes rechargeable batteries, AC adapter and one roll of paper.

For more information and the name of your nearest Axonix dealer call toll free: **800-821-7093** or in Utah 801-582-9271.



AXONIX CORPORATION • 417 WAKARA WAY • SALT LAKE CITY • UTAH 84108

Tendy, II.P., N.E.O., Epson, Compag. IDM, IXO, and Workslate are registered trademarks of Tendy Corp.; Hewlett Packard Co NEC Home Electronic (USA) Inc.; Epson America, Inc.; Compag Computer Corp.; International Business Machine Corp.; IXO Inc.; and Convergent Technologies Inc.; respectively.



END USER



PETER STANWYCK

BEWARE A CUSTOMER BY ANY OTHER NAME AND THE RISE OF BIG NERDNESS

This column is titled end user because that's what the computer industry calls its customers. We are not end users of cars, deodorant, or peanut butter. Professional sport franchises don't call us customers either; for them we are fans. Beware of industries that don't call their customers "customer." Evidently, as long as we're not called customer, different rules apply.

BIG NERDNESS. End user is an apt term if what is being described is the point when customers are considered in determining the content of the products we are asked to buy.

How well I remember those intrepid few in high school who wore K & E slide rules holstered to their belts. (A slide rule, for those born after its extinction, consisted of two sticks rubbed together to make numbers.) Those lonely geniuses were anti-social then, and their personalities did not improve with age. Not generally known as trendsetters, they set the tone for the computer revolution.

Big Business woke up one morning and found itself surrounded by some very rich nerds, and an odd merger was negotiated where each could contribute his worst attributes to a joint effort: Big Nerdness.

Big Business knew the paying customer had something to do with selling products, but evidently only believed all that was missing from the relationship was a slick promotional campaign. Madison Avenue was given the job of getting to know us, the paying customer.

MADISON AVE. To believe the current ad campaigns is to know there isn't

a human problem which can't be solved by a pinkic finger, a function key, and a graph on a computer screen.

Which ads you hate most are largely a function of personal distaste. It's hard for anyone to surpass Apple's pretense.

Leading Edge certainly tried with "History will record the profound irony that the most powerful wordprocessing package even created for the IBM Personal Computer wasn't created by IBM." My history degree from Bezerkley notwithstanding, 1 sense history won't notice this product.

If your thing is the visually bizarre you are in the right place. Autocode proves its value by plopping a melting scoop of raspberry ripple ice cream on a floppy disk. Multiplan turns its floppy into oil sludge and spreads it on toast so that you know its spreadsheet doesn't spread too thin. Gack!

IBM? Just who's in charge of product values and criteria? They continue to say IBM. It's amusing that IBM selected a Chaplinesque spokesperson for its media image. Someone who doesn't speak hardly can reflect IBM as accurately as someone who doesn't listen.

Consider the range of disciplines IBM pulled together to develop its Junior Peanut (or whatever they call it). All those smart people took all that time and collected all that information. When they finished, their long anticipated and much ballyhooed conclusion: Users want an infrared keyboard. The guy who invented the electric fork must have gone to work for IBM, or perhaps they were testing a defective artificial intelligence program. "IBM Compatability" should be the name of a computer dating service and nothing else. **ELECTRONIC JUNGLE.** The computer marketplace isn't dazzling. It's dizzying to the average consumer, made more frightening by the lack of adherence to even the most basic ethical standards; standards which the American consumer takes for granted.

Products are offered for sale when they aren't available for distribution; products on the retailer's shelf are often untested and flawed; documentation for products bought is written by receptionists or junior programmers; we're led to believe what we just paid for just became obsolete; and the universal answer to every question is: "We're working on it." These four words will soon enjoy the same status as "The check's in the mail."

While the industry's purpose may be to sell computer products, we have no purpose to buy them. Users want to solve problems and accomplish goals, as they see and define them. Computer products are only tools, and the only measure of their value as tools is whether they work for us and on our terms. A computer product which doesn't solve the problem just becomes another problem to solve.

CATCH 22. The industry has developed its own Catch-22 for problem solving which I call the End User Loop:

Call the dealer and hear "Call ya back real soon, I'm with a customer now." (Translation: "You're last month's commission.")

Call the software company and hear: "Sounds like a hardware problem to me."

Call the hardware company and hear: "We don't deal with end users directly, call your dealer." HELP!

Will the Fourth Estate protect us? At last count, the small smoke shop in my office building sells 23 magazines wholly dedicated to the computer marketplace. Surely these journalists will fulfill their historic role of watchdog, protector of the weak and oppressed. You bet!

continued on page 86

A CASE THAT'S AS ADVANCED AS YOUR COMPUTER!

B. — c. —— D. ——

A. The strong stalnless steel tongue and groove frame, designed for moisture and dust resistance, is the only one of its kind.

B. Secure three-point latching is provided by lock and key combined with an easy to use combination lock. Our Sureglide^w cam action swivel closures hold even when the case is dropped.

C. Customized foam interior is die cut to fit and protect your computer. On larger caese the lid is padded with convoluted urethane foam for complete protection. On 20" cases the lid contains a folio designed to hold floppy discs, full 15" printout paper and manuals.

D. A sturdy wall of high impact resistant ABS (used in football helmets and auto bumpers) provides durable outer protection as well as good looks. The inconspicuous exterior of the case camouflages your computer for added security.

E. Comfortable padded handle makes carrying easy. Larger models also have easy glide reinforced wheels and the convenient T-bar pull handle that flips up when you need it, folds down for travel.

American Tourister computer cases offer you a way to carry, protect and camouflage your personal computer or printer in style. They're built with the same high quality and features that have made American Tourister luggage famous for more than 50 years.



maintain the strict American Tourister quality standard. And in the event of loss, damage or theft, the unique American Tourister lifetime case registration program will verify the date of purchase for insurance claims. Available in metallic graphite gray and classic black.

FULL ONE YEAR LIMITED WARKANTY 30 DAY MONEY-BACK GUARANTEE! USE YOUR VISA, MASTERCARD OR AMERICAN EXPRESS



TO ORDER,

TOLL FREE

How To Put Ten Pounds Of ? *** In A Three Pound Package.

;?%±\$!¥ is the stuff computer programs are made of. And now. Traveling Software has figured out a way to make your three pound lap-size computer do what only the big boys could do before.

Introducing T-base, the most powerful data base management system ever written for your TRS-80 Model 100, NEC PC-8201 or Olivetti M10.

T-base, a sort of place-for-everything-and-everything-in-its-place organizer, that allows you to keep multiple files of information or forms. But unlike simple filer programs, T-base is a relational data base manager. This allows you to borrow information that relates to one file from data contained in another. The net result is you can store more data by eliminating the unnecessary **?%±±!**. And because T-base can link one file to another you have the ability to look at your data in a number of different ways. T-base also allows for the creation of custom printed or LCD display reports.

T-base has spreadsheet capabilities too! T-base allows you to build in your own formulas on your forms with automatic recalculations when any of your variables change. T-base is easy. As with all Traveling Software programs, you not only get printed instruction, but you'll get an audio cassette with stepby-step prompting from the "Traveling Professor".

-base

Simply put, T-base is the most important software ever written for your notebook computer. And because of its condensed format and broad data capabilities, your 3 pound package can do more than even you probably expect. T-base—it beats the ?%±\$!* out of the competition

Special Introductory Price \$79.95 - Save \$20 through June 30.



Call now for the dealer nearest you.

Traveling Software, Inc. 11050 Fifth Avenue N.E. Seattle, WA 98125

1-800-343-8080

Look for Traveling Software available for other lap-sized computers.