## TANDY LAPTOP COMPUTING

VOLUME 5, NUMBER 8 SEPT. 1988



TERRY KEPNER'S

## THE DOG ATE MY HOMEWORK!



Your computer can teach anything to anybody! 2 Free programs inside.



A 3-D profile of your students with the Grade Management System.

LapDOS II: The PC meets the portable disk drive! And the notebook computer!

HOTKEY: Extra features instantly at your fingertips.



Announcing:

## The SOUNDSIGHT GOLD CARD

Megabytes of memory on a credit-card-sized water

Give your Tandy 100/102 the power it deserves without sacrificing portability or adding bulky boxes. The SoundSight Gold Card lets you add as many megabytes of RAM and ROM as you wish with advantages other expansions just can't match.

 Allows Unlimited RAM and ROM expansion in increments from 128k to 1mb per card with 2 mb cards available in '88. Additional slots piggyback allowing 10 mb or more!

 Dual Card Slots with dual directories allow easy transfer of megabytes of data from card to card or computer to computer in seconds.

> SoundSight **Gold Card** one Creatity 1meg

> > 512k

Dettery expiration date:

1284

Battery expiration date:

**Battery** expiration date:

· Replaceable, Card-Contained Lithium Battery.

 Menu Driven ROM resident operating system with Basic I/O functions, read/write error detection, and nondestructive RAM test. Accesses Text. Basic and Co files directly and operates in Random Access Mode. Each byte is directly accessable from Basic.

 SoundSight Gold Cards are also available in permanent One-Time-Programmable or Read-Only-Reprogrammable memory cards for large nonvolatile software application use in conjuction with RAM cards.

Optional new ROM ELIMINATOR lets you load and run multiple ROMs directly from the SoundSight Gold Card, dispensing with the need for extra ROM sockets or even having your ROM chips with the computer!

NEW OPTIONAL SOFTWARE DEVICLOPING

- ROM resident Forms Generator with full Telecommunications and Desk Top package for Law Enforcement Incident Reports, or any custom data entry applications.
- Point of Sale Inventory Control Software
- · New Basic Compiler compiles basic programs to machine code, condensing them to
- fraction of there original size and speed. Runs them directly from cards. (Avail. Feb. '88.) • New Text Editor opens and edits files as large as available ram.(Avail. Feb. '88.)

SoundSight offers customized hardware/software systems for law enforcement. retail.

warehousing/distribution and other vertical markets, as well as third party dev. (C language). We're ready to meet your needs TODAY!

Pricing available from 128k to 10mb with 128k at \$399.95; 256k at \$549.95; and 512k at \$749.95; Additional cards for backup are available.

#### CONTACT:

SoundSight MBM Inc., 225 West Broadway, Suite #509, Glendale, CA 91204 Phone (213) 463-9457 or (818) 240-8400

Circle 22 on reader service card.



## FINGERS TIRED? Accomplish more... in less time. Get the P100-To-Go monthly program disk.

Make your life easier! Save hours of time from typing in lengthy programs. Never worry again about typing errors. Have more fun with Portable 100's new disk-ofthe-month service. Every program from the magazine is included on each month's disk. No typing. No trouble.

## We make it easy and inexpen-

**SiVE.** You deserve value. At Portable 100 we believe in value. That's why we're not only making each month's programs available on 100K Tandy Portable Disk Drive disks, we're also making sure any extra room on each disk is packed full of interesting and fun bonus programs. All files are in .*DO* format. Ready to load. Ready to go.

## Get more from your Notebook

**computer.** Organize your life and be more productive with home and office management programs. Expand your knowledge with educational programs. Relax and enjoy

Vaal

games or simulations. Make using your Tandy a snap with helpful and handy utilities. Easy to use. Always available.

Subscribe now and save. You can order Portable 100's *P100-To-Go* disks individually at only \$9.95, but for maximum savings sign up for our Six-pack Special. six disks, six months of programs for only \$47.70. Save over 30%, a savings of \$2.00 per disk.

### Not just for the Tandy 100. The

P100-To-Go disks will work with any computer that uses the Tandy Portable Disk Drive, the Brother FB100, and the Purple Computing Portable Disk Drive. This means your NEC-8201/8300, Tandy 100/102, Tandy 200, Olivetti M10, and Kyotronic KC-85 can all load these programs into memory (once loaded, changes for specific computer models may be required, refer to corresponding program article for information about compatibility with particular computers).

	<b>T CS!</b> Save me hours of typing time. Sign me up for	
	your Six-pack Special (6 monthly disks of the Portable	C
	100 programs, plus the special bonus programs in-	
	cluded with every disk) for only \$47.70.	$\mathbf{\tilde{S}}$
	June '88 single issue P100-To-Go disk, \$9.95.	
	July/August '88 single issue P100-To-Go disk, \$9.95.	Ň
	September '88 single issue <i>P100-To-Go</i> disk, \$9.95.	s
Pric	es include postage and handling. Please allow 4-6 weeks for delivery.	
For only	eign airmail add \$2 per disk. All foreign, US Funds drawn on US banks 7.	F
	Payment enclosed (check or money order)	ō
	Mastercard VISA Amex	-
	To place your order immediately, call: 1-603-924-7949	_
	10 pravo your vrois miniouralery, CBII: 1-603-924-7949	Ρ

Card Number	Exp, D	ATE
Signature		
SIGNATURE		
NAME		
STREET ADDRESS		
P.O. Box		
CITY	STATE	Zip
Mail to: Portable	e 100, P100-To-Go	),
P.O. Box 428, Petert	orough, NH 03458	3-0428

ON THE COVER: Toni Gildone's dog Everett munches out on a Tandy 102. Photo by Mike Nugent and Dave Klein.		VOL. 5, NO. 8 September 1988
	TEACH YOUR TANDY TO TEACH by David Dunn Thomas	6
	A Model 100/102 tutoring program for the teacher and student.	
	A NOTEBOOK-COMPUTER TEACHER by E.A. Schwartz	10
Tandy 102	Tutoring and testing with the Tandy 100/102, 200, Olivetti M10, and NEC 8201	an (1997) ∎≢
	A DANDY TEACHER'S AID by David Klein	14
	A thorough review of Software by Steffens' Grade Management Program.	
	IBM AND THE TANDY PORTABLE DISK DRIVE	16
Tandy 200	by Mike Nugent LAPDOS II lets you use your Tandy Portable Disk Drive with both your	10
	Tandy/NEC notebook computer and your IBM PC or clone.	
	ENDING YOUR COMPUTER'S SOLITUDE	19
	by David O. Rowell This month make a null modem cable (which lets two computers talk directly	
Tandy 600	to each other) next month we'll have a practical application requiring such a cabl	
	HOTKEY: ESCAPE ARTIST by Mike Nugent	21
	Keyboard macros (and then some) for the Tandy 100/102.	
	UtilityCorner	
	DOS PATCHES by Mike Nugent	22
	FLOPPY.CO patches to prevent clashes with low-memory machine-language programs.	
	Departments	
	ROM WITH A VIEW I/O	3 4
	DEFUSR THE CUSTOM 200	25 27
-	ADVERTISER'S INDEX PORTABLE 100 CLASSIFIEDS	32

## **ROM WITH A VIEW**

Back Issues! Stashed away under bales of hay in Camden, Maine, we have found the coveted Portable 100 back issues! Unfortunately, we have only about a hundred copies of each issue and we had to pay through the nose for them. Reprints of articles are available, along with a comprehensive article index. The issues themselves are collector's items and are being sold for \$19.95 each, on a first-come-first-serve basis. See page 30 details.

PRINTING MONEY is not the only way to make your Model 100 generate cash. We get a lot of letters from readers about the lack of products available. It is frustrating to have one of the most powerful and convenient computers available and have nothing to do with it.

For those of you who are patiently awaiting an invitation to put the programs you've written on the market...consider yourself invited! Now is the time to turn your hard work into cash. Most of the big players in the industry started in their garage or cellar, hacking away at their computers. Look at Apple or Microsoft. Another example is Grade Management System by Software by Steffens (reviewed in this issue). Gary Steffens is a teacher with a good idea now selling his program. It just takes some skill and guts.

Here's how it works:

- 1) Take the best program you've written, spruce it up a bit, and write some non-techie documentation. Get someone who is not as good at computers as you and have him/her test your program for bugs and other problems. If possible, try it on different hardware (tape drive, disk drive, etc.).
- 2) Take out a classified ad in three consecutive issues. Some of the best deals out there are available through classifieds and our readers know that. We'll help out if we can, reviewing appropriate products in the magazine.
- 3) Use the money from the first few month's sales to improve the program and manual, and take out a small display ad. Keep an effective mailing list and make sure that the people who bought the first copies get upgrades.
- 4) Relax a while and rake in the money. Although running a business takes hard work, there is no reason why you can't earn extra money and give vourself the opportunity to realize some of your dreams.
- There are hundreds of thousands of computers out there. Many are looking for new, practical, and innovative ways to use their computers. If you have the ability to offer solutions, you can earn your "piece of the pie."

- Mark Robinson

## Toolbox

Manuscripts were typed into Microsoft Word 3.0 on a Tandy 1400 LT (dual drive, 640K), where they were edited, spell-checked, and had basic format instructions inserted. From there they were loaded into a Tandy 4000 (80386 CPU, Tandy EGA Monitor, Tandy LP-1000 LaserPrinter) desktop computer and placed into Aldus' IBM PageMaker 2.0a. There they were dummied into a rough approximation of the magazine's final appearance. Here, pull quotes are placed, headlines, intros, and bylines are sized and positioned, and advertisements are allocated space.

Next, the magazine (divided into sections) was ported over to Diana Wallace's Macintosh Plus, using the

1400 LT and Mac-link. Diana then went over the publication using Aldus Macintosh PageMaker 2.0a, pageby-page, making final design decisions on photo, figure, and listing sizes and placements. She precisely placed the text and added all the little things that go into making a nice looking publication.

Approximate page previews were output from her Apple LaserWriter Plus. When everyone was satisfied with the appearance, the Macintosh disk was sent to Colorite Corp. in Wisconsin for final output directly onto film (and in some cases, photographic paper). The film was then delivered to the printer, who printed it, labeled it, and mailed it to you.

CHIEF EXECUTIVE OFFICER Marlene Butland

PRESIDENT/PUBLISHER Terry Kepner

EXECUTIVE VICE PRESIDENT Mark Robinson

> **EDITOR-IN-CHIEF** Terry Kepner

FEATURES EDITOR David Klein

**TECHNICAL EDITOR** Mike Nugent

NEW PRODUCTS EDITOR Linda Tiernan

CIRCULATION MANAGER Shauna Crowley

ADVERTISING DIRECTOR **Randy Byers** 

**ART DIRECTION and** DESKTOP PUBLISHING Diana Shonk ACROSS THE BOARD Graphic Design, Inc. 8 Windy Row West Peterborough, NH 03468-0091

PORTABLE COMPUTING **INTERNATIONAL** CORPORATION 145 Grove St. Ext., #21, PO Box 428 Peterborough, NH 03458-0428

Editorial 603-924-7949

Advertising 603-924-9455

Circulation 603-924-9455

Portable 100 (ISSN 0893-942X) is published by Portable Computing International Corporation, 145 Grove Street Ext., P.O. Box 428, Peterborough, NH 03458-0428. Portable 100 is an independent journal not connected with any hardware, soft-ware, or peripheral equipment manufacturer. Portable 100 is published monthly, except for a combined July/August issue in the summer. Entire contents Copyrighted 1988 by Portable Computing International Corporation. All Rights Reserved. No part of this publication may be reproduced without writ-rational Corporation makes every effort to assure the accu-racy of articles published in Portable Computing Inter-rational Corporation correspondence should be ad-clessed to Portable 100, Portable Computing International Corporation, 145 Grove Street Ext. P.O. Box 428, Peterbor-ough, NH 03458-0428. U.S. subscription rates: \$24.97, one year; \$31 two years. Canada and Mexico: US\$29.97, one year; US\$61 two years. All other foreign (surface mail): US\$44.97, one year; US\$85 two years. Scong Ladus postage at a teterbor-ough, NH 03458, and at additional mailing offices. POSTMASTER: Send address changes to: POSTMASTER: Send address changes to: POSTMASTER: Send address changes to: Postable 100, Portable Computing International Corporation, 145 Grove Street Ext., P.O. Box 428, Peterbor-ough, NH 03458, and at additional mailing offices. POSTMASTER: Send address changes to: Postable 100, Portable Computing International Corporation, 145 Grove Street Ext., P.O. Box 428, Peterborough, NH 03458-0428. Portable 100 (ISSN 0893-942X) is published by Portable Computing International Corporation, 145 Grove Street Ext.,

## A Better $\equiv$ Power Pipe

n the March '88 issue Kevin Martin describes how he built a "five dollar" Power Pipe for his Model 100. Mine came from the local Tandy store and cost nothing at all (see photos below)!

Obtain a Tandy 5-cell torch [*flash-light*] catalogue number 68-1001. Over here they are often given away or sold very cheaply in connection with Tandy's famous sales. Cut off the business end above the switch and fix the legs and wires as described in Kevin's article (the torch has a metal strip down the inside for the negative connection) and there it is. I use mine to power both the computer and disk drive, and the added bonus of the switch means there is no live lead flopping about when the unit is disconnected.

I'm not sure what "telescope tubing" is. For the positive connection I used the spring ring from a coaxial TV socket which was just the right size. Thanks for all your efforts with the magazine, they are appreciated.

John Bloxham Stratford-upon-Avon Warwickshire, England

NOT ENOUGH COVERAGE I own a Tandy 600, and unfortu-

nately you do not run enough articles

on this machine to justify my continuing the subscription. You do a fine job for the Model 100/200 owners, and were you to increase coverage to the 600, your magazine would be much more useful to me. I will continue to buy your magazine from the rack when there are articles dealing with the 600 or info I can use.

Kenneth F. Taylor Portland, OR

Mr. Taylor, please read on ....

We feel positive about this joining of resources.

I am a professional programmer who is very interested in the Tandy 600 laptop and very concerned about the lack of software and information on the machine. I not only develop software, but I am currently writing several articles about the 600. I have been able to add disk drives to the 600 while making the disk format compatible with the PC-DOS and MS-DOS computers. Enclosed is the first edition of our Club 600 newsletter, which we are using as a tool to explain the Tandy 600-and some of our products-to Tandy 600 owners. We will be covering a huge amount of material in a broad and not-tootechnical sense. We will be working hard to find new and exciting information, tips and tricks, and of course, we will be anouncing new products in the near future. Feel free to print any or all of this material, so long as myself, CLUB 600, or Easy Ware Products are mentioned. This laptop has a massive amount of potential; I have not yet seen a rival which comes close to its price and capabilities. And we receive letter after letter from people who feel the same way. Thank you for the support and offerings. We feel positive about this joining of resources and hope Tandy 600 users will benefit most from it. Let's make this the year of the laptop, and especially the Tandy 600.

> Dennis C. Rogers, President Easy Ware Products P.O. Box 218778 Houston, TX 77218-8778 Tel. 713-933-0542



scriber to Portable 100 magazine as well as a relatively new owner of a 200 with a PDD2. I enjoy and look forward to your magazine each month, but I have one complaint. It is too short!

I am a recent sub-

I, too, would like to see more articles for

**I/O** 

the 200 in upcoming issues. Things like product reviews and comparisons of software would be greatly appreciated. The products for portables seem to be awfully expensive, especially the software. No one feels comfortable paying a couple of hundred dollars for a program they know next to nothing about.

Also, how about offering a disk or cassette with the programs featured in your magazine? This would save a lot of headaches for us hunt-andpeck typists.

> Kyle B. Pauley New York, NY

#### **MS. LEGEZA: A SOLUTION**

Naturally, I can relate to letters like the one from Louise Legeza and Dr. Wilson's lengthy reply. I solved Louise's problem with David Lien's book, a learner's manual for the Model 100. I swear that man could teach a fish to fly and a bird to swim. Come to think of it, maybe he's the one that did!

> Eric N. Isakson Neenah, WI

#### **BACK ISSUES ARE HERE!**

Portable 100 is a refreshing publication among the hordes of computer magazines. I enjoy reading about what's being done with the Model 100.

Thanks for publishing the article by Hal Boulware on re-inking DMP-105 ribbons. That article alone has probably justified the cost of subscribing to *Portable 100*.

Is it possible to get back issues of *Portable 100,* back even to Sept. 83?

The review of "Booster Pak" was pleasingly thorough—I'd like to read a review of "Super ROM" and would be fascinated to read about the people behind the scenes at PCSG.

I also would be interested in an article about the SoundSight Gold Card. Does it really do all the stuff they promise in ther advertisement? John S. Neufeldt Tucson, AZ

#### LETTER FROM THE EDITOR:

M100 vs. T102 vs. T200 vs. T600 vs. T1400LT vs. PC8201 vs. PC8300 vs. KC85 vs. M10 vs. BASIC vs. Assembler vs. Beginner vs. Advanced vs. Business vs. Cames vs. Software vs. Hardware.... All-of-the-Above vs. 32 pages!

Quite a challenge, but unless we pull it off, you're pretty much left without a source of information and support. So we have to find ways to make it work. Club 600 now provides us with a wealth of Tandy 600 goodies. The LAPTOPS Roundtable on General Electric's GEnie system has great NEC and Tandy 600 support in addition to the 100/102/200 fare. CompuServe has lots to offer as well. We'll be covering more of Tandy's 1400LT now, too.

Where possible, I'll be testing programs in the magazine for compatibility on several machines. So don't just skip that Model 100 article—it probably works on your NEC 8201 with a few indicated changes. (LEARN.BA in this issue works on almost everything.)

Pre-testing programs will also help cut down on typos and bugs in the programs we publish. And yes, Mr. Pauley,

> I'm demented, and I never sleep.

programs will be available on disk; look for an ad elsewhere in this issue. They'll soon be on our PICO BBS as well, along with the FORTH programming package for Mr. Iverson. (See "DEFUSR.")

Mr. Neufeldt can get back issues (which have reviews of Super ROM and others) through the advertisement on page 31 of this issue. And he can look forward to a review of the Gold Card and other Sound Sight products. It's installed on my Model 100 right now. Can anybody help him with his ribbon re-inking problem? (See "DEFUSR.")

We can't neglect one segment of our readership in favor of another. If we focus on beginner's tutorials, where will the beginners go when they're no longer beginners? We're going to cover it all as best we can.

It's quite a challenge, but I'm de-

mented, and I never sleep. We'll pull it off!

Mike Nugent Editor in Charge of Working Real Hard, Ministry of Silly Walks

## THE MYSTERY OF THE FLAT SQUIGGLE

You did not answer Mr. Wright's inquiry (June '88, p. 7) about the strangeness of the equation on p. 19 of the article "The Missing Link" (Feb. '88). Once more, and this time it's me asking the question, what is the following?

(P/X)~E

I have tried to get the answers given in the article by assuming that this was meant to be a scientific notation, but that doesn't seem to be the answer either.

You might also note that I have this "flat squiggle" character on my Olivetti M10, but that it does not even exist on the Tandy Model 102. So, what is it?

Will you please finally answer the question before we all loose [sic] our minds? By the way, I do have training in advanced mathematics, unlike Mr. Wright, and I still can't figure it out! Editorial precision triumphs again, and again, and....

#### Norman L. Donaldson Granada Hills, CA

That flat squiggle (~) is a tilde, CHR\$(126) on the Tandy 100/102/200, NEC 8201, and Kyotronic KC-85. On all but the NEC, you can produce it directly by pressing the GRPH-] combination. The character which should have appeared in the article is the caret (^), CHR\$(94), found on the top row of the Tandy 102 keyboard, and is intended as an exponentiation operator. As much as possible, I'll be testing programs before publication, so these errors should become much less frequent in the future.

We welcome all letters from our readers, whether critical or complimentary. We print as many letters as space permits (some are edited for space considerations). Address your correspondence to: Portable 100, I/O Dept., P.O. Box 428, Peterborough, NH 03458-0428.

COMPATIBILITY: Tandy 100/102 only

## **\*** Teach Your Tandy To Teach **\***

This powerful BASIC program never criticizes your mistakes.

#### by David Dunn Thomas

**S** cholar Reviews provides teachers a medium for exposing students to new, or reviewing old, material. The program uses lessons on file—in RAM, a Tandy portable disk drive, or a Chipmunk drive—to provide the questions, background information, and the correct answers. The program is only 3,274 bytes in *BASIC* format. Each lesson may have up to one hundred questions, depending on the amount of review data provided. You can prepare dozens of lessons, stored on one disk or in one folder of a Chipmunk disk, for one study session.

The important feature of *Scholar Reviews* is the built-in review capability of the program. Whenever the student selects an incorrect answer, the program promptly provides information, including the correct answer to the question. When a student answers a question correctly, it repeats the answer, enhancing learning. Also, the teacher may direct the program to repeat an answer but phrase it differently from that of the question.

The Scholar Reviews program file, STUDY.BA, is simplicity itself for the student to operate for learning or reviewing a lesson. On the other hand, the more difficult and painstaking operation is the preparation of the lesson files so that the Scholar can make proper use of STUDY.BA.

#### USING STUDY.BA

When a student starts running *STUDY.BA*, it asks for the lesson to review and whether the lesson file is in RAM or on disk. If the file does not exist, the program drops the user out of the program with an appropriate advisory message. If the file does exist, but is not in the proper *Scholar Reviews* format, it drops the student out of the program when it comes to the incorrect formatting in the question/answer phase of the program.

Once embarked, the student has a series of multiple choice questions with either four-choice or true/false questions. The program does not chastise the student for

```
STUDY.BA v2.2 "The Scholar Reviews"
 ' Copyright 1988 by David Dunn Thomas
1
2 ' All rights reserved
7 GOTO14
8 DATA 32,84,104,101,32,83,99,104,111.10
8,97,114,32,82,101,118,105,101,119,115,3
2,97,114,101,32,97,32,115,104,97,114,101
,119,97,114,101,32,32,32,32,32,32,112,114,1
11,100,117,99,116,32,99,111,112,121,114,
1$$,1$$3,1$$4,116,32,98,121,32,68,97,118,1
$5.100
9 DATA 32,68,117,110,110,32,84,104,111,1
$$9,97,115,32,241,241,241,241,241,241,241,241
,241,241,241,32,83,101,110,100,32,36,36,
32.116.111
1Ø DATA 58,32,50,51,48,56,32,67,104,101,
116,119,111,111,100,32,67,105,114,99,108
,1$1,44,32,49,48,51,32,32,32,32,32,32,32
,32,32,32,32,32,32,32,32,32,84,105,109,111,
110,105,117,109,44,32,77,68,32,50,49,48,
57.51
11 FORJ=1T08:CALL179Ø9:NEXT:FORIP=1TOLEN
(P$):POKE64984+IP,ASC(MID$(P$,IP,1)):NEX
T:FORJ=1TOLEN(PV$):POKE64783+J.ASC(MID$(
PV$, J, 1)):NEXT:RETURN
12 CLS:PRINT@55,R$" Correct! "NS:IFCFTHE
NRETURNELSEC=C+1:CF=Ø:RETURN
13 CALL21795:CALL16974:CF=-1:RETURN
14 CLEAR2ØØØ:DEFINTA-Z:DIMP(32Ø):E$=CHR$
(27):R$=E$+"p":N$=E$+"q":Z$=CHR$(124):ZT
$=CHR$(126):P$=SPACE$(23)+"Press any key
 ->":CLS:PRINT@89,R$" T H E S C H O L A
R "N$:PRINT@134, "v2.2 6/3/87":PRINT@20
7,CHR$(171)" 1988 by David Dunn Thomas"
15 RESTORE:ONERRORGOTO46:FORI=81T0271:RE
ADP(I):NEXT:FORT=1T02500:NEXT
                                   Continued.
```

A program to help you review information or tutor others.

being wrong: rather, it provides the student with the correct information and then it asks the question again. When the the student answers the question correctly, the answer is returned to the student—possibly rephrased. If the student wants to leave the program at any time, pressing the *ESC* key at any question prompt jumps the program to an ending routine (line 43) and exits the program. For example:

A president of U.S. during World War I was:

Woodrow Wilson
 Jack Pershing
 John Rockefeller
 Benjamin Franklin

If the student chooses 3), an incorrect response, the screen displays this:

Pershing, Franklin, and Rockefeller were never presidents of the U.S., but Wilson served from 1913-1921.

★ Lesson formatting provides for instructing the student instead of merely drilling one of the principal strengths of the Scholar Reviews concept.

With the correct response, the display is:

Correct! Woodrow Wilson was president in WWI, 1914-1918.

Note that lesson formatting provides for *instructing* the student instead of merely drilling—one of the principal strengths of the *Scholar Reviews* concept.

For some idea of the capabilities of *Scholar Reviews*, run the program *STUDY* (see Listing 1) with the *LESSON.DO* file (see Listing 2) loaded into either RAM or disk. There are only sixteen questions in the file, but these are sufficient to show the flexibility of the *Scholar Reviews* concept. The program *STUDY* does not have to be modified in any way as long as the lesson files are formatted as *STUDY* expects them.

#### LESSON FILE PREPARATION

The most critical part of the successful running of the

```
16 CLS:PRINT@45, "Welcome to "R$" Scholar
's "N$" reviews!":PRINT@86, "Multiple Cho
ice or True/False"
17 C=0:PRINT@162, "Which lesson do you wi
sh to review?":PRINT@202,E$CHR$(/5);:LIN
EINPUTF1$:IFF1$=""ORLEN(F1$)>60RMID$(F1$
,2,1)=":"THENPRINT@247,R$" Try again, fi
lename only! "N$;:GOTO17
18 PRINT@24Ø,E$CHR$(75);:PRINT@252,"[R]a
m or [D]isk ";
19 D$=INPUT$(1):D$=CHR$(ASC(D$)AND223):I
FD$<>"D"ANDD$<>"R"THEN19
2$\vec{P} IFD$="D"THENF$="$\vec{P}:"+F1$+".D0"ELSEF$=F
1$
21 OPENF$FORINPUTAS1:INPUT#1,X$,Q,T$:IFX
$<>2$THEN44
22 CLS:PRINT@47, "Scholar is ready to Rev
iew:":PRINT@(40-LEN(T$))/2+120,R$" "T$"
"NS:FORI=1TOQ:INPUT#1,A,X$,Q$:IFX$<>Z$AN
DX$<>2T$THEN44
23 IFX$=ZT$THEN32
24 FORJ=1TO4: INPUT#1, A$(J):NEXT: INPUT#1,
V,V$,PV$:GOSUB11:CLS:PRINT@41,Q$":":PRIN
T:FORK-1T04:PRINT" "RIGHT$(STR$(K),1)")
"A$(K)
25 NEXTK:PRINT@281,R$"?"N$" ";
26 A$=INPUT$(1):AN=VAL(A$):IFASC(A$)=27T
HENCLOSE: GOTO43
27 IFAN<10RAN>4THEN26
28 IFAN=ATHENGOSUB12:GOTO30
29 GOSUB13:GOT026
30 IFVTHENPRINT@(40-LEN(A$(A)))/2+120,A$
(A): PRINT@(4\phi - LEN(V\$))/2 + 2\phi\phi, V\$: GOTO39
31 PRINT@(4Ø-LEN(Q$))/2+12Ø,Q$:PRINT@(4Ø
-LEN(A$(A)))/2+2ØØ,A$(A)".":GOTO39
32 IFA=1THENAN$="F"ELSEIFA=2THENAN$="T"E
LSE44
33 INPUT#1,V,V$,PV$:GOSUB11:CLS:PRINT@81
,Q$".":PRINT@171,"[T]rue or [F]alse?":PR
INT@219,R$"?"N$" ";
34 A$=INPUT$(1):A$=CHR$(ASC(A$)AND223):I
FASC(A$)=27THENCLOSE:GOTO43ELSEIFA$<>"T"
ANDA$<>"F"THEN34
35 IFA$=AN$THENGOSUB12:GOTO37
36 GOSUB13:GOTO34
37 IFVTHENPRINT@(4Ø-LEN(V$))/2+12Ø,V$"."
:GOT039
38 PRINT@(4Ø-LEN(Q$))/2+12Ø,Q$"."
39 IFI<>QTHEN41
4Ø FORT=1T02ØØØ:NEXT:CLOSE:GOT042
41 NEXT
42 CLS:PRINT@243, "Review another lesson?
 ";:A$=INPUT$(1):IFA$="Y"ORA$="y"THENCLS
:GOT017
43 CLS: PRINT@81, "Without use of reviews,
 you were able to get "C"out of "Q"corre
ct.":FORI=1TO4Ø:POKE647Ø3+1,229:NEXT:FOR
I=41T08Ø:POKE647Ø3+I,231:NEXT:FORI=81T02
71:POKE647Ø3+1,P(1):NEXT:FORI=281T032Ø:P
OKE647Ø3+I,23Ø:NEXT:CLS:CALL21795:CALL16
974:MENU
44 CLS:PRINT@41,R$" "F$" "N$" is not pro
perly formatted":PRINT" and, very likely
 is not a "R$" Scholar "N$"
                                 file, wh
ich requires a specific format.";:PRINT:
                                       Continued.
```

Scholar Reviews program is typing in the lesson data carefully, noting especially where you place commas and double quotation marks. Missing or misplaced characters can cause the program to terminate prematurely.

The first line of any lesson file is different from the rest of the lines in the file. It tells *Scholar Reviews* essential information about the lesson and *must* contain the following three items separated by commas:

| - Essential *Scholar* identifier, tells the program that this is a lesson file

n - The number of questions in the lesson

xxx - The title of the lesson-no more than thirty-eight characters

For example, 1,75,Olympic Games indicates that the lesson file on the Olympic games contains seventy-five questions.

After the first line, each record (i.e., each lesson question) must contain either ten or six items (depending on type of question—multiple choice or true/false) separated by commas. If an item contains textual material (a question or response, for example) and a numeral (1, 2, 3,etc.), you should enclose it in double quotation marks. Always enclose the last item, the response to an incorrect answer, in double quotation marks (").

## ★ Missing or misplaced characters can cause the program to terminate prematurely. ★

Here is the format for multiple choice questions:

- 1) n The number of the answer to the question (1 to 4)
- 2) | Essential *Scholar* identifier; indicates that the question is multiple choice
- 3) xxx The question; no more than 38 characters
- 4) xxx Possible answer, no more than 35 characters
- 5) Second possible answer
- 6) Third possible answer
- Fourth possible answer
- 8) n Type-of-response identifier for correct answers; 0 if no change in response, 1 if the response is rephrased
- 9) xxx Alternate response phraseology if item 8 is 1 and the answer is correct; use an arbitrary single letter if item 8 is 0
- 10) "xxx" Text of the information to be displayed when an incorrect answer has been chosen; may be up to 160 characters including spaces; always enclose in double quotation marks

Here are some examples of multiple-choice questions as

```
PRINT" Be sure to see Scholar documentat
ion.":PRINT@280,P$;
45 A$=INKEY$:IFA$=""THEN45ELSEMENU
46 IFERR=54THEN44
47 IFERR=520RERR=55THENCLS:PRINT@41, "Sor
ry, unable to locate "R$" "F$"."N$:PRINT
@81, "File MUST be a .DO file in Scholar'
     format. See SCHOLAR DOCUMENTATION."
s
:PRINT@211, "Try again? (y/n) ";:A$=INPUT
$(1):IFA$="Y"ORA$="y"THENRESUME15ELSEMEN
TT
48 IFERR=180RERR=68THENCLS:PRINT@41, "Dis
k drive not on, or DOS not loaded.":PRIN
T:PRINT" Is disk in the drive?":PRINT:PR
INT"Press F4 or type RUN <Enter> to rest
art":END
49 CLS:PRINT"Error"ERR" in line"ERL:END
                                     End of listing.
```

typed into the lesson file:

3,1,Which listed is a continent?,United States of America,Washington D.C.,Africa,Great Britain,1, is one of the continents.," The seven continents of the world are North and South America, Asia, Africa, Europe, Australia, and Antarctica."

In the above, the 1 following *Britain* indicates that the response to a correct answer will use different phraseology from the question.

2, I, John Adams was the nation's first, Treasurer, Vice president, President, Chief justice, 0, a, "Later president, and father of another president, John Adams was the first vice president of the new nation."

Here the question is used again for the response phrase, so 0,a follows the word *justice*.

The following shows the format for true/false questions:

- 1) n The number of the correct answer to the question, where 1 indicates false, 2 indicates true
- 2) ~ Essential *Scholar* identifier indicating that this question requires a true/false answer
- 3) xxx The question; no more than 38 characters
- 4) n Response-type identifier for correct answer; 0 if no change in response, 1 if the response is rephrased
- 5) xxx Alternate answer phraseology if item 4 is 1; use an arbitrary single letter if item 4 is 0
- 6) "xxx" Text of the information to be displayed when an incorrect answer has been chosen; may be up to 160 characters including spaces; always enclose in double quotation marks

The following is an example of a true/false question:

1,~,Greenland is the smallest continent,1,Greenland is an island," The seven continents are Europe, Asia, Africa, Australia, Antarctica, North America, and South America"

Note that the tilde (~), indicating a true/false question,

is used in item 2 instead of the vertical line (1).

#### COMPOSING RECORDS:

Assuming that you have a ready source of questions and answers, perhaps the trickiest portion of lesson preparation is composing the last item for each question, the supplementary information. Note that the information for this item in the above examples is enclosed in double quotation marks; these quotation marks are to preserve the leading space of the item for a good format when it's printed on the computer screen. Also, the quotation marks are ESSENTIAL to the proper operation of the program for other reasons. You need the other spaces in the data to get a well-formatted display when the program is run.

,16,General Knowledge

|,16,General Knowledge
4, |,Select the European
country,riorida,Japan,Israel,Poland,1,is in Europe.," Japan
and Israel are in Asia, Poland is on the continent of
Europe, & Florida, part of the U.S., is in North America."
1, |,President of U.S. during World War I,Woodrow Wilson,Jack
Pershing,John Rockefeller,Benjamin Franklin,1,"was President
in W. W. I, 1914-1918"," Pershing, Franklin, and Rockefeller
were never President of the U.S., but Wilson served from
1913-1921." 1..., Greenland is the smallest continent,1,Greenland is an island," The seven continents are Europe, Asia, Africa, Australia, Antarctica, North and South America" 1,~,Greenland 15 the smallest continent,1,Greenland 15 an island," The seven continents are Europe, Asia, Africa, Australia, Antarctica, North and South America" 4, |,Located on the U.S. south border 1s,Cuba,Brazil,Canada,Mexico,1,is south of the Rio Grande.," Canada is north of the U.S., Mexico is directly south, Cuba is an island, and Brazil is in South America." 1, |,Which group contains only lakes, "Erie, Baikal, Como", "Huron, Superior, Pacific", "Hudson, Huron, Haiti", "Fire, Ontario, Atlantic",1,are all lakes, " Lake Como is in Italy, Lake Baikal in the Soviet Union, and Lake Erie in the United States & Canada." 3, |,Commander of the Confederate Army, Robert Louis Stevenson,Washington Irving, Robert E. Lee, Ulysses Grant, 1, was the Confederate Commander-in-Chief," Grant commanded the Union Army for the final phases of the Civil War and Lee was the Southern commander. Stevenson and Irving were authors." 2,~,Alaska is the largest state in the U.S,0,a," Texas, the second largest state, is less than half the size of Alaska." 4, |,The first President of the U.S. was, Abraham Lincoln, John On in W down Lobe E. Waready Course Mexicence 0, a., " Course Course 1, Stevenson 1, Stevenson 2, Stevenson 2, Stevenson 2, 1, Stevenson 2, State, 1, State 1, Stevenson 3, Stevenson 3, State 1, Stevenson 3, State 1, Stevenson 3, State 1, Stevenson 3, State 1, Stevenson 3, Stevenson Alaska." Alaska." Alaska." Alaska." Alaska." New Yorkington first President of the H.S. was, Abraham Lincoln, John Quincy Adams, John F. Kennedy, George Washington, 0, a, " George Washington from Mount Vernon in Virginia, 'the Pather of our country,' was also the first American President." 2, , Which of those listed is in Asia?, Brazil, Saudi Arabia, Algeria, New Zealand, 1, is part of the Asian Continent..." Brazil is in South America, Algeria is in Africa, Saudi Arabia in Southwest Asia, and New Zealand is in Oceana." is in Oceana. 3, , The capital of Maryland is,Baltimore,Towson,Annapolis,Anaheim,O,a," Baltimore is the Is/Baltimote, rowson, Annapolis, Annapolis, Maryland, and a major seaport, but the capital of Maryland is Annapolis." 1, 0, on which continent is Maryland?, North America, Europe, Asia, United States, 1, is Maryland's continent.," Maryland is located in the country of the United States, and that nation is sited on the North America continent." United States, and that hation is sited on the worth American continent." 2, |, The national capital is, New York, Washington D.C., Chicago, Philadelphia, 0, a, "Though Philadelphia was an early site for the federal government, since 1800 Washington has been the capital." 3, |, Which listed is a continent?, United States of America Packbarter D.C. Market Decar Pritain Lis one of the America, Washington D.C., Africa, Great Britain, 1, is one of the continents.," The seven continents of the world are North and South America, Asia, Africa, Europe, Australia, and Antarctica. 2, John Adams was the nation's first, Treasurer, Vice 2, |,John Adams was the nation's first,Treasurer,Vice President,President,Chief Justice,0,a," Later President, and father of another President, John Adams was also the first Vice President of the new nation." 4, |,Select the capital of the U.S.S.R.,Paris,Stalingrad,Warsaw,Moscow,1,is the Soviet Union's capital.," Warsaw is in Poland, Paris in France, and Stalingrad is in the U.S.S.R, but Moscow is the Soviet Union's capital." Union's capital. 5, J, Franklin D. Koosevelt was President, "1812-1816", "1956-1966", "1933-1945", "1898-1902", 0, a, " In office longer than any other person Franklin Roosevelt became President on March 4, 1933 and died April 12, 1945." Endoflicti End of listing.

Tip: Prepare the entire record by starting in BASIC! Decide on the correct answer and type it, the comma, the proper identifier (| or ~), the comma, and the question. Then use the EDIT command to compose the remainder of questions, answers, and review information. This procedure enables typing of precisely the format desired with no concern about spacing as can happen in TEXT mode. Finally, CUT or COPY the record into the paste buffer and exit the EDIT mode; proceed to the TEXT work file for the lesson and PASTE the record in place.

#### THE PROGRAM LISTING

This program depends heavily on use of the Telcom previous-screen buffer (also know as the alternate LCD buffer) and the fine work done by David Sumner in his article, "Overcoming the Eight-Line Barrier," in the first issue of the lamented Laptop User magazine (Mar/Apr, '87). The primary purpose of developing this program was to explore the practical applications of Sumner's thesis. Perhaps, with this model, others can go on to further application development.

- Line 7 jumps to line 14 for initialization of the program.
- Lines 8-10 contain the data for the screen display on normal exit.
- Line 11 is the critically important subroutine that POKE's the question and review information into the *Telcom* previous screen buffer.
- Line 12 is the subroutine called by line 28 or 35 when the student selects the correct answer.
- Line 13 subroutine calls the previous screen buffer when called by line 29 or 36 because of a student error.
- Lines 14-20 are fairly standard initialization and welcome processes.
- Line 21 opens the requested lesson, checks for identification, then picks up the number of questions and the lesson's title. An error trap jumps to line 44 and terminates the program if identification fails.
- Line 22 acknowledges the program's readiness to proceed and commences the main loop by reading the correct answer, identifier, and question from the lesson. Error trapping looks for the identifier.
- Line 23 jumps execution to line 32 if the question is true/false.
- Lines 24-31 (for multiple choice) and 32-39 (for true/ false) read the answers and tutorial material from the lesson and display them. The GOSUB 11 places the tutorial in the previous screen buffer ready to be CALLed if the student errs.
- Lines 40-43 complete the loop, provide for further reviews, and exit the program after preparation and *POKEing* of the exit display.
- Lines 44-49 provide the necessary error trapping assistance.

Comments and questions may be directed to the author: Dave Thomas, 2308 Chetwood Circle, #103, Timonium, MD 21093, Phone: (301)252-5379. Electronic mail: GEnie, MORTIMER; Delphi, MORTIMER; CompuServe, 70526,1117

COMPATIBILITY: Tandy 100/102; Tandy 200; Kyotronic 85; Olivetti M10-untested; NEC 8201 (with changes)

## A Notebook-Computer Teacher

LEARN: Tutoring and testing with a notebook computer. By E.A. Schwartz

n a few months I have to take a test to prove I can cope in Spanish. It's either that or give up the idea of finishing graduate school. Being naturally contrary, I've decided the way to bring my Spanish up to speed is not to *take* lessons but to *write* lessons—a set of computerized lessons based on a textbook from a language school where I studied in Mexico. *LEARN* is the program I wrote to run those lessons.

Basically, *LEARN* takes prompts and questions from a .DO file, presents them to a user, and responds to the user's answers. When the answer given is incorrect, its prompt, question, and correct answer are stored in another file. When the original lesson file is exhausted, the "incorrect answer" file is opened and the lesson continues without a break till the user has answered each question

## The program is set up so you can also use this test mode to make electronic forms.

correctly. The user can exit from the program by answering *end* at any question.

LEARN also has a test mode, which asks each question only once, records the answers, and calculates a score at the end. The program is set up so that you can also use this test mode to make electronic forms. For example, you could write employment application questions in a *.DO* file so that applicants could answer those questions at the computer. Such a form could be infinitely variable, and you wouldn't have to use paper.

#### WRITING LESSONS

Putting together a .DO lesson file that works with



Nupa Two Shoes takes the sample U.S. History test, coached by the author (he scored 80%). Photo by Minnie Two Shoes

*LEARN* is not difficult—you can easily write your own lessons and tests. But you have some limitations. Here are the rules.

Think of a lesson as at least one group of prompts and their corresponding answers. Each prompt consists of a *string*, a sentence or group of words ending with an *EN-TER*. The *ENTER* tells the program that it has reached the end of each string (so when you're creating a lesson file, be careful not to press *ENTER* in the middle of a string). See Figure 1 for an example lesson file. Each group is organized with the following parts:

- 1. A period signifying the beginning of a lesson group;
- 2. A statement (explanation for the questions) giving background information to be used in the questions;
- 3. A statement that tells how to answer the questions (for example, to type the answer in lower case, to type *T* or *F* for true/false, etc.);
- 4. At least one pair of strings—a question and its corresponding correct answer.

Each lesson group starts with a period (.) followed by an *ENTER*. This period is the first string of the group and tells the program that a new lesson group is beginning.

The next string in the group is the question explanation and is the first string of the group displayed. This string generally supplies the information needed to answer the questions that follow. In Figure 1, the statement, *The Spanish sentence "Donde esta el telefono, por favor?" means, in English, "Where is the telephone, please?"* is the question explanation string and is followed by an *ENTER*. As the program runs, the explanation is put on the screen followed by the *press enter to continue* prompt, which allows the user to study the explanation as long as needed. When the user answers a question incorrectly, the explanation flashes on the screen again before the next question.

After the explanation come the instructions. These tell the user how to answer questions—by typing a letter or number for multiple choice questions, or by typing a word to fill a blank in the question, for example.

Finally comes the set of alternating questions and their answers. In the example lesson (Figure 1), the questions ask for the meanings of each word in the sentence given in the explanation. Each element of this set of questions consists of one string (the question), with one *ENTER* (signifying the end of the string). No element may be more than 255 characters long. The sample *test* (see Figure 2) shows how to use the first element for explanations.

Although each question must be one string only (it contains no *ENTERs* in the lesson file except at the end), as an added feature the program allows you to start new lines on the computer screen in the question by putting a square bracket ([) where the new line is to start. This feature allows you to set up multiple-choice questions so that each possible answer is on its own line. Further, you can provide two possible correct answers by putting a slash (/) between them in the answer string in a learn file. Note that the program is case sensitive, so you should inform students that they should use either all upper case or all lower case.

	. •
	The Spanish sentence "Dónde está el teléfono, por favor?"
	means, in English, "Where is the telephone, please?" ┥
	Type in the meanings in English in lower case letters.
	What does "dónde" mean?◀
1	where ◀ What does "està" mean?◀
	is◀
	What does "por favor" mean?◀
	please
	What does "el" mean?
1	the ৰ
	Here are some words you might use with "dónde está": "banco"
	means bank, "mercado" means market, "farmacia" means
	pharmacy," and "iglesia" means church.
	Enter the letter that identifies the correct answer < You ask, "Donde está el mercado?" Are you asking for (a) the
	location of a church, or (b) the location of the market?
	b
	You ask, "Dónde está la Iglesia de San Pedro?" Are you
	looking for (a) a church, or (b) a bank?
	â
	You ack, "Dónde está un Banco Nacional?" Do you want to find
	(a) a beach, or (b) a bank?◀
	b ◀
	You ask, "Dónde está una farmacia, por favor?" Are you
	looking for (a) a sandwich, or (b) a bottle of aspirin?◀ b◀
	"Quiero un cuarto para esta noche" means "I want a room for
	tonight." (Note that "esta" is not "está.")∢
	Enter the letter indicating the correct answer. <
	Does "esta noche" mean (a) "a room," or (b) "tonight"? ◄
	b◀
-	Does "quiero" mean (a) "a room" or (b) "I want"? <
	Does "para" mean (a) "a room" or (b) "for"?◀ b◀
	Does "un cuarto" mean (a) "a room" or (b) "I want"?◀
	a

Figure 1. A sample lesson with questions and answers. The program handles multiple choice, fill-in-the-blank, or standard question-and-answer formats.

The program knows it has reached the end of a lesson group when it comes either to another period—to signify the beginning of the next group—or to the end of the file.

#### THE STUDENT'S PERSPECTIVE

For the student running the program, this is what shows on the screen. For any lesson group, the first string, the explanation, comes on the screen and stays until the student presses any key. Once a key is pressed, the second string, the instructions, and third string, the first question, come on the screen together and remain until the student types a response (normally an answer to the question) and presses *ENTER*. If the student's response doesn't match the correct answer, the string following the question in the lesson file, the explanation string, is flashed on the screen again. Either way, the second string (the instruction string) does not come on again until either a new lesson group begins (the program reaches the end of the lesson file and begins drawing on the "incorrect answer" file.

This format obviously does not lend itself to essay questions, but it works well with multiple-choice, true/false, and fill-in-the-blank questions.

#### **TEST MODE**

The test mode has some primitive but, I hope, effective security gadgets attached. The person giving the test should set it up by typing a lower-case t (case is important; uppercase won't register) in response to the first display of the program, the first question explanation. Then the tester types in the test file name. Suppose, then, that the

testee is somewhat computer literate and decides the answers to the questions must be somewhere in the computer. He or she may break from the program, discover the answer file (the test file), and try to get back into LEARN. But nothing in the first display suggests how to get into the test mode. If the person taking the test presses only ENTER and goes through the test sequence, no new answer file (named RSPONS.DO) will be created. If the testee discovers what a RSPONS file looks like and tries to construct one outside the program, he or she probably won't know to put the score and the time at the bottom of the file where the program would put them. The time is a tip-off if the testee dilly-dallied after completing the file. (Before doing any dilly-dallying, s/he would have to know that after Test Completed flashes on the screen, you must press lowercase *e* to get back to the menu.)

In addition to the score, the program prints all questions and answers in *RSPONS.DO*. Incorrect answers are marked by a black box (*CHR\$(239)*).

The test mode also allows you to ask questions that don't have correct answers—the name of the person being tested, for example. To ask questions that won't be counted in the score, put ok where the correct answer would otherwise be located in the test file.

#### TIMING

The program lets you adjust how long the explanation remains on the screen after an incorrect answer. The initial display tells the you to press a to adjust timing. That routes the program to the adjustment sequence. (The time span secondary explanations stay displayed depends on the length of those explanations.) Since this prompt is at the beginning of the program, and the instructor must enter tto start the test mode legally, there's no way for the student to set the speed. It must be done by the instructor.

#### VARIABLES

- A Timing adjustment factor
- A\$ Answer
- B Indicates the current stage of the prompt-loading.
- C\$ Dummy for INKEY\$ sequence
- C If C equals 1, the file K.DO has been opened for output
   D If D equals 1, the period, explanation, and instructions have been printed in the "incorrect answer" file
- *E* E equals 1 indicates that the program has finished the first "incorrect answer" file
- E\$ Explanation
- F Print formatting sequence search starting position
- F\$ File name
- I\$ Instructions
- K\$ Replacement "incorrect answer" filename in lesson mode
- *L* Position of space in the print formatting sequence
- L\$ Name of "incorrect answer" file in lesson modeN Position of the square bracket ([) used to start a new line in the question display
- Q\$ Question
- *R*\$ Second of two possible answers
- *R* Number of right answers in test mode
- *S* Basic input string, or first of two possible answers

```
This is a 10-question multiple-choice quiz on basic U.S. history. \blacktriangleleft
 Press enter to continue.
 ok ◀
   •
 Your name? <
ok ◀
Enter the number of the correct answer. <
The Pilgrims landed in Massachusetts in 1620 to found which
colony, (1) Boston, (2) Jamestown, or (3) Plymouth?◀
In April , the American Revolution began at Lexington.
In the following year, the Declaration of Independence was
signed. Identify the year that belongs in the blank space:
(1) 1763, (2) 1775, or (3) 1781.
In 1803, the U.S. bought Louisiana from France. Which French leader sold Louisiana, (1) Louis XIV, (2) Napoleon, or (3) Napoleon III? \triangleleft
which U.S. president, in 1835, forced most of the Cherokee
Indians to give up their homes in the southeastern U.S. and
march the Trail of Tears to Oklahoma, (1) James Monroe, (2)
Martin Van Buren, or (3) Andrew Jackson?◄
In May _____, the U.S. declared war on Mexico. That war
ended two years later, in the year when gold was discovered
in California. What year belongs in the blank, (1) 1861,
(2) 1847, or (3) 1846?
Fighting in the Civil War began in 1861 with the bombardment
of a fort in the harbor of what city, (1) Charleston, (2)
Hampton Roads, or (3) Norfolk?
The U.S. bought Alaska in 1867 for $7.2 million from what country, (1) Spain, (2) Great Britain, or (3) Russia?◀
In 1890, some 200 Indian men, women, and children were
killed in the "battle" of Wounded Knee. What tribe was
involved, (1) the Kiowa, (2) the Lakota Sioux, or (3) the
Seneca?◀
Two U.S. presidents are known to have been assassinated during the 20th century. They are (1) Kennedy and McKinley, (2) Kennedy and Garfield, or (3) Harding and Taft?
The U.S. entered World War I and passed the prohibition amendment in which year, (1) 1914, (2) 1917, or (3) 1920?
2 ৰ
```

Figure 2. A simple multiple-choice quiz on U.S. History (The same one taken by Nupa Two Shoes).

- T T equals 1 indicates test mode
- T\$ Dummy for INKEY\$ sequence
- U Length of U\$, timing adjustment
- U\$ String to be processed through the print-formatting and timing.
- V Timing sequence dummy
- *V*\$ Portion of *U*\$ extracted during the print formatting.
- W Number wrong in test mode
- X X equals 1 indicates that the last sub-string of U\$ has been processed in the print-formatting sequence
- X\$ Period indicating a new question group is beginning
- Y Position of slash (/) in the answer string to allow for two correct answers
- Z Z equals 1 indicates that the program is running the "incorrect answer" file
- Z\$ Answer given by user

#### **FUNCTION LOCATIONS**

- 100-110 Prints the initial display, opens the initial file(s).
- 115-150 Inputs file data, assigns it, and routes display
- data to word-wrap and timing subroutines. 155-200 Compares the user's answer with the correct answer from the lesson file; responds to an in-

100 CLEAR1200:MAXFILES-2:A-7:K\$-"k.do":L	205 IFT-1THENPRINT#2, "Score: "INT(((R/(W+
\$="1.do"	R))+.005)*100)"Pct "TIME\$:PRINT"Test Com
102 CLS:PRINT"LEARN":PRINT"Press enter t	pleted":GOTO235
o continue":PRINT"s to stop or":PRINT"a	21Ø IFE=1THENCLOSE1:KILLL\$
to adjust timing":GOSUB290:IFT\$<>CHR\$(1	215 IFC=1THENC=Ø:Z=1:CLOSEELSE225
3) THEN1Ø2	22Ø NAMEK\$ASL\$:E=1:OPENL\$FORINPUTAS1:GOT
105 ONERRORGOTO315	0115
110 CLS:INPUT"File";F\$:F\$=F\$+".do":OPENF	225 CLS:U\$="Lesson completed":GOSUB245:M
\$FORINPUTAS1:IFT=1THENOPEN"rspons.do"FOR	ENU
OUTPUTAS2	23Ø C\$=INKEY\$:IFC\$=""THEN23ØELSERETURN
115 LINEINPUT#1,S\$:IFS\$="."THENX\$=S\$:B=1	235 T\$=INKEY\$:IFT\$=""THEN235
:D=Ø:GOTO115	240 IFT\$="e"THENMENUELSE235
12Ø IFB=1THENE\$=S\$:B=2ELSE14Ø	245 PRINTU\$
125 IFT=10RE\$=""THEN115	250 FORV=1TOU*A:NEXTV:RETURN
13Ø CLS:U\$=E\$:U=LEN(U\$):IFZ=1THENGOSUB27	255 PRINT#2,Q\$:IFA\$="ok"THEN265
Ø:GOSUB25ØELSEGOSUB27Ø:PRINT@24Ø, "(press	260 IFZ\$=A\$THENR=R+1ELSEW=W+1:Z\$=CHR\$(23
enter to continue)":COSUB230	9)+2\$
135 GOTO115	265 PRINT#2, Z\$:CLS:GOT0200
14Ø IFB=2THENI\$=S\$:U\$=I\$:B=3:CLS:IFU\$=""	27Ø N=INSTR(1,U\$, "["):IFN=ØORN>39THEN275
THEN115ELSEU=LEN(I\$):GOSUB27Ø:GOTO115	ELSEV\$=LEFT\$(U\$,N-1):U\$=RIGHT\$(U\$,LEN(U\$
145 IFB=3THENQ\$=S\$:U\$=Q\$:B=4:GOSUB27Ø:GO	)-N):GOTO285
T0115	275 F=1:IFLEN(U\$)<4ØTHENV\$=U\$:X=1:GOTO28
15Ø IFB=4THENA\$=S\$:B=3	5
155 LINEINPUTZ\$:Y=INSTR(1,A\$,"/"):IFY>ØT	280 L=INSTR(F,U\$," "):IFL>390RL=0THENV\$=
HENS\$=LEFT\$(A\$, Y-1):R\$=RIGHT\$(A\$, LEN(A\$)	LEFT\$(U\$, F-1):U\$=RIGHT\$(U\$, LEN(U\$)-(F-1)
(   -Y)	)ELSEF=L+1:GOTO28Ø
16Ø IFT=1THEN255	285 PRINTV\$:IFX=1THENX=Ø:RETURNELSE27Ø
165 IFZ\$="end"THEN32Ø	29Ø T\$=INKEY\$:IFT\$=""THEN29Ø
17Ø IFZ\$=A\$ORZ\$=R\$ORZ\$=S\$THEN195ELSEU\$="	295 IFT\$="s"THENMENU
Incorrect":GOSUB245:CLS:IFEOF(1)THEN180	3¢¢ IFT\$="t"THENT=1
175 U\$=E\$:U=LEN(U\$):GOSUB270:GOSUB250:CL	3Ø5 IFT\$="a"THENCLS:GOTO31ØELSERETURN
S	310 INPUT "higher #s = slower speed (defa
18Ø IFC=ØTHENOPENK\$FOROUTPUTAS2:C-1	ult 7)";A:RETURN
185 IFD=ØTHEND=1:PRINT#2,X\$:PRINT#2,E\$:P	315 IFERR=15THENZ\$="":CLS:PRINTQ\$:RESUME
RINT#2,1\$	155ELSEPRINTERR" in "ERL: STOP
19Ø PRINT#2,Q\$:PRINT#2.A\$:GOTO2ØØ	32Ø IFC=1THENKILLK\$
195 U\$="Correct":GOSUB245:CLS	325 IFE=1THENKILLLS
200 IFEOF(1)THEN205ELSE115	330 MENU
Continued.	End of listing.
	, , , , , , , , , , , , , , , , , , , ,

LEARN.BA, a powerful tool for memorizing materials and testing students.

<ul> <li>correct answer by storing data in the replacement file and flashing an explanation.</li> <li>205-225 End-of-file sequence, declares the replacement "incorrect answer" file as the main file.</li> <li>230-240 INKEY\$ sequences.</li> </ul>	key is "Correct," while your name is "Incorrect." The program is case sensitive we suggest that you carefully explain to the student users how you want them to type upper- and lower-case letters.
245-250 Timing subroutine.	NEC Changes:
255-265 Test mode answer response sequence. 270-285 Word-wrap and printing subroutine.	Add to end of line 100—:SCREEN0,0 Line 102—change "enter" to "return"
<ul> <li>270-285 Word-wrap and printing subroutine.</li> <li>290-310 Subroutine for response to the initial display.</li> <li>315 Error response.</li> </ul>	Line 130—change PRINT@240,"(press enter to continue)" to LOCATE0,6:PRINT"press return to
315Error response.320-330Response to the "end" answer.	continue)"
Editor's: Because the test mode is programmed a little differently from the lesson mode, it asks unexpected questions in the beginning sequence, and (for example) decides that the ENTER	Either define any necessary foreign language graphics characters (see your <i>BASIC</i> manual), or don't use any and instead, change <i>CHR</i> \$(239) <i>i</i> n line 260 to <i>CHR</i> \$(130).

## A Dandy Teacher's Aid

Grading can be made easier with Steffens' Grade Management System by David Klein

o teacher alive likes to figure end-of-term grading. Not only are you tired from weeks of teaching (and you're looking forward to that longdeserved vacation), you are staring face-to-face with piles of last-minute papers or finals or projects (or all the above), and you certainly have no time or inclination for dragging out your calculator to wrestle with the complex grading formula you devised at the beginning of the term when your mind was rested. If you're like me, you've been looking for a program that can help you keep track of grades during the term and will take care of calculations at the end of the term. The Grade Management System (GMS) by Software by Steffens', a program made for Model 100's with disk drive, may get you close.

Every teacher I know has a different way of keeping grades-different from anyone else who ever breathed. So a software grading package, especially for notebook computers, faces an enormous task when it tries to appeal to a large contingent of teachers. Dauntlessly attempting that, in the introduction to the software, the authors state these two assumptions: 1) teachers want to keep their handwritten grade books because they fear loss of valuable data, but 2) teachers nevertheless want to use computers to calculate grades quickly and easily, as long as the

computers are as easy to use as a grade book.

I absolutely agree with the second assumption. But as a person who has spent, unsuccessfully, upwards of sixty to eighty hours trying to get a *Lotus* clone to do my grading, I gener-



ally disagree with the first. Ideally, for me, the optimum grading program allows me to type in grades as each assignment comes due, keeps track of each assignment through the term, permits easy changes in grade weight, and allows frequent changes in grades already entered. Rather than worry about losing my valuable data from some computer accident, I want to print an updated version of my grading sheet every time I type in grades for an assignment, ensuring plenty of copies, instead of a tenuous, marked-up, smudged, dog-chewed (yes, it happens to teachers, too) paper copy. Too often have I experienced the cold sweat of searching for an irreplaceable piece of paper, on which is recorded part of the lives, the several weeks of hard work, of

my students.

The GMS doesn't go that far. But it comes close. The system keeps track of the accumulation of grades for a term—not each assignment—as well as a miscellaneous recording of daily notes, such as absences, tardiness, late or forgotten assignments-remembered assignments-and the like, whatever may determine the final grade for each student. The program is flexible enough that it can be used by teachers from elementary to college level. It allows teachers to separate their subjects or classes and the students' performance in them. It tracks students' daily performance. It keeps a file of delinquent assignments. And it provides several convenient ways of compiling and printing this data.

But most important, the GMS permits you to keep this data on 3.5-inch disk in Model 100 format. If you want, you never have to bring your data files into RAM with an explicit command. The programs take care of much of the significant data handling on the disk, which allows you to keep a data base of grades for up to fifty students in as many as nine subjects or classes. Not bad for a Model 100. Further, the programs are easy to learn, asking enough questions and giving enough warning so that a neophyte user can manage without having to refer constantly to the instructions. Although, at times I felt that some processes could require

### SOFTWARE REVIEW

fewer precautions, say, with a default and *ENTER* included as a response instead of a particular key such as Y or N, which you have to hunt for.

Speaking of instructions, here's the bad news. Especially for a manual designed to be read by teachers, the instruction booklet that comes with the program is an indication of why some very good programs don't make it on the market. It has typos, spelling and grammar errors that might slow up those who are English teachers (such as I). But I must mention two major problems. For me, the writing was good enough to get me started, but often the writing in the instructions became somewhat opaque, frustrating me until I finally gave up on them and turned to the program itself to teach me how to use it. Consider these: The program menu appears to follow numerically. (to follow what?) User inputs (for example assign. notion) "P.384" press ENTER. If section "2" was made screen. Yes, these are punctuated as complete sentences. Being a teacher himself, Gary Steffens has a limited budget and time, and I'm sure the deficiencies in the instructions are a result of this.

The second problem with the documentation is the presentation of the material. The documentation does not focus on the sample files included in the disk, which explain reams' worth of instructions. But more confusing, the ordering of the tutorial is not optimal. I started the tutorial on a Model 102 with 24K of RAM, but soon discovered that, for lack of space, I couldn't run many of GMS's programs with the data files in RAM. But the instructions explicitly warned against using the disk drive. I thought I was stuck. However, I moved to a Model 100 with 32K of RAM and became familiar enough with the program to discover that using a disk was remarkably easy. I could have started using the disk from the beginning if the trick of naming files had been explained earlier(the program permits you to append numerals—a 1 for the first term, 2 for the second, etc.—to otherwise identical file names to permit continuity among school terms and to allow you to use the same class lists from term to term). If you try the

program, I advise you to create some dummy files to play with, and use the disk drive at the outset.

For a program designed for the Model 100 where size is a consideration, this program is surprisingly versatile. Of course, you may find yourself somewhat constrained by its grading assumptions. For example, the program gives two kinds of graded assignments only-classwork and tests—for which it assigns a final, cumulative grade based on a fifty-fifty split (fifty percent counted for classwork and fifty percent for tests). But if you're like me, unless you write your own, no program is going to satisfy all your requirements. On the other hand, the program is written in BASIC, so many parts (such as the fifty-fifty formula or the printouts) may be relatively easy to alter, although the instructions recommend that you do not alter the program (a good idea if you want manufacturer's support). Or if



you are loathe to do your own programming, the people at Software by Steffens' will alter the program for you, ten dollars for easy changes, and twenty an hour for more extensive ones. Decent prices.

Further, the program allows you to choose your own grading scale, such as 90 to 100 as a range for an A and so on (although if you use the 4.0 scale, I advise you to multiply your range by 10, since the program doesn't handle fractions well). It gives you flexibility with names and number of data files you need. It gives you exceptional ability for tracking individual studentsprobably the second best feature of the program, after the use of the disk. It pinpoints students who haven't completed assignments or who have missed tests (here's a way to help prevent those students from always falling through the cracks). And most

important, it permits you to carry your grades in a Model 100. Suddenly you have access to a data base that makes your grading sheet three dimensional, allowing you to view your grading records from a variety of perspectives, class averages, class totals, numbers of A's, B's, ctc., and as end-of-term reports. You don't have to leave your computerized grade book at home strapped to your desk, and you don't have to recalculate your grades at term's end. Press a few buttons and that's it.

Should you try the program? If you are looking for a way to ease the end-of-term crunch by having your grades already number-crunched with a computer, this program could well be worth the investment at \$49. You can use it immediately to enhance your grading sheet and to incorporate a little sanity in your grading procedure. Perhaps Gary and Lee Steffens will produce an enhanced version that lets you put your entire grading sheet on-line (perhaps providing an easier way to change data, after it's been entered, when you discover you are not perfect at data entry). Coupled with the program as it stands, such an enhancement would make GMS a teacher's dream. For me, a computer-oriented person who has *never* used a computer for grading because I have never found one versatile enough and haven't had time to write one, GMS does the job. The payoff would be worth it.

David Klein has been teaching Freshman English at the University of New Mexico.

Manufacturer's Specifications Grade Management System \$49.00 Software by Steffens' 1731 William Ct. Little Chute, WI 54140 Requirements: Model 100/102/200 3.5-inch disk drive Enough knowledge to LOAD programs from disk and to initiate a program in RAM.

## Is LapDOS II Good to Be True? A Review of Traveling Software's LapDOS II for the Tandy 1400LT by Mike Nugent II

f you transfer files between your PC and your notebook computer, you're going to like this. You can forget about *TELCOM* programs, transfer protocols, binaryto-ASCII conversions, and all that other stuff. Life just got simpler.

Mine did. My work is a maze of file transfers. We get manuscripts on a variety of media and in all sorts of word processor and disk formats. Yet they're all destined for the same few places and forms: to *Microsoft WORD* for editing; Tandy PDD-1 (portable disk drive, 100K format) disks for sale; to all our different laptops for testing, modification and debugging (and occasionally for swearing at); and to the *PICO* BBS for downloading. Any way we get them, it's a lot of work.

LapDOS II makes it easy by tying it all together in one package. It talks to everything—Tandy and NEC notebook computers, Tandy PDD-1, PDD-2, Brother FB100, and Purple Computing portable disk drives with no hassle. Just connect an IBM PC-compatible computer (or just PC) to a portable disk drive or notebook computer, and start swapping files. Menu-driven and environmentsensing, LapDOS II handles the details automatically.

#### WHAT IS LapDOS II?

This review describes Version 1.42 of Traveling Software's LapDOS II operating on a Tandy 1400LT providing-you-have-a-big-lap laptop computer. As the manual states, LapDOS II consists of two components: 1) *LapDOS*, which transfers files between a PC and a PDD, and 2) a new program which transfers files between a PC and a notebook (i.e., a notebook computer).

The package comes with a null modem cable, a cable converter, a user manual, and a 5.25-inch diskette with the *LapDOS II* software and a *README* file of recent updates to the manual. For 3.5-inch diskettes, you can copy the files to your disk. The doc's tells you how to copy *LapDOS II* to both hard disk and floppy disk.

#### PDD FILE TRANSFERS

Using LapDOS II with a PDD is identical in most respects to using it with a notebook. LapDOS II is easy. Connect the PDD's cable to the PC's RS-232C cable, using LapDOS II's cable converter. Turn the PDD on and insert a disk. At the DOS prompt, type LAP and press ENTER. The program loads and the screen displays a menu. The top line displays the program name, version number, and copyright notice. Below that are the two LapDOS windows, the MS-DOS window on the left and the PDD window on the right. The top line of each window identifies the window, displays the currently logged drive (e.g., A: for MS-DOS and always P: for the PDD), and the number of free bytes on each drive. Below that, each window lists the file names (up to forty files in two columns) on each drive and their sizes. The bottom of the MS-DOS window shows the current directory path, while the bottom of the PDD window shows the COM port in use and the baud rate selected. When referring to a Tandy PDD-2, it also displays the current bank as Bank 0 or Bank 1. Below the menu is the message line, which displays prompts, warnings and error messages when necessary. And below that, on the bottom line of the screen, is the command line listing all the available commands.

A bar cursor highlights the first file in the MS-DOS window. The arrow keys move the cursor from one file name to another and from window to window. The HOME and END keys move the cursor to the first and last file names, respectively, within a window. PGUP and PGDN move between pages of files in the MS-DOS window (when they don't all fit on one page) and between PDD-2 banks in the PDD window, provided a PDD-2 is connected. CTRL-HOME always returns the cursor to the first file of the first page.

A big feature of *LapDOS II* is its ability to determine automatically which type of drive you're using and to set the baud rate accordingly. Some PDD's, like the Tandy PDD-1 and the Purple Computing Disk Drive, have switches you can set to change the baud rate at which they operate. Others do not. Tandy's PDD-2, for example, has no switches and is fixed at 19,200 baud. The Brother FB100 is fixed at 9,600 baud. When *LapDOS* first tries to log the *P*: drive, it begins at 19,200 baud. If it

## SOFTWARE REVIEW

can't establish communication, it changes to 9,600 and tries again, all without you pressing a key. If you change to a different PDD, no problem; *LapDOS II* takes it in stride.

#### COMMANDS

There are two ways to execute any of the twelve commands on the command line. One way is to press the first letter of the command name. Alternatively, you can press ESC, which highlights the first command with a bar cursor, then move the cursor to the desired command, using the arrow keys or space bar, and press ENTER. Some commands operate on the file currently selected in one of the windows, while others require only that the cursor be anywhere within the appropriate window, and still others are not at all dependent on the cursor position. Here's a summary of LapDOS II commands:

Help—Displays a help menu.

Quit—Exits LapDOS

Log—Changes disks.

*View*—Only printable ASCII characters are displayed. Fine for text files. The *.BA* and *.CO* files look rather weird.

*Copy*—Files are copied exactly as they are stored; that is, .BA and .CO files are transferred without being changed to ASCII. Thus a .CO file copied from MS-DOS to PDD will load and run in your notebook as a .CO file with no massaging. Copy lets you change the destination file name. When copying to the PDD, LapDOS automatically shortens file names longer than six characters and substitutes a .DO extension for any source file with an extension other than .BA or .CO. When copying from PDD to MS-DOS, it substitutes a hyphen for any illegal (for MS-DOS) characters. Copy prompts you if the destination already contains a file of the same name and lets you overwrite it or abort the copy. On the MS-DOS side, it can copy one file to the same drive (with a different file name, of course) or to another MS-DOS drive. It won't do it on the PDD side, however.

Wildcopy—A real time saver! I copied two complete PDD-2 disks to one MS-DOS disk in no time at all just by designating \*.\* as the source,

pressing ENTER, then twiddling my thumbs while it copied all the files quickly and smoothly. It copies one bank at a time, so I had to do it four whole times! (Tough job, eh?) One 720K, MS-DOS disk holds data from three PDD-2

COMMAND .COM			000 Fr	ee ======	== Portable			
	23612	ANSI	.SYS	4963	ADRS .DO	454	ART/06.DO	1010
APPEND .COM	1725	ASSIGN	.COM	1523	BAUDER.BA	56	BLKJAK.BA	868
ATTRIB .EXE	8234	BASIC	.EXE	77312 <sup>,</sup>	CAL .BA	23	CAL .CO	338
BASICA .COM	969	CACHE	.COM	7871	CHANGE.BA	4058	DASM .BA	385
CHKDSK .COM	9819	CONFIG	.SYS	78	DVORAK.BA	3716	FIG 1 .DO	35
CPANEL .COM	8737	ĐC	.COM	2608	FIG 2 .DO	643	FIG 3 .DO	71
DEBUG COM	15706	DISKCOM		3947	FIG 4 .DO	506	FNCPRT.BA	185
DISKCOPY.COM	4139	DISKOPT		4611	FRAZY .BA	3480	FRAZY .DO	432
DRIVER .SYS	1102	EDLIN	· COM	7495	FSTMDM.BA	349	GLDCRD, DO	1232
EXE2BIN .EXE	3050	FC	.EXE	14446	HOTBOX.DO	492	HOTBX .CO	5
FIND .EXE	6403	FORMAT	.COM	11188	HOTBX .DO	129	HOTKEY.BA	
GRAFTABL.COM	1201	GRAPHIC	S.COM	5546	INVISO.BA	802	JETSON.BA	35
JOIN .EXE	8942	KEYBFR	.COM	1340	LESSON.DO	3724	MENU .BA	143
KEYBGR .COM	1340	KEYBIT	.COM	1340	NOTE .DO	692	PD1D0S.CO	517
KEYBSP .COM	1340	KEYBUK	. COM	1340	PD2DOS.CO	5510	PEEKIN.DO	727
LABEL .COM	2889	LF	.COM	293	POPEYE.BA	145	RACER . BA	159
LIB .EXE	24138	LINK	.EXE	39172	RACER .DO	7627	SG0621.D0	1424
LPDRVR .SYS	3452	LPSETUP	.COM	6116	STDMOD.BA	3274	STDMOD.DO	400
MODE .COM	7298	MORE	. COM	282	STUDY .BA	3274	STUDY .DO	400
MOUSE .COM	11846	MOUSE	.SYS	11458	XBASIC.DO	6053	ASM .DO	9
= A:\ =======								

The LapDos II MS-DOS operating screen and menu.

disks, and then some. A fine way to archive your notebook files. By the way, this program also prompts you if the destination disk already has a file of the same name.

Format—Takes about 1 minute and 45 seconds, automatically determining the proper format according to the type of PDD it sensed. It doesn't warn of data on the disk, but it does wait for you to press ENTER. As a precaution, you can use the Log command to check the files on the disk before formatting. This command does not format MS-DOS disks.

*Erase*—Always prompts you before erasing, giving you a chance to change your mind.

*Rename*—Be careful here. If assigning a new name to a PDD file, you must include the *.BA* or *.CO* extension. Otherwise, the program assumes a *.DO* extension.

Goto—This searches forward from the cursor for any file name you specify, or for a group of file names if you use wildcards. It remembers the last search string, so you can search for the next occurrence just by pressing *G*, then *ENTER*. Or you can edit the search string

Xchange—Lots going on here. This option lets you copy files from ThinkTank to IDEA! format and vice versa, or from either of those formats to ASCII. And you can copy some word processor formats to ASCII. Finally, you can copy Sidekick Appointment files to IDEA! format, but not the reverse. I found that the Sidekick-to-IDEA! conversion worked well, but not so with ThinkTank-to-IDEA! conversion. Not having ThinkTank, I first converted an IDEA! file to ThinkTank format, then tried to convert that back to *IDEA*. The program just locked up, necessitating a warm restart. Twice. Traveling Software said they hadn't heard of the problem before and is looking into it.

Setup—This has several subcommands: "Colors"-Lets you set screen colors quickly and simply, using the arrow keys to view directly the results of changes; "Baud"---Lets you override the default baud rate setting; "Port"-Lets you specify the serial port you choose for LapDOS (Com1 or Com2); "Snowplow"—Removes the "snow" that sometimes appears on color monitors. It tends to slow the 1400LT's screen response significantly; "Originals"-Sets all these parameters back to their original factory defaults; "Record"-Records these settings right now, rather than at exit time. Originally this was used with the now-discontinued background memory resident option. It's rather redundant now, since any Setup changes are automatically recorded upon exiting LapDOS anyway; "Quit"—Quits Setup.

Some setup commands can be included in the command line that invokes *LapDOS II*, by adding them as switches (e.g. *LAP/B* defaults to 9,600 baud operation on entry). Most commands abort with *CTRL-Q*, but *ESC* seems to work as well.

#### NOTEBOOK FILE TRANSFERS

LapDOS II works with a notebook by treating it just like a PDD. For this to work, the notebook must ACT like a PDD. That's where LOADER.COM (on the LapDOS II program disk) comes in. First connect the PC to the notebook, using the null modem cable. At the DOS prompt, type LOADER and press ENTER. On the

## SOFTWARE REVIEW

BASIC, notebook. in type RUN"COM88N1ENN" (for Tandy notebooks, different for NEC, but LOADER.COM shows on the screen what to type) and press ENTER. LOADER.COM then shoves a program called LAPDOS.BA into the notebook and runs it. LAPDOS.BA makes the notebook look just like a PDD to LapDOS II. Voila! Thereafter, you won't need LOADER.COM anymore, as long as you keep LAPDOS.BA in the notebook.

From then on, to swap files with the notebook, just connect the computers together, run *LAPDOS.BA* on the notebook, then run *LAP.EXE*, as before, on the PC. The same menu appears as before, but now the notebook is acting as drive P:. The files in the PDD window are the files in the notebook, and the free memory displayed is the free memory in the notebook's RAM. Commands operate the same as if a PDD were attached. Almost.

RAM files offer potential pitfalls not possible with disk files. For one, RAM files can be invisible. (Try THAT on a disk!) To *LapDOS'* credit, it handles invisible files just fine; they show on the menu and can be copied, renamed, etc., no problem.

Where you can get into trouble is where you have files with illegal characters, lower-case file names, missing extensions, and other assorted weirdness. It depends on file extensions to tell it what type of file it's dealing with. You may recall that a file with no extension is treated as a .DO file—even if it isn't! At best, you can expect LAPDOS.BA to bomb (no big deal), and at worst, you can get a cold start (a tad more serious).

By the way, if *LAPDOS.BA* crashes, just press *F8* on the notebook to get the main menu; then rerun *LAPDOS.BA*. Provided you haven't done anything on the PDD window in the meantime, you need only do the *Log* command on drive P: to get back on track.

Which brings up another point. According to the manual, you cannot Log on drive P: when using the notebook. 'Tain't so. You can exit LAPDOS.BA, do whatever you like, and then restart LAPDOS.BA, Log drive P:, and your changes will be updated on the PDD window. The only stipulation is that you don't attempt to perform any operations in the PDD window until you've got *LAPDOS.BA* running and have logged drive P: back in.

Öwners of PG Design RAM banks beware. If you're using the MENU.BA program, it must not be in the invisible mode, where it's named OMENU, or you'll have problems. Leave it named MENU.BA or any legal file name.

Though notebook-to-PC copies filter out illegal characters in MS-DOS file names, copies in the other direction (to the notebook) don't have as much protection. When I tried to copy a PC file named 123456.BA to the notebook, LAPDOS.BA crashed.

#### **OTHER NOTES:**

The manual doesn't mention that the *Format* command will format the notebook. Clearing it of all files except *LAPDOS.BA*. You could use that as a quick way to change environments—copy all the files to the PC, "format" the notebook, and then copy in the new ones you want.

The *README* file states that the background RAM resident mode of operation is no longer available. Too many other TSR-type programs can cause problems with each other, so Traveling Software thought it unwise to risk your valuable files in such an environment.

Remember, LAPDOS.BA must be run before LAP.EXE, or the PDD won't log. If that happens, you must Quit LapDOS II and restart it after running LAPDOS.BA.

I would randomly get Divide Overflow Errors when starting *LapDOS II*, aborting back to the DOS prompt. Usually, if I just ran it again it would work. When I switched to the 1400LT's slow processor speed, it would never fail. Switching back to fast speed brought the problem back. Traveling Software was unable to determine the cause and hadn't heard of this problem on any other 1400LT's.

The spiral bound manual is very thorough and well written. It proceeds in a logical order and seems to cover everything. It includes a section telling not only what to put in an *AUTOEXEC.BAT* file but how to make the *AUTOEXEC.BAT* file. Appendices cover problems and error messages, creating and modifying an *AUTOEXEC.BAT* file, and setting the baud rate for different drives. It has a section on exchanging data between *T-base* and other programs.

#### SUMMARY

Even with a few flaws, most relatively minor, *LapDOS II* is the best thing I've seen for transferring files from machine to machine, machine to disk, and format to format. Its power, simplicity, and ease of use make *LapDOS II* a valuable tool for anyone who transfers files on a regular basis or transfers large numbers of files. The price is quite reasonable for the service it performs, and the upgrade policy for *LapDOS* owners makes it a bargain. For me, it's indispensable.

Manufacturer's Specifications: LapDOS II: \$129.95 LapDOS (upgrade): \$49.95 **Traveling Software** 18702 North Creek Parkway Bothell, WA 98011 (800)343-8080 (206)483-8088 (in Washington) System requirements: An IBM PC-, AT-, or XT-compatible computer with an RS-232C serial port Tandy PDD-1, PDD-2, Brother FB100, or Purple Computing disk drives, or A Tandy Model 100/102, 200, or NEC 8201A notebook computer A version of MS-DOS or PC-DOS 2.0 or higher 66,000 bytes of free memory in PC's 17,000 bytes of free memory in notebook computers LapDOS cable and cable converter included.

## Ending Your Computer's Solitude

Making an easy and cheap null modem cable. by David O. Rowell

f you have two computers, or have a friend with a computer, you may have tried to get the two computers to "talk" to each other directly, by connecting them with cables. Probably, you connected them through the serial ports, using a gizmo called a "null modem adapter" and an RS-232 serial cable, or a combination of the two called a "null modem cable." Anyone reasonably proficient with a low-wattage soldering iron can make a serviceable null modem cable in an hour for less than ten dollars.

A null modem is nothing more than a device to take care of some connections and protocol details that a modem or other well-behaved communications device would normally provide. A null modem is required to get two computers communicating mainly because you're trying to get two devices—normally designed to talk all the time-to listen to each other. By design the computer's serial port sends information to a serial printer or modem through one wire, often getting information back from the peripheral device on another wire. On the other hand, also by design, a printer or modem receives information, sometimes sending information back to a computer. So you have two different kinds of devices: one (the computer) that's supposed to send, one (the peripheral) that's supposed to receive. What you are trying to do with

a null modem cable is to trick your talkers into the listening role.

This turns out to be very simple. Just swap the talk and listen wires somewhere in the cable. The communication protocols, the way the computers set the *rules* of communication, become a conversation where the computer says in effect, "Are you ready to receive?" and the other device says, "Yes, I am." or "No, wait a bit." Most *terminal* programs (pro-

This turns out to be very simple. Just swap the talk and listen wires in the cable.

grams that turn your computer into a *terminal*, or peripheral, for another computer, allowing them to communicate) are not prepared to handle this "handshaking" (*Telcom* certainly isn't) so you can take care of this in the null modem cable, too.

THE BIRDS, THE BEES, AND THE DB-25 CONNECTOR The serial port on the Models 100/ 102/200, and most other computers, is a 25-pin, 2-row connector with 12 connections in one row and 13 in the other. The shell around the connections is vaguely "D" shaped so it's called a 25-pin D connector, DB-25. DB-25 connections come in two varieties, male and female. The RS-232 port on the Model 100 has holes—it's female. To connect to it, you need a male DB-25 connector, with pins. Now, check the RS-232 port on the

#### **Parts Specifications:**

Here's a list of the Radio Shack part numbers:

Solder type 25-pin male D connector: 276-1547, \$1.99 Solder type 25 pin female D connector: 276-1548, \$2.99 Hood for these connectors: 276-1549, \$1.99 Solder type 9-pin male D connector: 276-1537, \$1.49 Solder type 9-pin male D connector: 276-1538, \$2.49 Hood for these connectors: 276-1539, \$1.99 Bulk 4-conductor phone wire: 278-1320, \$0.10/foot Make the cable a little longer than you think you need, but not longer than 25 feet or so because you may

have interference problems.

## **TELECOMMUNICATIONS**

<b>Fin on Model 100</b> 1 - GND, ground 2 - TR, transmit data 3 - RD, receive data 7 - GND, signal ground	connect to	<b>Pin on Other Computer</b> Pin 1 - GND Pin 3 - RD Pin 2 - TD Pin 7 - GND
On Each Connector Ju 4 - RTS, request to send 5 - CTS, clear to send	mper These T 1	wo Pins:
On Each Connector Ju 6 - DSR, data set ready 8 - CD, carrier detect 20 - DTR, data termina	-	hree Pins:

Figure 1. The pins used in a null modem and how you connect them on 25-pin, D connectors. Don't worry about the rest of the pins.

other computer to tell whether it's male or female. Many newer computers have a 9-pin D connector for the RS-232 port. Check your computers' documentation for the pin assignments corresponding to those signals listed in the chart in Figure 1 and make the hook-ups accordingly.

To make a null modem cable you'll need a flexible four-wire cable, the appropriate connector for the two computers, and hoods to cover the connections and provide a grip for taking off and putting on the connectors casily. The cable could be as simple as a piece of four-wire telephone cable or as fancy as some of the industrial cables (mostly in shielding and insulation) you'll see at stores. Naturally, the phone cable needs much more careful handling than the industrial cable. No significant electrical current flows through the wires, so mechanical strength really determines the wire size. You can get the parts from many electronics stores, but Radio Shack Computer Centers and stores should carry the parts you need (see the Parts Specifications box).

#### PUTTING THEM TOGETHER When putting together the cable, swap one computer's transmit data



line with the other's receive data line, and they can communicate. The DB-25 connectors' pins are numbered on the solder side to assist pin identification. Look closely, but even with normal vision you may need a magnifier to see them. *Jumper* (connect with a short wire) pins 4 and 5 on both connectors, and also jumper pins 6, 8 and 20 on both connectors. These jumpers let a computer ask, "Are you ready?" and will loop back so it can answer its own question with a "Yes."

Put both hoods over the connectors *before* hooking them to the computers, and you'll be sure not to forget to put them on. Keep the connectors clean and you'll make much



Figure 2: Diagram of the connections in the null modem cable.

The cable could be as simple as a piece of four-wire telephone cable or as fancy as some of the industrial cables. better connections. Remember that you're dealing with low voltages and currents, so the solder connections must be good. When making up the cable be careful not to bridge between pins. Don't strip any more insulation from a wire than you need to fit the pin, or you may develop a short circuit in the future. You can make the jumper between pins 4 and 5 with a short bare wire. The jumper between 6, 8 and 20 must be carefully insulated since it goes right over pin 7, the signal ground connection. If a solder connection doesn't look perfect—it isn't. Wrap the cable with lots of tape where it goes through the hood to give a good grip and some strain relief. 

#### Next Month:

Using a null modern to connect your Tandy notebook computer to a desktop computer. COMPATIBILITY: Tandy 100/102 only

## **HOTKEY: Escape Artist**

Burn up your keyboard with simple, two-key commands. by Mike Nugent

OTKEY is a little utility that performs some special magic with simple, two-key commands. Whether you're in BASIC, TEXT, ADDRSS, SCHEDL, or Detroit, this mini-Houdini can:

- \* Display the current day, date, and time
- \* Automatically type the day, date, or time
- \* Send a form feed to your printer
- Offer a choice of five-space or eight-space tabs
- Turn itself off

It can be customized, uses only 379 bytes of RAM, and as a bonus, even fixes the Model 100 "date bug." Sound good? Then on with the show!

It can be customized, uses only 379 bytes of RAM, and even fixes the Model 100 "date bug."

First, type the program *exactly* as listed, except that remark lines need contain only the line number and the apostrophe (or *REM*). Double check for errors; then save it to RAM as *HOTKEY.BA*. And save it to tape or disk as well, so you'll never have to type it in again.

CAUTION: Because HOTKLY uses machine language, mistakes here can vaporize your files. Before proceeding, backup anything important! Nuff said.

#### **INSTALLING HOTKEY**

To install HOTKEY, first kill all other .BA programs except PG Design's MENU.BA, Micro Demon's SUPERA, and

Tri-Mike's DVORAK, if you use any of those. Note that some BASIC programs don't show a .BA extension (for example, Traveling Software's UR-2, RANDOM, TWORD+). When in doubt about a file, kill it. Now run HOTKEY.BA. It installs in less than a minute, shrinking itself to 379 bytes, then returns to the main menu, ready to use. If you get a Load Error message, see the LOAD ERROR section below. Never edit the installed HOTKEY.BA! You can list it (it will look weird), but don't edit it!

#### **USING HOTKEY**

To turn HOTKEY on, just run it. The menu quickly returns, and HOTKEY.BA disappears. Why? So you can't kill it. Killing it while it's active can cause a cold start. It

1Ø REM-----3---------6------7--------Ø12345678 20 REM-----3------4-----5-----6-----7---------Ø------1------2-----3-----4------5---------8------9------Ø----2123456 30 PRINT "HOTKEY.BA": PRINT "Copyright 1 987 Tri-Mike Network East" 4Ø PRINT "by MJ Nugent, Jr.": PRINT "All rights reserved" 50 PRINT "Installing...." 6¢ '--- m/l sizes, variables ---7Ø READ S1, S2, DFLAG, DIR, YO, YT, YR 80 '--- locate HOTKEY in RAM ---9Ø PRG=PEEK(631ØØ)+256\*PEEK(631Ø1) 100 '--- set line 10 & 20 pointers ---11Ø L1Ø=PRG+5 12Ø P2Ø=PEEK(PRG)+256\*PEEK(PRG+1) 130 L20=P20+5 Continued.

A self-modifying BASIC program that gives you simple, two-keystroke control of your Tandy 100/102.

## PROGRAMMING

## FOUR MODEL 100 BOOKS from Short, Simple And Basic

#### The Model 100 **Program Book**

by Terry Kepner and David Huntress

This book contains 51 useful and interesting BASIC programs designed for home, office, and educational uses. Program examples include: Bar Graph, Depreciation, Annuity, Pie Chart, Forms creation, Invaders game, Memory scan, Touch typing tutor and many others. Only \$12.95 plus shipping.

#### 60 Business Applications Programs for the TRS-80 Model 100 Computer

by Terry Kepner and Mark Robinson

Here are 60 powerful programs for interest calculations, annuities, depreciation, invoices, breakeven sales analysis, and more. Only \$17.95 plus shipping.

#### Inside the Model 100

by Carl Oppedahl "...an excellent Guide" --- New York Times

Inside the TRS-80 Model 100 is a thorough guide to the internal workings of the Tandy Model 100, the best selling portable laptop computer. This book is a valuable source of information for those who wish to learn assembly language programming on the Model 100. Other areas include: Disassembled ROM routines: Keyboard scanning; UART, RS-232C, and modem; Clock/calendar chip; Interrupt handling; 8085 instruction set.

Only \$19.95 plus shipping.

#### User Guide and Applications for the TRS-80 Model **100 Portable Computer** by Steven Schwartz

Gain expertise on the Tandy Model 100 with 14 ready-to-run programs for business. This package includes programs for statistics, graphics, sound, and more. With cassette tape. Only \$42.95 plus shipping. Or buy them separately—the book is only \$17.95; the cassette tape is only

\$25.00, plus shipping.

Please add \$2.00 shipping and handling for each book ordered.

Portable Computing International Corp. P.O. Box 428 Peterborough, NH 03458-0428 Your source for Tandy Model 100/102 books.

#### PROGRAMMING SIDEBAR

## **DOS** Patches! Indispensable Tandy Portable Disk Drive software modifications.

Tandy's FLOPPY. CO. is fatal to any .BA program containing machine language, including SUPERA, MENU, DVORAK, and now HOTKEY. Fortunately, you can patch FLOPPY to prevent it from moving .BA programs:

PDD-1 (100K disk drive) users type: CLEAR 256,59400 and press ENTER LOADM "FLOPPY.CO" and press ENTER POKE 61571,154 and press ENTER POKE 61572,249 and press ENTER POKE 61573,0 and press ENTER SAVEM "NEWDOS.CO", 59400, 62959, 59400

and press ENTER

The patched FLOPPY is renamed NEWDOS.CO to indicate its patched status. Save NEWDOS to tape or disk. and from now on, always use NEWDOS instead of FLOPPY. To save it to tape, type: CSAVEM "NEWDOS", 59400, 62959, 59400 and press ENTER

With NEWDOS on tape, you needn't ever re-IPL using Tandy's IPL.BA program. Just load NEWDOS from tape:

CLEAR 256,59400 and press ENTER CLOADM "NEWDOS" and press ENTER SAVEM "NEWDOS", 59400, 62959, 59400 and press ENTER

If you have NEWDOS on disk and ever need to re-IPL using IPL.BA, then immediately after doing so, load NEWDOS from disk and kill FLOPPY.

PDD-2 (200K disk drive) users type: POKE 62116,154 and press ENTER POKE 62117,249 and press ENTER POKE 62118,0 and press ENTER POKE 60001,91 and press ENTER

Because of the design of *FLOPPY* for the PDD-2, these changes can't be saved to tape or disk. Make them each time you install FLOPPY from disk.

### PROGRAMMING

will reappear when you turn it off. HOTKEY commands work anywhere except TELCOM's Term mode and the main menu. To execute a command, press ESC followed by the appropriate key:

#### Hotkey Meaning

ESC-V	(View)—Display day/date/time on top line until any key is pressed
ESC-D	(Date)—Type date in MM/DD/YY format
ESC-T	(Time)Type time in HH:MM:SS format
ESC-W	(Week)—Type day of the week, e.g., "Mon"
ESC-F	(Form)—Send form feed to printer
ESC-O	(Off)—Turn HOTKEY off
ESC-TAB	(Tab)—Five-space tab
	•

The Date, Time, and Week commands actually *type* the information as though it came from the keyboard. The View command only *displays* it on your screen. The Form command sends a form feed, CHR\$(12), to the printer or beeps if the printer isn't ready. This is handy for printing multiple files to a buffered printer. Pressing ESC-F after each print command ensures that your files are separated by form feeds; no need to wait until one report has printed before printing the next one. Whereas the normal TAB types a tab character, CHR\$(9), ESC-TAB types the necessary number of spaces to produce a five-space tab. The Off command turns HOTKEY off, beeps to acknowledge the command, and makes HOTKEY.BA visible again on the main menu.

#### EXTRAS

Have you met the notorious Model 100 *date bug*, the one where, for no apparent reason, it's suddenly next year? *HOTKEY* ends this game of *musical years* and keeps you solidly planted in 1988 (or whatever year you're actually living in). Each year, you can change the last data item in line 580 to match the current year.

You can customize some features of HOTKEY. If you prefer date and time in the shorter MM/DD and HH:MM format, change the 9 in line 840 to a 6.

To change the printer character the Form command sends, replace the 12 in line 880 with another value. A value of 15, for example, puts some printers into condensed mode.

Though I don't advise it, changing "238, 8" in line 600 to "127, 127" leaves HOTKEY visible when active. It will appear on the menu as +OTKEY.BA, the + being an extra safeguard against its accidental demise. But many DOS's and utilities can easily zap it and blow your machine off into the weeds.

#### LOAD ERROR

Packing machine code into a .BA program (as HOTKEY does) can be a complex affair, because you can't predict where the program will reside in memory. Since the values of certain bytes depend on the program's location, sometimes a byte contains a value BASIC misinterprets. The Load Error message warns you of such a byte. You must move the code higher in memory, a byte at a time,

```
140 '--- install m/l in line 10
150 BASE-L10: N=S1-1: GOSUB 460
160 '--- skip junk betw. lines ---
17¢ FOR I=1 TO 6: READ A: NEXT
180 '--- install m/l in line 20 -
19Ø BASE=L2Ø: N=S2-1: GOSUB 46Ø
200 '--- find HOTKEY dir entry ---
210 A$="": FOR I=3 TO 10: A$=A$+CHR$(PEE
K(DIR+I)): NEXT
220 IF A$<>"HOTKEYBA" OR PEEK(DIR)<>128
THEN DIR=DIR+11: GOTO 210
23Ø '--- store it in m/l code ---
24Ø MSB=INT(DIR/256): LSB=DIR-MSB*256
25Ø POKE L1Ø+DFLAG,LSB: POKE L1Ø+DFLAG+1
,MSB
260 '--- store yr for date$ fix ---
27Ø YRS=STRS(YR)
280 POKE L10+YT,ASC(MID$(YR$,2,1))
290 POKE L10+YO,ASC(RIGHT$(YR$,1))
300 '--- setup to kill these lines ---
31¢ OPEN "KILLER.DO" FOR OUTPUT AS 1
32Ø FOR I=3Ø TO 1Ø9Ø STEP 1Ø
330
      PRINT#1, STR$(I)
34Ø NEXT
350 CLOSE
360 '- stuff cmds into keyboard buffer -
37Ø A$="KILL"+CHR$(34)+"KILLER.DO"+CHR$(
13)+"MENU"+CHR$(13)
380 FOR I=1 TO LEN(A$)
      POKE65449+2*I,ASC(MID$(A$,I,1))
390
4ØØ
      POKE65450+2*1.0
410 NEXT
420 POKE 65450,I-1
430 '--- waste lines, end install ---
440 MERGE "KILLER.DO"
450 '--- install/relocate m/1 ---
46Ø FOR I=Ø TO N
470
      PTR=BASE+I
48Ø
      READ A: IF A = > \emptyset THEN 54\emptyset
      READ A, B: REL=A+256*B
49Ø
5ØØ
      FX=REL+L1Ø
51Ø
      B=INT(FX/256): A=FX-B*256
520
      IF A=\phi OR B=\phi OR A=13 OR B=13 THEN
 BEEP: PRINT "Load Error!": END
530
      POKE PTR+1,B: I=I+1
54Ø
      POKE PTR.A
55Ø NEXT
560 RETURN
57Ø '- sl, s2, dflag, dir, yo, yt, yr -
58Ø DATA 1Ø8, 226, 1, 63842, 36, 29, 88
590 '--- line 10 m/l code ---
6ØØ DATA 33, 255, 255, 126, 238, 8, 119
, 4Ø
61Ø DATA 3, 26, 238, 99, 18, 33,-1, 28
62Ø DATA Ø, 235, 42, 222, 25Ø, 34,-1, 1
63Ø DATA Ø, 235, 34, 222, 25Ø, 2Ø1, 62,
 56
640 DATA 214, 48, 50, 46, 249, 62, 55,
214
650 DATA 48, 50, 45, 249, 42, 82, 246,
17
660 DATA 239, 84, 223, 202,-1, 59, 0, 1
67Ø DATA 6, 89, 223, 194,-1, 65, Ø, 62
                                       Continued.
```

## PROGRAMMING

until all the bytes are acceptable to BASIC. Here's how: 1. Type NEW and press ENTER. Type KILL "HOTKEY.BA" and press ENTER. 2. Load a fresh copy of HOTKEY.BA from disk or cassette, and save it to RAM as HOTKEY.BA. 3. Edit line 10. Insert an X right after the REM, making it REMX. 4. Edit line 110. Change the +5 to +65. Edit line 2000. Change the +5 to +6. 6. You've moved the program up one byte in memory. Try running it again. If it still fails, repeat steps 1-6, inserting another X (for example, REMXX) and adding 1 more to the numbers in lines 110 and 2000. Keep repeating these steps until it works. One or two X's usually does the trick. If you've added 5 or 6 X's, I suggest you carefully double check your program listing for errors. COMPATIBILITY Compatibility with other programs depends on how they handle a system vector that HOTKEY uses: 1) TS-DOS likes it just fine. 2) There's no conflict with MENU.BA. 3) It's completely compatible with DVORAK (of course!). 4) SUPERA turns HOTKEY off, and vice versa, so use them one at a time. 5) Ultimate ROM II cooperates with a few exceptions: a) UR-2 programs exit to the main menu rather than to UR-2's menu. b) After using HOTKEY's View command with UR-2's VIEW80 activated, the screen clears completely. Scrolling up or down restores the missing lines. c) CTRL-J, CTRL-O, and CTRL-L functions of UR-2's TEXT are disabled with HOTKEY active. To reenable them, turn HOTKEY off via its ESC-O command. d) After exiting a text file from UR-2, the main menu shows TEXT as TEXT. (with an added period). These problems appear to be harmless so far, but be cautious. With any new software, make frequent backups until you know what works with what. **FUTURE POSSIBILITIES** I meant HOTKEY to be a small, simple utility. But with all those other keys on the keyboard just begging to become part of HOTKEY's repertoire, I wasn't sure when to stop adding commands. I can easily imagine HOTKEY growing larger and more powerful in the future. If you'd care to share your ideas and comments, please contact me care of this magazine or directly via CompuServe ID 71426,1201. Or just drop by Tri-Mike East-and bring a pizza! Biography. Ummm.... drat! Holy cow .... lemme think.... Oh, yeah: Mike Nugent is the president of Tri-Mike Network East and the developer of the Dvorak Keyboard System. He once had a parakeet.

1, 50,-1, 66, 0, 201, 62, 1 680 DATA 69Ø DATA 254, 2, 25Ø,-1, 94, Ø, 2Ø2,-1 700 DATA 114, 0, 62, 1, 61, 202,-1, 94 71Ø DATA Ø, 5Ø,-1, 76, Ø, 33, 255, 255 72Ø DATA 126, 35, 34,-1, 85, Ø, 225, 2Ø 1 73Ø DATA 2Ø5, 214, 18, 245, 254, 27, 19 4.-1 740 DATA 63, 1, 62, 2, 195,-1, 65, 1 750 '--- junk between lines ---76Ø DATA Ø, Ø, Ø, Ø, Ø, Ø 77Ø '--- line 2Ø m/l code ---780 DATA 205, 214 79Ø DATA 18, 245, 2Ø5, 233, 15, 254, 27 . 202 800 DATA -1, 63, 1, 33,-1, 71, 1, 34 810 DATA -1, 85, 0, 254, 84, 194,-1, 143 82Ø DATA Ø, 2Ø5, 15, 25, 195,-1, 151, Ø 83Ø DATA 254, 68, 194,-1, 156, Ø, 2Ø5, 47 84Ø DATA 25, 62, 9, 195,-1, 51, 1, 254 85Ø DATA 87, 194,-1, 169, Ø, 2Ø5, 98, 2 5 860 DATA 62, 4, 195,-1, 51, 1, 254, 70 870 DATA 194,-1, 193, 0, 219, 187, 230, 6 880 DATA 238, 2, 62, 12, 245, 196, 98, 118 89Ø DATA 241, 2Ø4, 63, 1Ø9, 195,-1, 2Ø, 1 900 DATA 254, 86, 194,-1, 9, 1, 42, 224 , 25Ø, 229, 33, 243, 127, 34, 224, 25Ø 910 DATA 33, 1, 254, 43, 229, 17, 70, 2 55, 6, 40 920 DATA 229, 213, 197, 205, 66, 37, 42 , 57 93Ø DATA 246, 229, 33, 1, 1, 2Ø5, 124, 66 94Ø DATA 2Ø5, 93, 66, 225, 34, 57, 246, 2Ø5 95Ø DATA 112, 93, 2Ø5, 214, 18, 193, 2Ø 9, 225 96Ø DATA 235, 2Ø5, 66, 37, 225, 2Ø5, 34 , 70, 225, 34, 224, 250 97Ø DATA 195, -1, 2Ø, 1, 254, 79, 194, -1 98Ø DATA 25, 1, 2Ø5, -1, Ø, Ø, 2Ø5, 98 99Ø DATA 118, 62, 1, 195, -1, 56, 1, 25 4 1000 DATA 9, 194, -1, 63, 1, 33, -1, 79 1Ø1Ø DATA 1, 34, -1, 85, Ø, 58, 58, 246 1020 DATA 61, 6, 5, 144, 242, -1, 42, 1 1Ø3Ø DATA 128, 79, 12Ø, 145, 6Ø, 5Ø, -1 , 76 1Ø4Ø DATA Ø, 62, 3, 5Ø, -1, 66, Ø, 241 1Ø5Ø DATA 175, 225, 2Ø1, 62, 1, 5Ø, -1, 66 1Ø6Ø DATA Ø, 241, 225, 2Ø1, 42, 98, 117 , 1Ø2 1Ø7Ø DATA 1Ø2, 1Ø1, 114, 42, 32, 32, 32 . 32 1Ø8Ø DATA 32 1090 '--- turn HOTKEY on/off ---2000 CALL PEEK(63100)+256\*PEEK(63101)+5: MENU End of listing.

## DEFUSR appears monthly to answer your questions about Tandy notebook computers.

Send your queries to: DEFUSR, PORTABLE 100, P.O. Box 428, Peterborough, NH 03458-0428. Please enclose a stamped, self-addressed envelope for our reply.

#### QUESTIONS FROM A NEW MODEL 200 OWNER

I have recently purchased a Tandy Model 200 Computer. I am extremely pleased with it, but I have some questions that I hope you can take the time to answer.

I chose the Model 200 over the Model 100 solely because of the larger display. I bought it primarily to use as the computer portion of a portable amateur radio packet station. Packet radio is a mode of communication which allows a computer to be connected to a radio through a device called a terminal node controller. The operator runs a regular telephone modem program, and anything entered from the keyboard is sent to the TNC (which looks like a modem to the terminal program), and the TNC formats the messages into packets, activates the radio transmitter, and send the messages over the air. Any kind of data which the terminal program can handle may be sent over the air. Disk files may be transferred from one packet station to another, and there are packet radio bulletin boards that operate much like telephone bulletin boards. With one exception, the TEL-COM program of the Model 200 worked very well with packet. The one problem is that the TELCOM program will transfer only text data. Is a program available that uses the RS-232 port and will transfer any kind of data?

Another problem I have is with the documentation. The documentation included with the Model 200 is pathetically lacking in information useful to anyone who wants to do more than run the built-in programs. For example, if you look up the opening statement in the *BASIC* manual you

There seems to be an incredible lack of information about the Model 200.

### 

read that you can open RAM files, cassette files, modem files, and RS-232 files. Yet there is no example of an open statement for an RS-232 file. You have to look at a sample program in the back of the book to see how this is done.

Is there any way for a *BASIC* program to check or change the status of the RS-232 lines? The technical manual explains how to make calls to ROM routines to do this, and the results of the operations are placed in CPU registers, but how would a *BASIC* program get this data? Would you have to write a machine language program to copy the contents of the registers into memory so a basic program could get to them?

My last questions have to do with compatibility of hardware and software between the Models 100/102 and the 200. Can I assume that a product (either hardware or software) will not work with the Model 200 if the advertisement does not specifically state that it will? Would it be possible to publish in your magazine a chart of products showing which ones work with which computers? People would probably ask why I didn't get a Model 100 since it seems to be supported better than the Model 200, but I was able to get my Model 200 on sale for \$350 while Model 100s were still \$499, and I needed the larger screen anyway.

There seems to be an incredible lack of information about the Model 200. Or maybe I just haven't been looking in the right places. If you know of any sources which may be of some use please let me know. Even the Tandy retail and computer store personnel are remarkably uninformed. I really like the computer, but if I can't find hardware or software to do some of the things I want to do it's going to be of limited usefulness. Perhaps if you could publish this letter and your reply in the I/O column of your magazine it would benefit other Model 200 owners. Thank you for taking the time to read this letter, and I look forward to seeing your reply.

#### Michael A. Newell Toney, AL

The XMODEM for the T200 will transfer the files on the RS-232 port, but it requires an XMODEM program on the other end to decipher the data. I need a hit more information about what you are sending and what happens at the other end.

I suggest you get David Lien's book, The Tandy 200 Portable Computer. It is a complete training manual on the T200, especially BASIC (but a little skimpy on MSPLAN).

Changing the TELCOM status is easy. Put this line into your BASIC program OPEN"COM:37EIE"FOR OUTPUT AS 1 to open the RS-232 port for transmitting data at 300 baud(3), seven bit data words (7), even parity (E), one stop bit (1), and XON/XOFF protocol. There is no way for BASIC to query the RS-232 port to check its current setting (if you knew the address that TEL-COM uses to query STAT, you could use that with a CALL command to retrieve the information).

For commercial software/hardware, you're correct, unless it specifically says it's for the 200, it isn't. As for software, BASIC programs (those that do not use CALL's) will work just fine. Machine code won't work without modifications by a skilled programmer.

And keep watching these pages for more information on the Tandy 200. -TK

#### **RESTORING FUNCTION KEYS**

I am wondering if you could advise me what the two *CALL* lines are that would restore the *F1-F8* function keys on the Tandy 200 to their normal functions. For example, in your April 1988 issue Listing 1 of Mike Aiello's *SHELL.BA* program (p. 12), there are the following two lines: 32260 CALL 23164,0,23366 and 32265 CALL 27795

These two lines restore the function keys on the Model 100 to normal. What I need are the two similar call lines that will restore function keys to normal on the Tandy 200.

#### Kenneth G. Oxley Dayton, OH These should do it: CALL 28192, 0, 28357 and CALL 33747 -MN

#### A MODEL 100 FORTH?

Thank you for your valuable magazine. I would like to know if one can get a *FORTH* package for the Model 100/102. I would like to program in *FORTH* on this machine. Where can I get it?

#### Iver Iversen Jacksonville Beach, FL

You can get a copy of FORTH for the Tandy 100 right off our Portable BBS! Just call 603-924-9770 with your computer, make up a personal password. Answer linefeeds yes, nulls zero, and you can go straight to the download menu



## You can get a copy of FORTH for the Tandy 100 right off our Portable BBS!

where you'll find a list of the files available for downloading (the odd choices in the menu, the even ones are for actually downloading the files).

-TK

#### ANOTHER RIBBON TO RE-INK?

Does anybody know of a method for re-inking DMP-100 ("LINE PRINTER VII") ribbons? My dad, who is on Social Security, didn't get started "computing" until after he retired. He uses a DMP-100. I'll pass the information about re-inking on to him, but the DMP-100 ribbon is quite different....

John S. Neufeldt Tucson, AZ

Sorry, but we can't help you there. Does anyone else have an answer? -TK

#### CTS AND DSR WOES

I am the owner of a RS Model 100 computer and need assistance in connecting the computer's RS-232C interface with external equipment. I have exhausted my sources of help and would appreciate any assistance that you can offer.

The equipment that I am attempting to interface with has the capability for returning CTS and/or DSR signals back to the Model 100's RS-232C interface for controlling transmitted data from the 100, but the Model 100 (using *TELCOM*) does not respond to these inputs. I mistakenly believed from the information listed by my Radio Shack owner's manual that the Model 100 could interface with and be controlled by external equipment via the RS-232C port control lines CTS and DSR.

I need your support by supplying me with a program (or a recommendation for a source of software or other means) that will enable the Model 100 to accept and be controlled by the CTS and/or DSR signals on the RS-232C interface while uploading data in *TELCOM*.

I need to mention that the Xon/ Xoff protocol will stop or start transmitted data during upload, but this capability will not work in many of my applications, since the equipment I am interfacing with does not use this protocol.

Any help from you will be greatly appreciated.

#### John E. Riggi New York, NY

As you mentioned, the Radio Shack manual is wrong. The Model 100 provides for these signals in hardware, but TELCOM ignores them. There are a couple of ways to solve the problem, the easiest being a cheap and simple hardware modification described in "The Art of Hardware Handshaking" (Portable 100, Dec. '87). Back issues are available. The other way is to forego TELCOM and write your own communications software, controlling the signals directly via INs and OUTs to ports. The ports and a great deal of other information are covered in Carl Oppedahl's book, Inside the TRS-80 Model 100. For ordering information, see the advertisement on page 22 of this issue.

-MN

## Cross-Bank BASIC I/O

t's hard to believe that the Tandy 200 is three and a half years old. I got mine when they were first released, and I have been waiting three and a halt years for someone to develop the code for interbank programming. It turned out to be a do-it-yourself project for me, and I am happy to share it with *Portable* 100 readers.

Unfortunately the Tandy 200 was not as popular as Tandy had hoped, and they are now "officially" not manufacturing them anymore. That's really too bad because the material I will present in this month's column will alter your perception of the Tandy 200, forever.

Last month's column about *PASTE.200* was for those who use *TEXT* and wanted to *CUT* and *PASTE* from one bank to another. This month is directed to the *BASIC* programmer who would like to access another bank for data storage and retrieval. A *BASIC* program running in one bank could use the full 19.5K RAM in each of the two remaining banks, for a really LARGE database.

XBASIC.CO (see Listing 1) is under 500 bytes and runs in the alternate LCD buffer, so it will not overwrite DOS or other .CO files being used. Once the BASIC program has executed the LOADM"XBASIC" command, all the routines can be accessed with the following call: CALL 63600, command [,VARPTR (X\$)] ([]=optional parameter).

In place of the word "command," above, you would type one of the

tollowing integers: Command Meaning

- 0 CLOSE FILE
- 1 OPEN FOR INPUT
- 2 OPEN FOR APPEND
- 3 READ X\$
- 4 WRITE X\$
- 5 CHAIN FILE
- 6 DISPLAY FILES

XBASIC does internal error checking and will beep if there is a problem. XBASIC will not execute the wrong instruction and offers the BASIC programmer a result descriptor byte so the BASIC program can

## You've always wanted to. Now you can!

trap and handle problems.

The result descriptor (RD) byte is at 63605, and can be *PEEK*ed either before or after a *CALL* to *XBASIC*. There is also an address pointer for the opened file at 63603 and 63604, in the LSD/MSD format.

#### THE COMMANDS

CLOSE FILE: *CALL 63600,0.* This command sets RD to equal 0 and you can *CALL* it at anytime. This also sets the address pointer to 0.

OPEN READ: F\$="2:file":CALL

63600,1,VARPTR(F\$). This command first checks the RD, and if RD equals 0, then it is OK to OPEN. The OPEN READ command sets RD equal to 1 and sets an address pointer to the beginning of FILE.DO in bank number 2.

If *RD*<>0, then it is NOT OK to *OPEN* (because it's already open). A *BEEP* is sent and the open file is closed (RD set to 0).

OPEN WRITE: F\$="2:file":CALL 63600,2,VARPTR(F\$). This command first checks the RD, and if RD equals 0, then it is OK to OPEN. The OPEN WRITE command sets RD equal to 2 and sets an address pointer to the end of FILE.DO in bank 2.

If *RD*<>0, then it is NOT OK to *OPEN* (again, because it's already open). A *BEEP* is sent and the open file is closed (RD set to 0).

READ: X\$="":CALL 63600,3, VARPTR(X\$). This command first checks the RD, and if RD equals 1, then it is OK to READ. The READ command leaves RD equal to 1 unless an end of file—*CHR*\$(26)—is found. If an end of file is found, then RD is set to 17. When XBASIC returns from this CALL, X\$ is set to the data that was read. The data read is from the address indicated by the pointer to the next carriage return, to an end-offile character, or 255 bytes, whichever comes first. The address pointer is moved appropriately to the end of the data just read from FILE.DO in bank 2.

If *RD*<>1, then it is NOT OK to *READ*. Perhaps end of file was encountered in the previous *READ*, or

## THE CUSTOM 200

maybe the file was opened for output. A *BEEP* is sent, and no read will take place. The RD is not altered, so the user can inspect the byte to see why a *BEEP* occurred.

WRITE: X="data":CALL 63600,4,VARPTR(X\$). This command will first check the RD, and if RD equals 2, then it is OK to WRITE. The WRITE command leaves RD equal to 2 unless an OM? condition is found in the destination bank. If an OM? is found then RD is set to 18 and the WRITE does not occur.

When XBASIC returns from this CALL, X\$ is appended to the data file that was opened for output. X\$ is written to the address indicated by the pointer (end of file). The address pointer is moved appropriately to the new end of the data file in bank 2. Carriage returns are not automatically added.

If RD <> 2, then it is NOT OK to WRITE. Perhaps OM? was encountered in the previous WRITE, or maybe the file was opened for input. A *BEEP* is sent, and no write will take place. The RD is not altered so the user can inspect the byte to see why a *BEEP* occurred.

CHAIN: BNK=2:IPL"file.BA":CALL 63600,5,BNK. This command jumps to bank (BNK) and executes FILE.BA. This is the only command that does NOT want the bank to be part of the file name. The file indicated by IPL must have a file extension. You can CHAIN to a .DO file and that would be like switching banks and jumping into TEXT to edit the specified file.

FILES: BNK=2:CALL 63600,6,BNK. This command displays the

## You can CHAIN to a .DO file

files in bank (BNK) 2.

These commands should NOT be used to address the current bank where the standard *BASIC* commands (*OPEN*, *PRINT*#, etc.) can be used. These commands offer new horizons for the Tandy 200 *BASIC* programmer.

#### SOME SAMPLE PROGRAMS

I've included a couple of sample programs to illustrate the usability of *XBASIC*:

*REATST.BA* (See Listing 2) is an example of using *XBASIC* to read from another bank. At the prompt, type in the file you wish to duplicate. That file will be copied to the current bank.

WRITST.BA (See Listing 3) is an example of using XBASIC to write to another bank. At the *Client* prompt, type in a name (use upper case only). WRITST writes the name to *CLIENT.DO* in either bank 1, 2, or 3. WRITST.BA determines which bank to write to, then opens the file for *READ*ing. It reads names, and when the proper position is found for the current entry, the RD byte is changed so that a write operation can be performed. This keeps *CLIENT.DO* in each bank sorted on data insertion.

The apt BASIC programmer could also develop RANDOM access to data files, as well as the sequential access we are now accustomed to. XBASIC.CO provides all the functions needed to create some pretty sophisticated applications.

by Paul Globman 🛛

Editor's Note: We at Portable Computing were unable to test this program because we didn't have the necessary banks available.

1 /\*\*\*\*\*\*\*\*\*\*\*\*\*\* 1\* 2 XBASIC.CO · \* 3 by Paul Globman 1 \* 4 Copyright (c) 1988 1 + + 5 10 FOR I = 63572 TO 6404320 READ X:POKE I,X:SM=SM+X 30 NEXT 40 IF SM = 65761 THEN 60 50 PRINT"error in data":STOP 6Ø SAVEM"XBASIC.CO",63572,64Ø43 1000 DATA 197,6,0,213,86,227,205,176 1010 DATA 155,209,235,193,35,19,11,121 1020 DATA 176,194,84,248,201,243,205,177 1030 DATA 155,251,122,201,195,118,248,0 1040 DATA 0,0,167,202,184,248,254,6 1050 DATA 202,230,249,254,5,202,172,249 1060 DATA 254,4,202,194,248,254,3,202 1070 DATA 98,249,71,58,117,248,167,194 1080 DATA 181,248,120,50,17,249,50,117 1090 DATA 248,205,198,249,35,35,95,205 1100 DATA 202,90,33,70,247,17,70,247 1110 DATA 1,6,0,205,84,248,195,229 1120 DATA 248,205,69,79,33,0,0,34 1130 DATA 115,248,34,116,248,201,50,17 1140 DATA 249,58,117,248,254,2,194,69 1150 DATA 79,229,126,254,0,111,38,0 1160 DATA 34,48,249,225,200,35,235,237 1170 DATA 34,75,249,42,115,248,34,45 118Ø DATA 249,243,219,216,230,12,50,54 1190 DATA 249,56,0,235,34,58,249,33 1200 DATA 254,248,84,93,1,59,0,205 121Ø DATA 84,248,62,0,211,216,71,58 1220 DATA 54,249,184,202,16,249,49,156 1230 DATA 249,205,71,76,62,0,254,4 1240 DATA 202,44,249,254,2,33,76,247 1250 DATA 54,68,35,54,79,245,205,124 1260 DATA 45,241,204,104,130,195,53,249 1270 DATA 33,0,0,1,255,255,205,168 1280 DATA 130,62,0,211,216,49,0,0 1290 DATA 245,58,17,249,254,4,194,82 1300 DATA 249,241,218,88,249,235,33,0 1310 DATA 0,205,84,248,235,245,241,34 1320 DATA 115,248,251,201,205,69,79,62 1330 DATA 18,50,117,248,251,201,58,117 1340 DATA 248,254,1,194,69,79,243,229 1350 DATA 58,255,248,71,14,1,17,112 136Ø DATA 239,42,115,248,43,35,213,197 1370 DATA 205,177,155,122,193,209,254,26 1380 DATA 202,164,249,254,13,202,147,249 1390 DATA 18,19,12,194,121,249,43,35 1400 DATA 35,34,115,248,121,61,225,119 1410 DATA 35,235,33,112,239,217,251,201 1420 DATA 62,17,50,117,248,195,149,249 1430 DATA 243,125,205,213,249,33,221,244 1440 DATA 229,209,1,11,0,205,84,248 1450 DATA 205,26,28,58,86,248,79,195 DATA 144,155,126,61,61,35,235,237 1460 1470 DATA 245,126,214,48,205,213,249,241 1480 DATA 201,71,62,1,135,5,194,216 1490 DATA 249,230,12,50,255,248,50,86 1500 DATA 248,201,125,205,213,249,71,33 1510 DATA 181,242,205,105,248,254,255,20 ø 1520 DATA 254,240,202,254,249,230,128,19 4 1530 DATA 5,250,17,11,0,25,195,238 1540 DATA 249,205,30,0,35,35,35,205 1550 DATA 105,248,231,62,8,61,202,35 1560 DATA 250,50,16,250,254,2,194,10 1570 DATA 250,62,46,231,195,10,250,62 1580 DATA 8,50,16,250,35,195,238,249 159Ø REM END OF DATA End of listing.

Listing 1. The BASIC loader for XBASIC.CO.

## THE CUSTOM 200

<pre>Ø REM REATST.BA 1Ø INPUT"x:file";F\$ 15 F\$=LEFT\$(F\$+" ",8) 2Ø F1\$=RIGHT\$(F\$,6) 3Ø OPEN F1\$ FOR OUTPUTAS1 4Ø LOADM"XBASIC":CALL636ØØ,1,VARPTR(F\$) 5Ø X\$="":CALL636ØØ,3,VARPTR(X\$) 6Ø PRINT#1,X\$; 7Ø IF PEEK(636Ø5)=17 THEN MENU 75 PRINT"."; 8Ø IF LEN(X\$)&lt;&gt;255THENPRINT#1,"" 9Ø GOTO5Ø End of listing. Listing 2. REATST.BA copies .DO files from other banks. 1Ø 'WRITST.BA by Paul Globman</pre>	<b>Planning To Move?</b> Before you make the move, please let us know at least seven weeks in advance so you won't miss a single issue of Portable 100. Simply clip out or photocopy this form, attach the old label, print your new address in the space provided, and mail it all to: Portable Address Change Dept. P.O. Box 428
<pre>20 ' get input data and determine bank 30 CLS:PRINT:INPUT"Client";CLS 40 IF(ASC(CL\$)AND223)=ASC(CL\$)THEN60 50 BEEP:PRINT"use CAPS only please" 55 FORI=ITO399:NEXT:RUN 60 IF DS&lt;"I"THENBNK=1:COTO90 70 IF D\$=&gt;"Q"THEN BNK=3:GOTO90 80 BNK=2 90 CL1\$=CL\$+CHR\$(13)+CHR\$(10) 100 ' open file and locate position</pre>	Peterborough, NH 03458-0428         Attach label         here, or write in         old address
<pre>100 Open Tile and Tocate position 110 F\$=Chr\$(BNK+48)+":CLIENT" 120 LOADM"XBASIC":CALL63600,1,VARPTR(F\$) 130 P1=PEEK(63603):P2=PEEK(63604) 140 X\$="":CALL63600,3,VARPTR(X\$) 150 IF PEEK(63605)=17 THEN 180 160 IF X\$<cl\$ 130<br="" then="">170 ' write data into place 180 POKE63603,P1:POKE63604,P2:POKE63605, 2</cl\$></pre>	NAME Address City
190 CALL 63600,4, VARPTR(CL1\$) 200 RUN End of listing.	State Zip Effective Date

* VI			
, AL	BASIC.CO		*
	by Paul Glo		*
;•	pyright (C)	1988	*
;*********	********	******	**
;			
BEEP: EQU		;all errors	
BUF: EQU	EF70H		
CLRIPL: EQU	1C1AH		
CREATE: EQU	2D7CH		
INSERT: EOU	82A8H		
	9BB1H		
	9BB0H		
:=====================================			
= HOOK FROM	BASIC WITH	BOLLOUING	
7= 100K FROP	DASIC WITH	FOLLOWING:	-
;= 10 CALL 6	2600 000		-
			=
;- :CALL 6	3600, CMD, VAL	RPTR(X\$)	=
	3600, CMD, BA1	NK	=
;=			=
;= CMD	FUNCTION	VARPTR(X\$)	=
;=			-
;= 0	CLOSE	N/A	=
;= 1	OPEN READ	X\$ = FILENAME	-
	OPEN WRITE	X\$ = FILENAME	=
	GET X\$	XS = DATA	=
;= 4	PUT XS	XS = DATA	=
	CHAIN	BANK (IPL)	=
;= 6	FILES	BANK	-
;=			=
, ;====================================		*================	
<b>`</b>			
, 	63572		
. Org	03372		
·			
The followi			==
, ine forrowi	ing code will	move a block	
Jor memory 1	n current ba	ank to any	
Jucation in	destination	bank.	
pestination	bank poked	to blkmov+2 by	7
;earlier cod			
	source adrs,	DE=dest adrs	
;			

Continued.

blkmov:	nuch h				
DIMIOVI	mvi b.0	;save counter		ana a	
	push d	dest bank in B		jnz opnerr	
	mov d.m	store dest adr		mov a,b	
	xthl	data byte in D		sta mode+1	
		dest adr in HL		sta rd	
	call poke	;POKE it!	;	•••	
	pop d	;restore DE and		call getnam	
	xchg	;HL registers	;		
;	pop b	;restore BC:len		inx h inx h	;skip #:
•	inx h	;increment ptrs		mov e,a	;filename len
	inx d	to do next.		call 5acah	fix name
	dcx b	decrement len	;	ouri Sucun	, LIX Hame
	mov a,c	and test if B	'	lxi h,f746h	
	ora b	and C are 0			;move filename,
	jnz blkauv	; done if $BC = 0$		lxi d,f746h lxi b,6	;to other bank
	ret	, done ii bc = 0		call blkmov	
	***************************************				
get b:	di			jmp both	
dec_p:	call 9bb1h	analysis that a second	;		
	ei	;make this peek		call beep	
			close:		
	mov a,d ret	;put byte in a		shld pntr	
				shld pntr+1	
entr:				ret	
entre	jmp cmd		;		
· · · · · ·	d 001		write:	sta mode+1	
pntr:	dw 00h	1		lda rd	
rd:	db 00h			cpi 2	
;				jnz beep	
cmd:	ana a		;		
	jz close	;cmd 0		push h	<pre>;save varptr()</pre>
	cpi 6			mov a,m	;look at len
	jz_s_file	; cmd 6		cpi 0	;is len 0?
	cpi 5			mov 1,a	
	jz chain	; cmd 5		mvi h,0	lon in hl
	cpi 4			shld bc+1	store len here;
	jz write	; cmd 4		pop h	;get varptr(x\$)
	cpi 3			rz	;ret if len=0
	jz read	; cmd 3	;		
;				inx h	;hl≃adrs of ptr
open:	mov b,a	;a=1 or a=2		xchg	
	lda rd	;test for ?ao		lhli	;hl = loc of x\$
		Continued.			
		Continued.			Continued.

# **BACK ISSUES!**

Ever since we bought Portable 100, the most frequently asked question has been, "Do you have any back issues?" Up until now the answer has been, "No." Nevertheless, all this time we have been tracking down a rumor that somewhere in Camden, Maine, was a barn loaded with old issues of Portable 100. Well, we finally ran it to ground and found the barn, the issues, and the barn's owner. To make a long story short, we finally have Portable 100 back issues. The bad news is that we have only a limited number of issues, merely 100 per month published, thirty-one months in total, plus eight of our own (see chart below).

Because of this we are making these collector issues available for **\$19.95** each, postage included. To help you decide which issues you want, we've put together a special, comprehensive 20-page article index covering every issue published from September, 1983 (premier issue) to the July/ August 1988 issue. This index is available for only **\$5.95**, plus \$1.05 shipping and handling. The \$5.95 will be <u>credited</u> against your first back issue order.

Month	83	84	85	86	87	88
January			NOT PUBLISHED			OUT
February						
March	1		ОИТ			
April	<b>1</b> .	OUT			NOT PUBLISHED	
May	-1	OUT				
June		OUT				
July		OUT		OUT		
August						
September	Premier Issue					NOT
October		OUT		NOT		YET
November				PUBLISHED		PUBLISHED
December						

Total

Not sure which issue to order? Get the article index and find out exactly which issues you need.

			······································	
	Please send me t the \$5.95 cost wi		Article Index. I u my first back iss	
D	Please send me t \$19.95 each, ship PAYMENT			
Q	CHECK ENCLOSED	D MC	🗅 VISA	
Total	enclosed:	_	JDE ENTIRE CARD NUMBER	
Name				
Addri	ESS			
City _			State	ZIP

## About Your Subscription Your copy of Portable 100 is sent via

second-class mail. You must notify us of your new address when you move. Please allow two months for processing. Sorry, we cannot be responsible for sending another copy when you fail to notify us in time.

Your mailing address also shows an "account number" (first four numbers on the top line) and the subscription expiration date (last six numbers on top line). Please give us this account number and expiration date when renewing or corresponding with us. It will help us help you better and faster.

Simply send your new address and the mailing label from a previous issue to:

Portable 100 145 Grove St. Ext. P.O.Box 428 Peterborough, NH 03458 or call us at: (603) 924-9455





ULTRALUCENT is a scientifically engineered set of cushioned abrasives that will restore the hard plastic display of any laptop or notebook computer back to 'just-out-of-the-box' BRAND-NEW condition. ULTRALUCENT will remove haziness, hairline scratches, minor scratches and deep scratches. "Screen restoration takes just minutes, but the benefite can be seen immediately and are long lasting. And it is so easy to use tool" ... Larry Turner, Photographer, Montreal ULTRALUCENT is uncondionally & fully guaranteed for 100% satisfaction or your money back! Here's what you get : - 6 cloth-backed, color coded, re-usable cushioned abrasive pads Application foam block
 Wiping towel and complete instructions - Anti-Static Finishing Cream for removal of abraded particles

All this for only \$1.9.5 + \$3.00 Shipping & Handling. To order (VISA, MC, CHECK or COD), phone or write: ULTRASOFT INNOVATIONS INC. 78 Main Street, P.O. Box 247, Champlain, NY 12919 Tel. (514) 487-9283 (9-5 ES1) DEALER INQUIRIES WELCOME! Laptops with soft plastic displays can use our ULTRALUCENT EL (\$14.95 + S. & H.)

#### Circle 37 on reader service card

	shld srce+1	;store it!	;		
;	lhld pntr		er:	call beep	;elbe beep om?
	shld wr+1			mvi a,12h	; and put 0 at
;			ex1:	sta rd ei	;rd for err flg
ooth	di in d8h			ret	
	ani Och	;save current ;bank		=======================================	=======================================
	sta swbck+1	, builk	; read:	lda rd	
	desp 0	;and save the	reau.	cpi 1	
	xchg shld setsp+1	<pre>stack pointer!</pre>		jnz beep	
	anid secsp+1		;		
	lxi h,bsw	;move following		di push h	
	mov d,h	;executable		lda bsw+1	
	mov e,l lvi b.setsp-bsw	;code to dest. ;bank (from bsw		mov b,a	
	Call DIKMOV	;to setsp).		mvi c,1	toount in a
	=======================================			lxi d,buf	;count in c ;buffer
Sw:	mvi a,0 out d8h	;sw to dest bak		lhld pntr	,
	out um	;and execute!		dcx h	
	mov b,a	;only reset sp	; r1:	inx h	
	lda swbck+1 cmp b	;if we changed		push d	
	jz mode	;banks. leave ;sp intact if		push b	
	lxi sp,63900	;no bank change		call peek	
	call 4c47h	;reset sp		mov a,d pop b	
ode:	mvi a,0			pop d	
lode:	cpi 4		;		
	jz wr			cpi 26 jz eofl	ford of file
	cpi 2			cpi 13	;end of file
	lxi h,f74ch	and do to the		jz eor	;end of record
	mvi m,'d'	;add .do to the ;file name that	,	stax d	
	inx h	;was specified.		inx d	
	mvi m,'o'			inr c	
	push psw call create	;open file.do		jnz rl	
	pop psw	,open lile.do	,	dcx h	
	cz 8268h	;find eof (hl)	eor:	inx h	
	jmp swbck			inx h	
r:	lxi h,00h	;pntr	eof:	shld pntr	
с:	lxi b,ffffh	;len in bc		mov a,c dcr a	
	call insert	;cflag = om?		pop h	
wbck:	mvi a,0	;sw to src bnk		mov m,a	
	out d8h	; and fix stack		inx h xchg	
				lxi h, buf	
etsp:	lxi sp,0	;sp reset		shli	
	push psw lda mode+1			ei	
			eof1:	ret mvi a,llh	
	cpi 4		0011.	myr u/iin	
	jnz exit	;not write cmd		sta rd	
	jnz exit pop psw	;not write cmd		sta rd jmp eof	
	jnz exit pop psw jc er		;=====	jmp eof	
rce:	jnz exit pop psw	idest loc in dc	;===== chain:	jmp eof ====================================	
	jnz exit pop psw jc er xchg		;===== chain:	jmp eof di mov a,l	
	jnz exit pop psw jc er xchg lxi h,0	dest loc in de ;srce loc in hl ;len in bc	;===== chain:	jmp eof di mov a,l call setdst lxi h,f4ddh	
	jnz exit pop psw jc er xchg	dest loc in dc srce loc in hl	;===== chain:	jmp eof di mov a,l call setdst lxi h,f4ddh push h	
	jnz exit pop psw jc er xchg lxi h,0 call blkmov xchg	dest loc in de ;srce loc in hl ;len in bc	;===== chain:	jmp eof di mov a,l call setdst lxi h,f4ddh push h pop d	
:	jnz exit pop psw jc er xchg lxi h,0 call blkmov xohg push psw	dest loc in de ;srce loc in hl ;len in bc	;===== chain:	jmp eof di mov a,l call setdst lxi h,f4ddh push h	
;	jnz exit pop psw jc er xchg lxi h,0 call blkmov xchg push psw pop psw	dest loc in de ;srce loc in hl ;len in bc	;===== chain:	jmp eof di mov a,l call sedst lxi h,f4ddh push h pop d ixi b,ll call blkmov call clripl	
srce: ; ; =xit:	jnz exit pop psw jc er xchg lxi h,0 call blkmov xohg push psw	dest loc in de ;srce loc in hl ;len in bc	;===== chain:	jmp eof di mov a,l call setdst lxi h,f4ddh push h pop d lxi b,l1 call blkmov	

•=====		
, getnam:	mov a.m	;name length
,	mov a,m dcr a	finance religen
	dcr a	
	inx h	;pntr to adrs
	xchg	
	lhli	;adrs of name
;	push psw	
	mova,m	;get bank
	sui 30h	;ascii to bin.
	call setdst	,userr co pin.
	pop psw	;a=len
	ret	
setdst:	mov b,a	;convert from
ch1:	mvi a,1 add a	;bin(1,2,3)
Chi.	dcr b	to (0.4.9)
	jnz ch1	;to (0,4,8)
	ani Och	
	sta bsw+1	;dest bank
	sta blkmov+2	;twice
	ret	•
;=====		==========================
s_file:	mov a,l call setdst	
	mov b,a	
	MOV D, a	
bank:	lxi h,f2b5h	user file #1;
s1:	call get_b	;attrib byte
	cpi ffh	no more files
	rz	;then return
	cpi 240	;rom filename?
	jz s2	don't print it;
	ani 80h	;active file?
	jnz file	;yes-show it!
s2:	lxi d,11	;no-get next
	dad d	;file slot and
	jmp sl	;do it again!
;		,
file:	call leh	<pre>;print space</pre>
	inx h inx h	;skip attrib
	inx h	;byte and adrss
c_loop:	inx h	
	call get_b rst 4	;get filename
skp:	mvi a.8	;any more chrs?
	mvi a,8 dcr a	Juny more chrat
	jz c done	;no-then done
	sta skp+1	adjust counter;
	cpi 2	;time for dot? ;get next chr
	jnz c_loop	
	mvi a,'.'	print the dot;
	rst 4 imp c loop	
•	jmp c_loop	
ć done:	mvi a,8	;restore count
	sta skp+1	, 000000
	inx h	;and do next
	jmp sl	file slot
;======		
		End of listing.
		, 0

September 1988 PORTABLE 100 31

## **The Portable 100 Classifieds**

#### SERVICES

MODEL 100, 102 200 SUPPORT (Five-Year-Old Club)

Ongoing support for Tandy/Radio Shack Model 100, 102 and 200 owners. International support by mail, voice, and bulletin board. Free on-line weekly newsletter 300/1200 baud, 8-bit, 24hrs/7days, 415-939-1246. Voice recording: 425-937-5039.

For INDEX of public domain library, "how to" bulletins, product reviews, write to: CLUB 100, A Model 100 User Group, 984 Hawthorne Drive, Walnut Creek, CA 94596

Patent Attorney Donavon Faure (703) 920-2962 \$500.00 Weekly Mailing Circulars in your spare time. Send large self-addressed Stamped Envelope for Details To: H. E. Boulware, Route 1 Box 9, Vichy, Mo, 65580.

Software

SPC Programs for 100/102 Disk or Cassette-Quality Resources—840 McKinley, Plymouth, MI 48170

HARDWARE

Model 100 Hardware for sale: Chipmunk Disk Drive with software \$250, 128K RAM Expansion board \$150. Call 216-647-6371

## **ADVERTISER'S INDEX**

### Free Information

For free information on products advertised in this issue of Portable 100, locate the Reader Service number corresponding to the advertisement that interests you. Circle the number on the Reader Service Card at the center of the magazine (or on the wrapper protecting the magazine if you are a subscriber) and drop it into the mail. The literature you've requested will be forwarded to you without any obligation. Please allow 3--5 weeks for delivery.

## The Portable 100 Classifieds

Categorize your advertisement (Hardware, Software, Services, Wanted, Etc.) and carefully type your message. We are not responsible for correctly interpreting handwritten advertisements. Phone numbers, street numbers, dimensions, and any abbreviations count as one word. Logos, company or product, are not allowed, neither are display advertisements. Business rates are \$1.60 per word; non-business rates (individuals advertising) are \$1.30 per word. Add up the cost and send the advertisement copy with a check, money order, Visa, or Mastercard number to: Portable 100 Classifieds, 145 Grove St. Ext., P.O. Box 428. Peterborough. NH 03458-0428. c/ 0 Linda Tiernan. Make checks payable to Portable 100 Classifieds. Include your complete return address and phone number (phone number is printed only if it is included in the advertisement itself). Materials due the 1st of the month, two months prior to the magazine cover date (example: materials for the February issue must be received by December 1st.) Advertisements received after the deadline will appear in the next scheduled issue. Payment must accompany order. No refunds for advertisements that miss deadlines, regardless of reason. We reserve the right to change advertisement categories, and to reject, edit, or cancel any advertisement we deem improper. There are no agency discounts for classifieds. For faster service call 603-924 7949.

Name	
Address	
City	State Zip
Total Enclosed x (Ad Cos	t x Issues) Phone Number
Visa/Mastercard Number	Exp. Date
Signature	
	se use a separate sheet of paper.

ADVERTISERRS#Page88Rural Engineering<br/>G0CIII<br/>CIII60Simons<br/>Software by Steffans<br/>22CIII<br/>CII

37 Ultrasoft Innovations 31

\*\* Please contact this advertiser directly

Don't forget to say you saw it in Portable 100!

## By Teachers for Teachers Grade Management

PERSONALIZED ... STAY ORGANIZED

You Set Up To: 12 Grade Values • 9 Classes 50 Students

3½ Disk for PDD TANDY 100/102 - 200

We also customize 5 basic programs \$49.00 + \$2.00 (S & H)

> Software by Steffens' 1731 William Ct. Little Chute, WI 54140

Circle 29 on reader service card.

## Not Sure About A Product Or Service You've Seen Here?

Then why not fill out the Reader Service Card right now and send it to us? You'll receive more information directly from the vendor or manufacturer.

### **Data Acquisition System** For the Model 100/102 and Model 4

Provides engineers, technicians, educators, students and experimenters with a flexible solution to data acquisition and interface needs using the Model 100/102 or Model 4 computer.

M102-DACQ SYS-1 .....\$185.00 8 digital input lines; 8 digital output lines; 8 bit A/D with 8 channel MUX (ADC0809): single channel 8 bit D/A (DAC0831); 3 channel, 16 bit prog timer (02C53): auto on/off, interfaces to system bus; 3 sq. in. whe wrap area; user manual, schematics, programing instructions/examples. Board, cabling, AC adapter and case (7.5" x 4.33" x 2.22") included.



Other options available, call or write for more information. Specify (M100-DACQ for Model 100, M4-DACQ for Model 4) interface cables.

Postage Paid, M/C, VISA, money order, check, approved P.O. Sales Tax: add 4% (VT residents)

**Rural Engineering Inc.** Route 14, Box 113F, So. Royalton, VT 05068 Tel. (802) 763-8367

Circle 88 on reader service card.



Circle 60 on reader service card.

## The sky's the limit... ...with Portable 100/magazine.

On the road...at home ...in the office...in the air...the variety of tasks you can perform with your Tandy portable is expanding constantly.

To keep fully informed and up-to-date about current trends, new products, and new uses for your laptop, you need **Portable 100** magazine

From sophisticated input/ output (I/O) calls and their applications, to simple disk drives, **Portable 100** magazine covers it all.

Portable 100 gives you features, news, columns, and reviews that are thorough and timely. And they are written in a fast-paced, easy-to-read style, by leading experts in the computer field.



**YES!** I want to be more productive with my Tandy portable... and save 42% off the newsstand price. Send me a year's subscription (monthly except for a combined July/August issue) of Portable 100 for us\$24.97.

Payment en la			
Make checks	payable to	Portable	100

Name \_\_\_\_\_\_\_Address \_\_\_\_\_\_\_\_State \_\_\_\_Zip \_\_\_\_\_\_ City \_\_\_\_\_\_State \_\_\_\_Zip \_\_\_\_\_

Us\$44.97, Foreign Air Mail add us\$50. All foreign, except Canada, US Funds drawn on US bank. Please allow six weeks for delivery. LTP

In upcoming issues you will discover. . .

- how new peripherals can make you more productive.
- more efficient ways to communicate with your desktop.
- where to buy low-cost public-domain software.
- how your business can be more profitable with your portable at your fingertips.
- where to find the best bulletin boards and information services.
- and much more!

Don't miss even a single valuable monthly issue. Fill out the coupon below, or to charge it to your credit card, call

## 1-603-924-7949

Send no money now! We will gladly bill you.

MONEY BACK GUARANTEE:

If you are not completely satisfied with **Portable 100**, you may cancel your subscription and receive a full refund. Please allow 6-8 weeks for delivery of your first issue.

Mail to: Portable 100, Portable Computing International Corp., PO Box 428, Peterborough, NH 03458-0428