
Hyperion Essbase™

Version 5

Spreadsheet Add-in
User's Guide for Excel

HYPERiON®

P/N: 06010 – 500200 – 000

© 1991 – 1999 Hyperion Solutions Corporation. All rights reserved.

Hyperion is a registered trademark and Hyperion Solutions is a trademark of Hyperion Software Operations, Inc., a wholly-owned subsidiary of Hyperion Solutions Corporation. Arbor and Essbase are registered trademarks and Hyperion Essbase is a trademark of Hyperion Solutions Corporation.

Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation. IBM, DB2, Lotus, and 1-2-3 are registered trademarks of International Business Machines Corporation. All other brand and product names are trademarks or registered trademarks of their respective holders.

No portion of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or information storage and retrieval systems, for any purpose other than the purchaser's personal use, without the express written permission of Hyperion Solutions Corporation.

Notice: The information contained in this document is subject to change without notice. Hyperion Solutions Corporation shall not be liable for errors contained herein or consequential damages in connection with the furnishing, performance, or use of this material.

Hyperion Solutions Corporation
1344 Crossman Avenue
Sunnyvale, CA 94089

Publication Number: 40 – 201 – 9030

Printed in the USA

10 9 8 7 6 5 4 3 2

R1

Table of Contents

Introduction	ix
About This Guide	ix
How This Guide is Organized	x
Sample Databases and Files.....	xi
Conventions Used in This Guide.....	xi
Other Sources of Information	xii
Introducing Version 5.....	ix
Migrating to Version 5.....	xiii
What's New in Version 5.....	xiii
Chapter 1 Introducing Hyperion Essbase.....	1
Who Uses Essbase?	1
Components of the Client-Server Environment	2
The Server	4
The Spreadsheet Add-in	4
The Network.....	4
Essbase Application Products.....	4
Application Programming Interface (API).....	4
Crystal Info for Essbase.....	5
Currency Conversion	5
Essbase Web Gateway	5
Essbase Objects.....	5

Partitioning	6
Spreadsheet Toolkit	6
SQL Drill-Through.....	6
SQL Interface	6
Hyperion Integration Server	7
The Multidimensional Database.....	7
What Is Multidimensional?	7
The Database Outline.....	9
Dimensions	10
Members.....	10
Formulas.....	11
Aliases.....	11
Consolidations.....	12
Chapter 2 A Basic Essbase Tutorial.....	13
Getting Acquainted with the Spreadsheet Add-in.....	14
Adding the Spreadsheet Add-in.....	14
Starting the Spreadsheet Add-in.....	15
Installing the Essbase Toolbar.....	16
Using the Essbase Toolbar	18
Accessing Online Help	21
Enabling Mouse Actions	22
Before You Begin the Tutorial.....	25
Setting Essbase Options	25
Things to Remember During the Tutorial.....	30
About the Sample Basic Database	31

Retrieving Data	31
Connecting to a Database	32
Changing Your Password	34
Retrieving Data from a Database.....	34
Canceling a Data Retrieval Request	36
Restoring the Previous Database View.....	37
Zooming In to More Detail.....	37
Zooming Out to Less Detail	40
Customizing Zoom In and Zoom Out Behavior	42
Pivoting, Retaining, and Suppressing Data.....	45
Pivoting Rows and Columns.....	45
Retaining a Data Subset	50
Removing a Data Subset	53
Navigating Through the Spreadsheet Without Retrieving Data	54
Suppressing Missing and Zero Values and Underscore Characters.....	58
Formatting the Spreadsheet.....	61
Formatting Text and Cells	61
Displaying Aliases for Member Names.....	70
Displaying Both Member Names and Aliases.....	72
Repeating Member Labels	74
Using the Retrieval Wizard.....	76
Applying Spreadsheet Options to Retrieval Wizard Results	85
Selecting Members.....	86
Saving and Disconnecting	96
Saving a Spreadsheet.....	97
Disconnecting from Essbase	97
Forced Logouts.....	98
What's Next.....	98

Chapter 3 An Advanced Essbase Tutorial99

Before You Begin the Tutorial.....	99
Connecting to a Database	100
Setting Essbase Options	102
Performing Advanced Retrieval Tasks	106
Defining Data Filtering and Sorting Criteria	106
Retrieving Data into Asymmetric Reports.....	112
Working with Formatted Sheets.....	115
Preserving Formulas when Retrieving Data.....	121
Retrieving a Range of Data	127
Retrieving Data Using a Function	130
Retrieving Dynamic Calculation Members.....	135
Specifying the Latest Time Period for Dynamic Time Series	137
Using Free-Form Reporting to Retrieve Data.....	142
Using Linked Reporting Objects	152
Linking a File to a Data Cell	153
Linking a Cell Note to a Data Cell.....	157
Linking a URL to a Data Cell	159
Accessing and Editing Linked Reporting Objects.....	162
Connecting to Multiple Databases	169
Viewing Active Database Connections.....	170
Accessing Linked Partitions.....	171
Updating Data on the Server	173
Calculating a Database.....	175
Creating Multiple Sheets from Your Data	177
Working with Currency Conversions	182
About Currency Conversion Retrievals	183
Connecting to the Sample Currency Databases	183
Performing Ad Hoc Currency Reporting.....	186

Chapter 4 Using SQL Drill-Through	189
What Is SQL Drill-Through?	189
Before You Start	190
A Guided Tour	192
Sample 1	193
Sample 2	200
Chapter 5 Using Hyperion Integration Server Drill-Through	205
What Is Drill-Through?	206
What Is the Drill-Through Wizard?	208
Before You Start	208
Setting Essbase Options	210
About the Samples Used in This Tutorial	216
Using Drill-Through	217
Accessing Drill-Through from the Spreadsheet	217
Selecting Drill-Through Reports to View or Customize	223
Selecting and Ordering Columns	226
Ordering Data	228
Filtering Data	231
Disconnecting from Essbase	237
Index	239

Introduction

Welcome to the *Spreadsheet Add-in User's Guide for Excel*. Hyperion Essbase™ is an on-line analytical processing (OLAP) solution that satisfies the complex calculation requirements of financial, accounting, and marketing professionals. Essbase operates in a client-server computing environment on a local area network (LAN). In this environment, multiple users can retrieve and analyze centralized data using their desktop personal computers.

You can create reports from the data residing on the Hyperion Essbase OLAP Server in several ways:

- Generate database reports through a spreadsheet interface, called the Hyperion Essbase Spreadsheet Add-in, as explained in this guide.
- Use the Hyperion Essbase Application Manager's Report Writer to create a report script and run your report. For more information, see the *Database Administrator's Guide*.
- Use the Hyperion Essbase API to create and run database reports. For more information, see the online *API Reference* in the DOCS directory.
- Use third-party reporting tools such as Crystal Info for Essbase (sold separately from Essbase).

About This Guide

The *Spreadsheet Add-in User's Guide for Excel* explains how to use Essbase with Microsoft® Excel for Windows™. The main sections of this guide are structured as tutorials that take you step-by-step through basic and advanced tasks in the Spreadsheet Add-in. Use this guide to learn how to:

- Install the Essbase Spreadsheet Add-in software
- Start Essbase, and connect and disconnect from Essbase databases
- Retrieve data from a database into a spreadsheet
- Zoom in, zoom out, and navigate through the spreadsheet to analyze and arrange data from multiple viewpoints
- Work with linked reporting objects and linked partitions
- Update data on the Essbase server

- Use the spreadsheet to load and calculate data in the database
- Create multiple sheets from your data
- Work with currency conversions

The *Spreadsheet Add-in User's Guide for Excel* is provided in the \ESSBASE\DOCS\CLIENT directory in .PDF format for online viewing and printing in Adobe® Acrobat Reader® (Version 3.0.1 or higher). The .PDF file is named ESSEXCEL.PDF. You can download Adobe Acrobat Reader from the Essbase CD-ROM or from WWW.ADOBE.COM. On the Essbase CD-ROM, the Acrobat Reader executable file is located in the ADOBE directory under the appropriate platform and language-version subdirectories. Launch the executable file, follow the prompts, and provide the information requested to install Acrobat Reader.

How This Guide is Organized

The *Spreadsheet Add-in User's Guide for Excel* is organized into the following chapters:

- “[Introducing Version 5](#)” provides information on migrating from previous versions of Essbase to Version 5 and lists all new features and enhancements.
- Chapter 1, “[Introducing Hyperion Essbase](#),” introduces you to basic concepts of data retrieval and data manipulation through the spreadsheet interface.
- Chapter 2, “[A Basic Essbase Tutorial](#),” provides a step-by-step tutorial of basic data navigation, ad hoc retrieval, and reporting techniques.
- Chapter 3, “[An Advanced Essbase Tutorial](#),” describes advanced reporting and retrieval techniques for users requiring special reports or formatted data views.
- Chapter 4, “[Using SQL Drill-Through](#),” provides a brief overview of the Hyperion Essbase SQL Drill-Through product.
- Chapter 5, “[Using Hyperion Integration Server Drill-Through](#),” provides a brief overview of the Hyperion Integration Server Drill-Through product.

Note: The Hyperion Essbase Spreadsheet Add-in Online Help provides a comprehensive section on the Hyperion Essbase Spreadsheet Toolkit, which enables you to customize and automate your use of Essbase using Excel macros and Visual Basic for Applications (VBA) functions. For more information on the Spreadsheet Add-in Online Help, see “[Accessing Online Help](#)” in Chapter 2.

Sample Databases and Files

This book provides tutorial steps that are based on sample databases and files that are provided with the Essbase server software. You will use the Sample Basic database for most tasks in Chapters 2, 3, and 4. You will use a sample Hyperion Essbase Currency Conversion application for the section on currency conversion (“[Working with Currency Conversions](#)”) in Chapter 3. For information on the Sample Basic database, see “[About the Sample Basic Database](#)” in Chapter 2.

In addition to these sample applications and databases, you will also use several sample Excel files in the advanced tutorial in Chapter 3. The individual at your organization who installs the server is responsible for making these applications, databases, and files available to you. Contact the Essbase System Administrator for more information.

Conventions Used in This Guide

This book uses several formatting styles to indicate actions that you should take or types of information that you need. The following table lists each document convention:

Convention	Description
1, 2, 3	Numbered items indicate procedures to follow in order.
►	This symbol indicates a single-step procedure.
•	Bulleted items indicate a list of related items.
Product	Essbase dimension names and member names are displayed in This Font.
\ESSBASE	Names of files, directories, and specific text that you must type in This Font.
Essbase Options dialog box	Names of dialog boxes and their controls, such as buttons, text boxes, and list boxes, are in boldface .
<i>Database Administrator's Guide</i>	Titles of other books are in <i>italics</i> . Italics also indicate important terms and special emphasis.
Essbase Retrieve	The vertical bar () indicates a menu followed by an individual menu command in that menu.

Other Sources of Information

In addition to this *Spreadsheet Add-in User's Guide for Excel*, you can find information about Essbase in the following sources:

- The *Start Here* booklet provides information on Version 5 features, platforms, and migration issues.
- *Installation Notes* explains how to install and configure the Essbase server, the Spreadsheet Add-in, Application Manager, and sample databases.
- The *Database Administrator's Guide* explains how to implement, manage, and maintain the Essbase server, and how to design and build Essbase applications.
- The online *Technical Reference* in the DOCS directory, which contains a list and description of Essbase functions, macros, calculation commands, report commands, ESSCMD commands, and configuration file settings.
- The online *API Reference* in the DOCS directory contains a complete listing and description of functions available through the Essbase API.
- The *Spreadsheet Add-in User's Guide for 1-2-3* explains how to use the Spreadsheet Add-in features with Lotus 1-2-3. This document is provided in the \ESSBASE\DOCS\CLIENT directory in .PDF format for online viewing and printing in Adobe® Acrobat Reader® (Version 3.0.1 or higher). You can download Adobe Acrobat Reader from the Essbase CD-ROM or from WWW.ADOBE.COM.
- The Essbase Spreadsheet Add-in Online Help provides detailed information about Essbase menu commands and tasks.
- The SQL Interface Guide contains information on how to set up your systems to load data via the Essbase SQL Interface. This document is provided in the \ESSBASE\DOCS\CLIENT directory in .PDF format for online viewing and printing in Adobe® Acrobat Reader® (Version 3.0.1 or higher). You can download Adobe Acrobat Reader from the Essbase CD-ROM or from WWW.ADOBE.COM.
- The *SQL Drill-Through Guide* contains information about how to use SQL Drill-Through to access detail-level data stored in a remote SQL database. This document is provided in the \ESSBASE\DOCS\CLIENT directory in .PDF format for online viewing and printing in Adobe® Acrobat Reader® (Version 3.0.1 or higher). You can download Adobe Acrobat Reader from the Essbase CD-ROM or from WWW.ADOBE.COM.

Introducing Version 5

This chapter provides compatibility information between Hyperion Essbase Version 5 and previous versions of Essbase, including migration information and new feature descriptions and enhancements. It contains the following sections:

- Migrating to Version 5
- What's New in Version 5

Migrating to Version 5

As you “migrate” (upgrade) from previous versions of Essbase to Version 5, keep in mind that Version 5 of the Hyperion Essbase Spreadsheet Add-in is designed to work with Version 5 of the Hyperion Essbase OLAP Server. If the Essbase System Administrator upgrades the Essbase server to Version 5, Version 4.x of the Spreadsheet Add-in will work only on a limited basis until you also upgrade it to Version 5. You should only work in this environment on a short-term basis, and plan to upgrade the Spreadsheet Add-in to Version 5 soon.

Please read the *Start Here* booklet and *Installation Notes* for detailed information about migrating from previous versions of Essbase.

What's New in Version 5

Essbase Version 5 provides a number of enhancements and new features for the Spreadsheet Add-in:

- The Essbase toolbar provides shortcut buttons for accessing most of the menu commands listed under the Essbase menu. For more information, see [“Using the Essbase Toolbar”](#) in Chapter 2.
- The Remove Only command is new to the Essbase menu and toolbar, providing opposite functionality to the Keep Only command. This command removes selected members from the spreadsheet view. For more information, see [“Removing a Data Subset”](#) in Chapter 2.

- The User-Defined Attributes (UDAs) feature applies common characteristics to a certain set of members that is predefined in the database outline. The Spreadsheet Add-in uses these UDAs to set criteria and select from a group of members that share these user-defined traits. For more information, see [“Selecting Members”](#) in Chapter 2.
- The Navigate Without Data feature enables you to navigate through the spreadsheet without retrieving any data. With this feature, you can arrange your spreadsheet report without the time delays caused by data retrieval. For more information, see [“Navigating Through the Spreadsheet Without Retrieving Data”](#) in Chapter 2.
- Substitution variables enable you to use global variables to represent specific Essbase values as set on the Essbase server. For more information, see [“Using Substitution Variables”](#) in Chapter 3.
- Visual cues, or styles, for Linked Reporting Objects and Dynamic Calculation members have been added to enable you to apply different font styles to cells containing these items. For more information, see [“Using Linked Reporting Objects,”](#) [“Accessing Linked Partitions,”](#) and [“Retrieving Dynamic Calculation Members”](#) in Chapter 3.
- Dynamic Time Series members specify to-date calculations, such as year-to-date, based on a predetermined member. For more information, see [“Specifying the Latest Time Period in Dynamic Time Series”](#) in Chapter 3.
- Linked Partitions are part of the Hyperion Essbase Partitioning product. They provide the ability to link Essbase databases containing different dimensions without losing access to the additional dimensions. For more information, see [“Accessing Linked Partitions”](#) in Chapter 3.

Note:

The Partitioning feature is enabled *only* if your organization has licensed and implemented the Hyperion Essbase Partitioning product.

- Linked Reporting Objects are objects linked to data cells through the Spreadsheet Add-in. Using this feature enables you to link data cells to external files, World Wide Web resources (through URLs), cell notes, and linked partitions. For more information, see [“Using Linked Reporting Objects”](#) in Chapter 3.
- You can enter generation names and level names directly into a spreadsheet. When you retrieve on a generation or level name, Essbase returns all members from the database within the specified generation or level name. For more information, see [“Entering Generation and Level Names”](#) in Chapter 3.
- In Microsoft Excel 97, the number of rows that Essbase supports has increased from 16,384 to 65,536.

- An updated Essbase Member Selection dialog box features new functionality, such as selecting Dynamic Time Series members and applying selection criteria to a subset (cross-section) of members. For more information, see “[Selecting Members](#)” in Chapter 2.
- An updated Essbase Options dialog box features tabbed dialog boxes to set display, zoom, mode, style, and global options. For more information, see the Spreadsheet Add-in Online Help.
- An updated Essbase Cascade Options dialog box features tabbed dialog boxes and several new options to increase flexibility of reporting on multiple members. For more information, see “[Creating Multiple Sheets from Your Data](#)” in Chapter 3.
- Hyperion Integration Server Drill-Through is part of the Hyperion Integration Server product. Using Drill-Through, you can view and customize spreadsheet reports that display data retrieved from relational databases. For more information, see Chapter 5.

Note: The Drill-Through feature is enabled *only* if your organization has licensed and implemented the Hyperion Integration Server product.

Chapter 1 Introducing Hyperion Essbase

Hyperion Essbase™ is a complete set of multidimensional database software that is optimized for planning, analysis, and management reporting applications. Essbase uniquely blends innovative technical design with an open, client-server architecture. Essbase lets you extend your decision support systems beyond ad hoc query and reporting of historical performance, to dynamic, operational systems that combine historical analyses and future planning. By consolidating and staging historical and projected data for detailed analysis, you can gain perspectives about your business that enable you to take appropriate actions.

Essbase has the power and flexibility to be used for a broad range of on-line analytical processing (OLAP) applications including:

- Budgeting
- Forecasting and seasonal planning
- Financial consolidations and reporting
- Customer and product profitability analysis
- Price, volume, and mix analysis
- Executive Information Systems (EIS)

Essbase enables you and others in your organization to share, access, update, and analyze enterprise data from any perspective and at any level of detail without learning new tools, query languages, or programming skills.

Who Uses Essbase?

Essbase is designed to be used in many different applications. Financial analysts have found the facilities to be invaluable in budget analysis, currency conversion, and consolidation. Cost accountants apply the powerful capabilities of Essbase to evaluate allocation and elimination scenarios. Product managers and analysts use Essbase to plan and analyze multiple product lines and distribution channels. Essbase can also be used as a repository database for spreadsheet data. Anyone who uses a spreadsheet is a potential user of Essbase.

Because Essbase is applicable to such a broad variety of environments, individuals using it at your organization may fill one or more roles in implementing and running applications. In this guide, we refer to specific roles by three titles. We recognize, however, that these roles may be performed by one person, or several people may collaborate to perform a single role.

- *Essbase System Administrator.* The Essbase System Administrator typically has experience in networking, installing software packages, and general system administration functions. In addition to installing the Essbase software, the Essbase System Administrator may also set up Essbase user accounts, set up the security system, and maintain the Essbase OLAP Server.
- *Application Designer.* The Application Designer sets up the Essbase database, creates the database outline, and develops calculation and report scripts. The responsibilities of the Essbase System Administrator and the Application Designer may overlap in some areas. The Application Designer has probably developed some spreadsheet or database applications, and understands the operational problems and the tools being employed to solve them.
- *User.* The user interacts with Essbase databases through spreadsheets using Microsoft Excel for Windows or Lotus 1-2-3. Users are typically analysts and managers who use spreadsheet programs as their primary tool for viewing and analyzing data.

Components of the Client-Server Environment

Client-server computing refers to the architecture in which individual PC workstations are connected to a powerful server by means of a local area network (LAN). The PC workstation acts as a client by requesting data from the server. The server performs all processing of the request and returns the desired result to the client.

Essbase is built as a client-server architecture. System performance and multiuser capabilities are greatly enhanced under the Essbase client-server environment. Figure 1-1 illustrates the Essbase components and their relationships.




Figure 1-1, Essbase Components

The Server

The Hyperion Essbase OLAP Server is a multidimensional database that supports analysis of an unlimited number of data dimensions and members within these dimensions. Developed using a true client-server architecture, all data, the database outline, calculations, and data security controls reside on the Essbase server.

The Essbase server operates on Windows 95, Windows 98, Windows NT, and UNIX operating systems.

The Spreadsheet Add-in

The Hyperion Essbase Spreadsheet Add-in is a software program that merges seamlessly with Microsoft Excel and Lotus 1-2-3. The Essbase spreadsheet program is an additional menu in Excel that provides enhanced commands such as Connect, Pivot, Zoom In, and Calculate. In addition to these commands, users can access and analyze data on the Essbase server using simple mouse clicks and drag-and-drop operations. The Spreadsheet Add-in enables multiple users to access and update data on the Essbase server simultaneously.

The Network

Essbase runs on PC-based LANs that support the Named Pipes or TCP/IP protocol.

Note: Supported network environments and technical requirements are discussed in detail in *Installation Notes* included with the Essbase package.

Essbase Application Products

Several optional products are designed to extend and enhance the breadth of OLAP applications that can be addressed using the Essbase server. The following sections describe these products.

Application Programming Interface (API)

The Hyperion Essbase API enables application developers to create custom applications quickly using standard tools while using the robust data storage, retrieval, and manipulation capabilities of Essbase. The Essbase API supports Visual Basic and C. For more information, see the online *API Reference* in the DOCS directory.

Crystal Info for Essbase

Crystal Info for Essbase integrates Crystal Info, the industry leading production report writer, with the power of Essbase to deliver a comprehensive enterprise reporting system for OLAP applications. Crystal Info for Essbase provides an OLAP-aware, high-volume production reporting solution with powerful distribution and flexible processing capabilities. Crystal Info for Essbase has three main components: Crystal Reports for Essbase, Crystal Info Scheduler, and Crystal Info Server. Crystal Info for Essbase is sold separately from Essbase.

Currency Conversion

Hyperion Essbase Currency Conversion translates, analyzes, and reports on foreign financial data. Any exchange rate scenario can be modeled, and you can even perform ad hoc currency conversions of data directly from the spreadsheet. The Currency Conversion product is compliant with FASB52. For more information, see [“Working with Currency Conversions”](#) in Chapter 3.

Essbase Web Gateway

Hyperion Essbase Web Gateway is a multithreaded server application that enables high-speed, interactive, read/write access to Essbase for OLAP applications over the World Wide Web. Combining Essbase with Essbase Web Gateway provides a comprehensive Web-based solution that delivers sophisticated management reporting, provides ad hoc multidimensional analysis, and enables development of comprehensive operational OLAP applications, including planning, budgeting, and forecasting over intranets or the Internet.

Essbase Objects

Hyperion Essbase Objects are ActiveX controls that enable you to build application programs quickly and easily to access and manipulate data residing in Essbase servers. You can combine Essbase objects with other controls in a visual design environment to construct new programs.

Partitioning

Hyperion Essbase Partitioning lets you define areas of data that are shared or linked between data models. Partitioning can affect the performance and scalability of Essbase applications. Partitioning provides more effective response to organizational demands, reduced calculation time, increased reliability and availability, and incorporation of detail and dimensionality. For more information, see “[Accessing Linked Partitions](#)” in Chapter 3.

Spreadsheet Toolkit

Hyperion Essbase Spreadsheet Toolkit includes over 20 macro and VBA functions that enable you to build customized Microsoft Excel or Lotus 1-2-3 applications that incorporate Essbase commands. Commands such as EssCascade, EssConnect, and EssDisconnect provide all of the functionality of their corresponding Essbase menu commands. For more information, see the Spreadsheet Add-in Online Help.

SQL Drill-Through

Hyperion Essbase SQL Drill-Through provides tight linking between summary data residing in Essbase and detail data residing in the relational store for either the OLTP or data warehouse repository. Using SQL Drill-Through, you can automatically create an SQL query that retrieves the detail data that corresponds to a specific data cell residing in the Essbase server. The combination yields a powerful and full-featured analytical environment. For more information, see Chapter 4.

SQL Interface

Hyperion Essbase SQL Interface enables access to PC and SQL relational databases by making the Essbase server operate as an ODBC client. Using SQL Interface, data can be moved easily from these diverse corporate data sources into the Essbase server for user access and analysis. For more information, see the *SQL Interface Guide*.

Hyperion Integration Server

Hyperion Integration Server works with Hyperion Essbase and Excel. Integration Server is a suite of tools and data integration services that serve as a bridge between relational data sources and the Hyperion Essbase OLAP Server. Hyperion Integration Server Drill-Through is one of these tools. Using Drill-Through, you can view and customize spreadsheet reports that display data retrieved from relational databases. For more information, see Chapter 5.

The Multidimensional Database

The Essbase multidimensional database stores and organizes data. It is optimized to handle applications that have large amounts of numeric data and are consolidation- or computation-intensive. In addition, the database organizes data in a way that reflects how the user wants to view the data.

What Is Multidimensional?

A *dimension* is a perspective or view of a specific dataset. A different view of the same data can be called an *alternate dimension*. A system that supports simultaneous, alternate views of datasets is said to be *multidimensional*. Dimensions are typically items such as Time, Accounts, Product Lines, Markets, Divisions, and so on (see Figure 1–3). Within each dimension, there is typically a consolidation or other relationship between items.

In contrast, spreadsheets store data in two dimensions, usually Time and Accounts, as follows:

	A	B	C	D	E	F	G
1		Jan	Feb	Mar	Apr	May	Jun
2	Sales	1212	1421	1354	1178	1254	1465
3	COGS	345	392	387	321	320	401
4	Margin	867	1029	967	857	934	1064
5							
6	Marketing	46	24	95	11	56	5
7	Freight	21	71	93	23	88	21
8	Discounts	2	24	52	14	53	59
9	Total Expenses	69	119	240	48	197	85
10							
11	Gross Profit	798	910	727	809	737	979
12							
13							

Figure 1–2. Two-Dimensional Representations of Data in a Spreadsheet

An Essbase application can contain an unlimited number of dimensions, so you can analyze large amounts of data from multiple viewpoints. The following illustration shows four views of multidimensional data, which you can retrieve and analyze with the Spreadsheet Add-in software:




Figure 1-3, Multiple Views from a Five-Dimensional Database

The Database Outline

The *database outline* is the key to understanding Essbase. To define a multidimensional database, you design its database outline. The database outline contains the database organization (structure), its members, and rules, as shown in the following illustration:




Figure 1-4, Essbase Database Outline

Note: Usually, the Application Designer or Essbase System Administrator creates the database outline. For more information on creating the database outline, see the *Database Administrator's Guide*.

The following sections describe the components of the database outline.

Dimensions

Dimensions are the most basic categorical definitions of data within the database outline. You need at least two dimensions to make any meaningful reference to data; for example, **Time** and **Accounts**. Other dimensions might include **Products**, **Markets**, and **Scenarios**. Using this dimensional organization, you can define any consolidation structure or slice of data that is relevant to the application. Essbase supports an unlimited number of dimensions.

Members

Members are the names of the elements within a dimension. A dimension can contain an unlimited number of members. The calculation, reporting, and dimension-building facilities in Essbase use the following terms to describe members.

- *Parents.* A parent is a member that has a consolidation branch below it. For example, in the illustration below, **Qtr1** is a parent member because there is a branch containing monthly members below it.




Figure 1-5. Relationships Among Database Members

- *Children.* A child is a member that has a parent above it. For example, Jan, Feb, and Mar are children of the parent Qtr1.
- *Siblings.* A sibling is a child member at the same branch level. For example, Jan, Feb, and Mar are siblings. Apr is not a sibling of Jan, Feb, or Mar, however, because it has a different parent, Qtr2.
- *Descendants.* Descendants are members below a parent. For example, if Year is the parent, each member that falls in the Year branch is a descendant of Year. The following members are all descendants of Year: Qtr1, Jan, Feb, Mar, Qtr2, Apr, May, Jun, Qtr3, Jul, Aug, Sep, Qtr4, Oct, Nov, Dec.
- *Ancestors.* Ancestors are members in a branch above a member. For example, Qtr2 and Year are ancestors of Apr.
- *Generations.* Generations describe the branch number of a member beginning at the root of the tree (Generation 1, which is the dimension name) and counting branches toward the leaf node.
- *Levels.* Levels describe the branch number of a member beginning with the leaf node (Level 0) and counting branches toward the root.

Formulas

Each database member can have one or more formulas associated with it in the database outline. For example, the *Variance* members of the *Scenario* dimension, as shown in Figure 1–4, contain formulas. Formulas can be simple or complex. For more information, see the *Database Administrator's Guide*.

Aliases

Essbase supports alternative names, or aliases, for database members. Aliases are very useful when different labels are used for the same member in various spreadsheets. One sheet, for example, might refer to *Cost_of_Goods_Sold* as *COGS*. Aliases can also be used for reporting in alternative languages or more formal output name sets, such as account numbers.

Consolidations

Consolidations in Essbase applications are defined by member branches. In this representation, you can describe the position of members within a dimensional branch in several ways. The database outline determines consolidation paths based on the location of members within a dimension. Members that are indented below others indicate a consolidation relationship. Indenting members also becomes important for the drill-down capabilities in the Spreadsheet Add-in. As you navigate your way through data, you can “zoom” through levels of consolidations. The database outline is the road map that determines the levels of data navigation.

Chapter 2

A Basic Essbase Tutorial

When you add the Hyperion Essbase Spreadsheet Add-in to an Excel spreadsheet, most Excel operations remain unchanged; the Essbase Spreadsheet Add-in simply adds a new menu, an Essbase toolbar, and mouse shortcuts with which you can access the Hyperion Essbase OLAP Server.

The tasks described in this tutorial are basic tasks. That is, these are tasks that you will probably use often when working with Essbase. More advanced tasks are described in Chapter 3.

This tutorial chapter provides the following sections:

- Getting Acquainted with the Spreadsheet Add-in
- Before You Begin the Tutorial
- Retrieving Data
- Pivoting, Retaining, and Suppressing Data
- Formatting The Spreadsheet
- Using the Retrieval Wizard
- Selecting Members
- Saving and Disconnecting
- What's Next

Note: Each tutorial task builds upon the previous task. These tasks must be followed in succession.

The examples used in this tutorial are based on the sample database (called Sample Basic) that is included with the Essbase installation. Contact the Essbase System Administrator for information about accessing the Sample Basic database or other databases on the Essbase server.

Getting Acquainted with the Spreadsheet Add-in

This section provides the following information to help you get acquainted with the Essbase Spreadsheet Add-in:

- Adding the Spreadsheet Add-in
- Starting the Spreadsheet Add-in
- Installing the Essbase Toolbar
- Using the Essbase Toolbar
- Accessing Online Help
- Enabling Mouse Actions

Adding the Spreadsheet Add-in

If you manually update your environment settings, or if you have removed the Spreadsheet Add-in from the Microsoft Excel environment, you must use the Excel Add-In facility to add in the Spreadsheet Add-in into Excel. This adds the Essbase menu to the Excel menu bar, and points Excel to the Spreadsheet Add-in file in the \ESSBASE\BIN directory. This file is on the hard drive of your PC, if you chose to install the Spreadsheet Add-in there, or on the network drive if you chose to set up your PC operating environment to run the Spreadsheet Add-in there.

Note: ESSEXCLN.XLL is the Add-in file for 32-bit Excel 95 and Excel 97. Adding the Spreadsheet Add-in into Excel 95 and Excel 97 modifies the Windows 95 or Windows NT Registry. The .INI file and Registry point to where the Spreadsheet Add-in file is installed.

To add the Spreadsheet Add-in to Excel:

1. In Excel, choose Tools | Add-Ins.

Excel displays the **Add-Ins** dialog box.

2. Click the **Browse** button.

Excel displays a file selection dialog box.

3. Choose the file `ESSEXCLN.XLL` in the BIN directory where you installed the Spreadsheet Add-in on your PC hard drive (if you installed the Spreadsheet Add-in there), or in the BIN directory where the Essbase System Administrator installed the Spreadsheet Add-in on a network drive (if you chose to set up your PC operating environment to run the Spreadsheet Add-in there).
4. Click OK twice to close the dialog boxes and start the Spreadsheet Add-in.

The Essbase startup screen is displayed.

If you do not see the startup screen, or if your system does not list the Add-Ins menu command, see *Installation Notes* for troubleshooting information.

Starting the Spreadsheet Add-in

Because the Spreadsheet Add-in software for Excel is implemented as an Excel Add-In, you must start Excel from Windows to use the Spreadsheet Add-in software.

To begin an Essbase session:

1. Start Excel.

After the Excel startup screen disappears, the Essbase screen is displayed.

The Essbase menu should be displayed in the Excel menu bar. If you do not see the Essbase menu, you may need to use the Excel Add-In facility to add the Spreadsheet Add-in into Excel. For more information, see [“Adding the Spreadsheet Add-in”](#) in this chapter.

The Essbase toolbar should also be visible. If you do not see the Essbase toolbar, see [“Installing the Essbase Toolbar”](#) and [“Using the Essbase Toolbar”](#) in this chapter.

- Choose Essbase from the Excel menu bar to open the Essbase menu.




Figure 2-1, The Essbase Menu

You can view a short description of each command by moving the cursor over the menu item. The description is displayed in the Excel status bar, which is located across the bottom of the Excel window.

Note: If the Excel status bar is not displayed, you can display it by choosing View | Status Bar.

Installing the Essbase Toolbar

The Spreadsheet Add-in provides a convenient toolbar that displays buttons for accessing most of the common Essbase commands without having to open the Essbase menu. To use the Essbase toolbar, you must first install it by opening an Excel file that is provided as part of the default Essbase installation. For more information on using the toolbar, see [“Using the Essbase Toolbar”](#) later in this chapter.

To install the Essbase toolbar:

- Start Excel.
- Choose File | Open.

- Open the ESSTOOLB.XLS file from the \ESSBASE\CLIENT\SAMPLE directory.

Depending on how software is installed on your PC, this file may not be available or may be located in a different directory. Contact the Essbase System Administrator for more information.

A blank spreadsheet opens.




Figure 2-2, ESSTOOLB.XLS File

Note: If you are using Excel 97, two dialog boxes may be displayed when you open the ESSTOOLB.XLS file. If so, click the **Enable Macros** button on the first dialog box, and click OK on the second.

- Choose File | Close to close the ESSTOOLB.XLS file. You do not need to modify or save the file.

You should not have to perform the toolbar installation procedure again unless you delete the Essbase toolbar from the **Toolbars** dialog box in Excel. If you delete the toolbar, perform the installation procedure again.

Note: If you have toolbars turned off in Excel, you cannot see the Essbase toolbar immediately. You must enable toolbars first. For more information, see [“Using the Essbase Toolbar”](#) in the next section.

Using the Essbase Toolbar

The Spreadsheet Add-in for Excel features a convenient toolbar that displays buttons for accessing most of the common Essbase commands without having to open the Essbase menu. You can view a short description of each button on the toolbar by moving your cursor over it. The description is displayed in the Excel status bar, which is located across the bottom of the Excel window.

Note: Before you can view the Essbase toolbar, you must install it. See “[Installing the Essbase Toolbar](#)” in the previous section.

To view the Essbase toolbar:

1. Choose View | Toolbars from the Excel menu bar.

Excel displays the **Toolbars** dialog box.




Figure 2-3, Toolbars Dialog Box

2. Click the **Essbase** check box and click OK.

Note: If you click the **Essbase** check box and click **Delete**, you must reinstall the toolbar. See “[Installing the Essbase Toolbar](#)” in the previous section for instructions.

The toolbar provides the following buttons:

Button	Purpose	Description
	Connect	Lets you connect to an Essbase server. When you click the Connect button on the toolbar, Essbase displays the Essbase System Login dialog box.
	Navigate With or Without Data	<p>Toggles the Navigate Without Data feature, which tells Essbase to retrieve or not to retrieve data when you perform navigational operations, such as Pivot, Zoom In, Zoom Out, Keep Only, and Remove Only.</p> <p>This button serves the same function as the Navigate Without Data check box in the Essbase Options dialog box (Global page).</p>
	Retrieve	<p>Retrieves data into the active sheet. A Retrieve places the data at the beginning of the active worksheet. When you click the Retrieve button, the Essbase System Login dialog box is displayed if you are not already connected to an Essbase server.</p> <p><i>Tip:</i> If you have mouse actions enabled, you can retrieve data by double-clicking the primary mouse button in any empty cell in the sheet. To enable double-click support, choose Essbase Options, select the Global tab, and select the Enable Double-Clicking option. For more information, see "Enabling Mouse Actions" later in this chapter.</p>

Button	Purpose	Description
	Keep Only	Retains only the selected member (the active cell) or member range in the sheet. When you click the Keep Only button, all unselected members are removed from the sheet.
	Remove Only	Removes the selected member (the active cell) or member range in the sheet. When you click the Remove Only button, all unselected members are retained in the sheet.
	Zoom In	Retrieves and expands data from the Essbase server according to the options specified in the Essbase Options dialog box. <i>Tip:</i> If you have mouse actions enabled, you can zoom in on data by double-clicking the primary mouse button in the cell that contains the member you want to expand. To enable double-click support, choose Essbase Options, select the Global tab, and select the Enable Double-Clicking option. For more information, see “Enabling Mouse Actions” later in this chapter.
	Zoom Out	Collapses the view according to the options specified in the Essbase Options dialog box. <i>Tip:</i> If you have mouse actions enabled, you can zoom out by double-clicking the secondary mouse button in the cell that contains the member you want to collapse. To enable double-click support for zooming out, choose Essbase Options, select the Global tab, and select the Enable Double-Clicking option.
	Retrieval Wizard	Opens the Retrieval Wizard, which makes it easy to define a page orientation for dimensions and select database members. You can also save the retrieval request for later use. The Retrieval Wizard steps you through a series of dialog boxes to request the data you want to view. When you click the Retrieval Wizard button, Essbase displays the first of the five Retrieval Wizard dialog boxes.

Button	Purpose	Description
	FlashBack	Restores the previous spreadsheet view.
	Options	Lets you set display, zoom, mode, style, and global options for the active sheet to customize the behavior of the Spreadsheet Add-in software. When you click the Options button, Essbase displays the Essbase Options dialog box.
	Member Selection	Lets you select members from the multidimensional database outline. When you click the Member Selection button, Essbase displays the Essbase Member Selection dialog box.
	Linked Objects	Opens the Linked Objects Browser dialog box.
	SQL Drill-Through	Opens the SQL Database Login dialog box. This toolbar icon for SQL Drill-Through is displayed only if you have licensed the Hyperion Essbase SQL Drill-Through product.

Accessing Online Help

The Spreadsheet Add-in includes a context-sensitive, online Help system. Depending on the type of information that you need, you can access the Spreadsheet Add-in Online Help in three ways:

- *Access the entire online Help system for browsing or searching for information.* To access the entire Help system, choose Help | Essbase Help. After you access online Help, you can browse or search through the system to view general information on the Spreadsheet Add-in, Essbase command descriptions, procedural information for completing tasks, and macros and VBA function descriptions.
- *Access context-specific information from dialog boxes in the Spreadsheet Add-in.* Dialog boxes in the Spreadsheet Add-in feature a **Help** button that accesses online Help topics that are specific to that particular dialog box. This lets you find the information you need without having to search through the entire Help system.

- *Access information on specific Essbase menu commands.* You can access online Help information for an Essbase menu command that you select. Click the **Help** button on the Excel toolbar (shown in the following illustration), or press `Shift + F1`, and select the menu command. An online Help topic for that command is displayed.



Figure 2-4, Excel Help Button

Note: The Spreadsheet Add-in Online Help also provides a comprehensive section on the Hyperion Essbase Spreadsheet Toolkit, which lets you customize and automate your use of Essbase using Excel macros and Visual Basic for Applications (VBA) functions.

Enabling Mouse Actions

The following terms are used throughout this guide to describe mouse operations:

- *Primary mouse button* and *secondary mouse button* describe the buttons on a two- or three-button mouse. Usually, right-handed users configure the left mouse button as the primary button and the right mouse button as the secondary button. The primary mouse button is the one that you use to start Windows applications, such as Excel; the secondary button is used for auxiliary operations.
- *Select* chooses the object under the cursor when you press and release the primary mouse button. You can select a spreadsheet cell, for example, by pressing and releasing the primary mouse button on the cell.
- *Click* describes a quick press-and-release action on a command object. You can click a button, for example, to execute a command.

- *Double-click* describes two quick press-and-release actions that are executed in rapid succession. You can double-click an application icon, for example, to start a Windows application.
- *Drag* describes a press, hold, and move action. You start by placing the cursor on an object, pressing a mouse button, holding the mouse button as you move the object, and releasing it when you reach your goal. For example, you can highlight a range of cells in an Excel spreadsheet by dragging the cursor over the cells.

Note: Essbase uses a drag operation called a *pivot*, which uses the secondary mouse button. To execute a pivot, you must press and hold the secondary, rather than the primary, mouse button while dragging the selection.

Essbase offers enhanced mouse actions in Excel. You can use the mouse to:

- Retrieve data
- Zoom in and out on database members
- Pivot (move or transpose) data rows and columns
- Access linked reporting objects
- Access linked partitions

To enable double-clicking to retrieve, zoom in, and zoom out on Essbase data:

1. Choose Essbase | Options.
2. In the **Essbase Options** dialog box, select the **Global** tab.

3. Click the **Enable Double-Clicking** check box to:
 - Retrieve and zoom in to more detailed data (primary mouse button)
 - Zoom out to less detailed data (secondary mouse button)
 - Override the Excel in-cell editing feature, if it is enabled.




Figure 2-5, Essbase Options Dialog Box, Global Page

4. Click OK to return to the spreadsheet.

For information about setting the primary mouse button to display the **Linked Objects Browser** dialog box when you double-click a data cell, see the Spreadsheet Add-in Online Help.

Before You Begin the Tutorial

Before you begin the basic tutorial, read the following important sections:

- Setting Essbase Options
- Things to Remember During the Tutorial
- About the Sample Basic Database

Setting Essbase Options

Before you begin the tutorial steps, make sure that the spreadsheet options are set to the initial settings as illustrated in the following figures. If the option settings are different, the illustrations presented in this chapter may not match the spreadsheet view.

Note: For information about each option in the **Essbase Options** dialog box, see the Spreadsheet Add-in Online Help.

1. Choose Essbase | Options.
2. In the **Essbase Options** dialog box, select the **Display** tab.

3. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 2-6. Initial Settings for Display Options

4. Select the **Zoom** tab.
5. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 2-7, Initial Settings for Zoom Options

6. Select the **Mode** tab.
7. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 2-8, Initial Settings for Mode Options

Note: If you are already connected to an Essbase database, the **Essbase Options** dialog box also displays a **Style** tab. You can skip this tab for now.

8. Select the **Global** tab.
9. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 2-9, Initial Settings for Global Options

Note: You should have already clicked the appropriate boxes for **Mouse Actions** as described earlier in [“Enabling Mouse Actions.”](#)

10. Click OK to save the settings for this session and close the **Essbase Options** dialog box.

Things to Remember During the Tutorial

Keep in mind the following guidelines during this tutorial:

- Tasks that should *not* be performed as part of the tutorial are displayed in gray boxes. These tasks are included only for your future reference. You can find more information on these tasks in the Spreadsheet Add-in Online Help.
- You must be connected to the Sample Basic database during the tutorial. If you are not connected to this database, the illustrations presented in this chapter will not match the spreadsheet view.
- You can access many Essbase commands in these ways:
 - By selecting the command from the Essbase menu
 - By clicking the appropriate button on the Essbase toolbar
 - For the Zoom In and Zoom Out commands, by double-clicking the primary or secondary mouse button
- You must set the options in the **Essbase Options** dialog box as described earlier. If the option settings are different, the illustrations presented in this chapter may not match the spreadsheet view.
- After you change a spreadsheet option in the **Essbase Options** dialog box, you must perform a retrieval or zoom operation to have the new setting take effect.
- Be sure to follow each step in the tutorial. Each tutorial task builds upon the previous task. Do not skip the final steps at the end of sections, because these steps are often necessary to prepare you for the next tutorial task.
- If you make a mistake during the tutorial, you can choose Essbase | FlashBack to return to the previous spreadsheet view.
- The values in the Sample Basic database that represent ratios or percentages are calculated to a very high level of precision (for example, 55.26162826). In Excel, you can apply a cell format to control the number of decimal places that appear in data values. For more information, see the Excel documentation.
- The numeric values that are shown in the illustrations used throughout this tutorial may not match the values stored in your database. The values shown in these illustrations reflect a freshly loaded database.
- Some spreadsheet columns have been adjusted for clarity in the illustrations. You do not need to change the width of columns in the spreadsheet to follow the tutorial steps. The **Adjust Columns** option in the **Essbase Options** dialog box (**Display** page) takes care of column adjustments for you.

About the Sample Basic Database

The Sample Basic database that you will use for the tutorial is based on a hypothetical company in the beverage industry. The company's major products are various kinds of sodas. These products are sold in U.S. markets, which are categorized by state and region. Financial data for the company is collected monthly and is summarized by quarter and by year. The company uses Essbase to calculate financial and accounting data, such as sales, cost of goods sold, and payroll. The company tracks both actual and budget data, as well as the variance and percent variance between the two.

Retrieving Data

Now that you are more familiar with the Essbase environment, you can connect to the Essbase server and start using Essbase and the Spreadsheet Add-in. The following section walks you through a typical Essbase session where you connect to a database and retrieve data in various ways.

This section steps you through the following basic retrieval tasks:

- Connecting to a Database
- Changing Your Password
- Retrieving Data from a Database
- Canceling a Data Retrieval Request
- Restoring the Previous Database View
- Zooming In to More Detail
- Zooming Out to Less Detail
- Customizing Zoom In and Zoom Out Behavior

Note: Make sure that you followed the steps in “[Setting Essbase Options](#)” earlier in this chapter. If the settings in the **Essbase Options** dialog box are different from those shown above, the spreadsheet view will look different from the illustrations shown in this chapter.

Remember that you can perform common data retrieval tasks by:

- Selecting commands from the Essbase menu on the Excel menu bar
- Clicking the appropriate buttons on the Essbase toolbar
- Double-clicking the primary or secondary mouse buttons in the appropriate cell (for Retrieve, Zoom In, and Zoom Out commands)

Connecting to a Database

To access Essbase data, you must first connect to a database on the server. This tutorial assumes that you have the appropriate privileges to connect to a server, application, and database.

1. Choose Essbase | Connect.

Essbase displays the **Essbase System Login** dialog box.




Figure 2-10, Essbase System Login Dialog Box

Note: To complete the steps that follow, you need to know the name of the Essbase server, your user name, and your password. If you do not have this information, contact the Essbase System Administrator.

2. Choose the server you want to access from the **Server** list box. (If server names do not appear in the list, you can type in the name of the server you want to access.) Press Tab to move to the **Username** text box.

3. Type your user name in the **Username** text box. Press Tab to move to the **Password** text box.
4. Type your password in the **Password** text box.

Note: You can change your password when you are connected to a server. See “[Changing Your Password](#),” next.

5. Click OK to connect to the server.

Essbase displays a list of available Application/Database pairs in the list box. An Essbase server allows simultaneous access to multiple applications. An application can contain multiple databases. Only the databases to which you have security access are shown in the list.

For this tutorial, you will use the Sample Basic database. If the Sample Basic database was installed as part of the Essbase installation, it is shown in the list. If Sample Basic is not shown in the **Application/Database** list box, ask the Essbase System Administrator to install it.




Figure 2-11, Available Application and Database Pairs

6. Double-click Sample Basic in the **Application/Database** list box. You can also select Sample Basic from the list box and click OK.

If the application is not already running, Essbase automatically starts it. There may be a brief pause as the application loads. The time required to start an application depends on the size and number of databases contained within the application and the size of their indexes.

Changing Your Password

You can only change your password if you are connected to a server.

Note: Remember, tasks that you should *not* perform as part of the tutorial are shown in gray boxes.

To change your password:

1. Click the **Change Password** button in the **Essbase System Login** dialog box.
2. In the **Change Password** dialog box, type your new password in the **New Password** text box.
3. Type the password again in the **Confirm Password** text box.

These passwords must be identical.
4. Click OK to change your password.
5. Click OK again to close the **Essbase System Login** dialog box.

Retrieving Data from a Database

Each time you retrieve information from an Essbase server:

- The Spreadsheet Add-in requests data from the server.
- The server processes the request and prepares the data.
- The server transmits the data to the Spreadsheet Add-in.
- Excel receives the data from Essbase and organizes it in the sheet.

To help you monitor these operations, Essbase uses three custom cursors.

This cursor:	Appears when:
	Essbase requests information from the server.
	The server is processing the request.
	The server returns the data.

Note: Small retrieval actions display the cursors very quickly; you might not notice changes in the direction of the arrow when retrieving small amounts of data.

To retrieve data into an empty sheet:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.

Note: You should be connected to the Sample Basic database. If you are not connected, follow the steps in “[Connecting to a Database](#)” earlier in this chapter.

- Choose Essbase | Retrieve.

Essbase retrieves data into the Excel spreadsheet.

	A	B	C	D	E	F
1		Measures	Product	Market	Scenario	
2	Year	106522				
3						
4						
5						
6						

Figure 2-12. Initial Data Retrieval from Sample Basic

Because you clicked the **Enable Double-Clicking** box in the **Essbase Options** dialog box (**Global** page), you can also double-click in an empty cell to retrieve data. You can also click the **Retrieve** button on the Essbase toolbar.

When you retrieve data into an empty sheet, Essbase returns data from the top levels of each database dimension. The top level is used as a starting point to navigate, or “zoom,” into levels of detailed data. In the Sample Basic database, the following five dimensions are retrieved: Measures, Product, Market, Scenario, and Year.

For the remainder of tasks in this tutorial, you can retrieve data by double-clicking in a data cell, choosing Essbase | Retrieve, or clicking the **Retrieve** button on the Essbase toolbar.

Canceling a Data Retrieval Request

Occasionally, you may want to cancel a retrieval request. For instance, you may want to stop a request if a retrieval is taking longer than expected, or if you mistakenly double-click in a cell.

Because Essbase returns data so quickly to the spreadsheet, you may not be able to cancel a retrieval before the retrieval is complete. This feature is most useful when you need to stop a large retrieval request.

- To cancel data retrievals, press the **Esc** key during a retrieval action.

Note: You can cancel a retrieval *only* while Essbase is processing in the Spreadsheet Add-in. You cannot cancel a retrieval when Essbase is processing from the server.

Restoring the Previous Database View

The FlashBack command restores the previous database view. A database view is simply what you see in the spreadsheet after a retrieval or navigation operation. FlashBack is similar to the Excel Edit | Undo command, which reverses the last action. The FlashBack command uses your machine's memory to store the current view before processing an Essbase retrieval request. You can use FlashBack to undo the most recent operation only. FlashBack cannot undo multiple operations.

Throughout this tutorial, you should follow all steps in the order they appear. If you make a mistake or find yourself out of step with the tutorial, you can use the FlashBack command from the Essbase menu or toolbar to undo the last command and return to the previous database view. If you want to start the tutorial over from the beginning, select the entire sheet and choose Edit | Clear | All. Then press Enter or click OK to empty the sheet and start again.

You can disable FlashBack during normal operations to conserve memory on your local machine. Do not disable FlashBack for this tutorial.

To disable FlashBack:

1. Choose Essbase|Options and click the **Global** tab.
2. Clear the **Enable FlashBack** check box.

Zooming In to More Detail

Essbase lets you “drill down,” or “zoom in,” to various levels of multidimensional data in the spreadsheet. For example, if you want to view data for a specific quarter or month of the year rather than an aggregate data value for the whole year, you can zoom in on the YEAR dimension to see more detailed data.

You have three options for zooming in on a member:

- Select the member and choose Essbase | Zoom In.
- Select the member and double-click the primary mouse button.
- Select the member and click the **Zoom In** button on the Essbase toolbar.

To zoom in to lower levels of the Year dimension:

1. Double-click the primary mouse button on Year in cell A2.

The zoom in action retrieves data for the level below (the children of) Year: Qtr1, Qtr2, Qtr3, and Qtr4.

	A	B	C	D	E	F	G
1		Measures	Product	Market	Scenario		
2	Qtr1	24703					
3	Qtr2	27107					
4	Qtr3	27912					
5	Qtr4	25800					
6	Year	105522					
7							

Figure 2-13, Result of Zooming In on the Year Dimension

Note: For a discussion of the relationships among Essbase database members, see “[The Database Outline](#)” in Chapter 1.

Essbase lets you retrieve members into grouped, or “nested,” columns or rows. Row groups containing more than one level of data are nested within single-member row groups. For example, a row group containing Qtr1, Qtr2, Qtr3, and Qtr4 might be nested within a single-member row for a specific region, such as East (see the following illustration). Zooming in to lower levels of database members is one way to retrieve data into nested groups.

2. Zoom in on Market by double-clicking in cell D1 to create nested groups of rows down the spreadsheet.

	A	B	C	D	E	F	G
1			Measures	Product	Scenario		
2	East	Qtr1	5380				
3		Qtr2	6499				
4		Qtr3	6346				
5		Qtr4	5936				
6		Year	24161				
7	West	Qtr1	7137				
8		Qtr2	7515				
9		Qtr3	7939				
10		Qtr4	7270				
11		Year	29861				

Figure 2-14, Result of Zooming In on the Market Dimension (Nested Rows)

Because spreadsheets can accommodate more rows than columns, Essbase is preset to retrieve data into rows when you zoom in on a member. You can change this default behavior and display the results of a zoom across columns. Zooming across columns applies only to the top-level member of a dimension (for example, Market or Scenario).

Follow these steps to zoom in on Scenario and retrieve its respective members into columns rather than rows:

1. Press and hold the **Alt** key.
2. Double-click Scenario (in cell E1).
3. Release the **Alt** key.

Essbase displays the data in columns across the sheet.

	A	B	C	D	E	F	G	H
1			Measures	Product				
2			Actual	Budget	Variance	Variance %	Scenario	
3	East	Qtr1	5380	6500	-1120	-17.23076923	5380	
4		Qtr2	6499	7550	-1051	-13.9205298	6499	
5		Qtr3	6346	7550	-1204	-15.94701987	6346	
6		Qtr4	5936	6790	-854	-12.57731959	5936	
7		Year	24161	28390	-4229	-14.89609017	24161	
8	West	Qtr1	7137	8960	-1823	-20.34598214	7137	
9		Qtr2	7515	9290	-1775	-19.1065662	7515	
10		Qtr3	7939	9870	-1931	-19.56433637	7939	
11		Qtr4	7270	9060	-1790	-19.75717439	7270	
12		Year	29861	37180	-7319	-19.68531469	29861	

Figure 2-15. Result of Zooming In on the Scenario Dimension (Nested Columns)

Zooming Out to Less Detail

With Essbase, you can “zoom out” to higher levels in the multidimensional database outline by collapsing the current member tree. For example, if you had previously zoomed in on a dimension, such as Scenario, to view data for Actual and Budget, you may need to zoom back out to view aggregate data for the Scenario dimension.

You have three options for zooming out on a member:

- Select the member and choose **Essbase | Zoom Out**.
- Select the member and double-click the *secondary* mouse button.
- Select the member and click the **Zoom Out** button on the Essbase toolbar.

To zoom out on the Scenario dimension in the current spreadsheet:

1. Double-click the *secondary* mouse button on any member of the Scenario dimension (i.e., cell C2, D2, E2, F2, or G2).

Essbase collapses the members of the Scenario dimension.

	A	B	C	D	E	F	G	H
1			Measures	Product				
2			Scenario					
3	East	Qtr1	5380					
4		Qtr2	6499					
5		Qtr3	6346					
6		Qtr4	5936					
7		Year	24161					

Figure 2-16, Result of Zooming Out on the Scenario Dimension

2. Zoom out on East by double-clicking the secondary mouse button in cell A3.

Essbase collapses East, West, South, and Central into the single Market dimension and keeps the dimension in the same column.

	A	B	C	D	E	F	G	H
1			Measures	Product				
2			Scenario					
3	Market	Qtr1	24703					
4		Qtr2	27107					
5		Qtr3	27912					
6		Qtr4	25800					
7		Year	105522					

Figure 2-17, Result of Zooming Out on East

Customizing Zoom In and Zoom Out Behavior

You can customize the behavior of the Zoom In and Zoom Out commands in the **Essbase Options** dialog box. The following steps illustrate some zoom in and zoom out techniques.

To retrieve *all* members of a dimension with a single zoom in operation:

1. Choose Essbase | Options and select the **Zoom** tab.

Essbase displays the **Zoom** page.




Figure 2-18, Zoom In and Member Retention Option Settings

The **Zoom In** option group contains items that let you customize zoom behavior. You can specify which members are returned to the spreadsheet during a zoom in operation. For example, if you select **Bottom Level**, Essbase retrieves data for the lowest level of members in a dimension. With this option, a zoom in on Year retrieves Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, and Dec.

The **Member Retention** option group contains items that let you customize zoom retention characteristics. The default selection, **Include Selection**, retains the selected member along with the other members retrieved as a result of a zoom. For example, if you zoom in on Qtr1, Essbase retrieves data for Jan, Feb, and Mar, as well as for Qtr1. When this option is disabled, Essbase retrieves data only for Jan, Feb, and Mar; Qtr1 is eliminated.

Note: For more information on the **Zoom In** and **Member Retention** option groups, see the Spreadsheet Add-in Online Help.

2. In the **Zoom In** option group, select the **All Levels** option and click OK to save this setting.

3. Zoom in (double-click) on Market in cell A3.
4. Zoom in (double-click) on Scenario in cell C2.

Essbase retrieves all members of Market and Scenario. For the Market dimension, Essbase drilled down two levels to get to the bottom-most members, which are individual states. The Scenario dimension has only one member level, so this dimension's members would also be retrieved if you selected **Next Level** in the **Zoom In** option group.

	A	B	C	D	E	F	G	H
1			Measures	Product				
2			Actual	Budget	Variance	Variance %	Scenario	
3	New York	Qtr1	1656	2000	-344	-17.2	1656	
4		Qtr2	2363	2610	-247	-9.463601533	2363	
5		Qtr3	1943	2290	-347	-15.15283843	1943	
6		Qtr4	2240	2320	-80	-3.448275862	2240	
7		Year	8202	9220	-1018	-11.04121475	8202	
8	Massachusetts	Qtr1	1532	1690	-158	-9.349112426	1532	
9		Qtr2	1750	1900	-150	-7.894736842	1750	
10		Qtr3	1936	2100	-164	-7.80952381	1936	
11		Qtr4	1494	1610	-116	-7.204968944	1494	
12		Year	6712	7300	-588	-8.054794521	6712	

Figure 2-19, Result of Zooming In to All Member Levels

5. Choose Essbase | Options and select the **Zoom** tab.
6. Return the **Zoom In** option setting to **Next Level**.

If you want to zoom out on only one quarter of the year, you can select **Within Selected Group** in the **Member Retention** option group. For example, follow these steps to zoom out on just Qtr1:

1. In the **Member Retention** option group on the **Zoom** page, click the **Within Selected Group** check box and click OK.

Make sure that **Include Selection** is also still checked.

2. Double-click the secondary mouse button on Qtr1 (in cell B3) to zoom out.

Notice that zooming out to the Year dimension only affected New York. All other states show data for all four quarters.

	A	B	C	D	E	F	G	H
1			Measures	Product				
2			Actual	Budget	Variance	Variance %	Scenario	
3	New York	Year	8202	9220	-1018	-11.04121475	8202	
4	Massachusetts	Qtr1	1532	1690	-158	-9.349112426	1532	
5		Qtr2	1750	1900	-150	-7.894736842	1750	
6		Qtr3	1936	2100	-164	-7.80952381	1936	
7		Qtr4	1494	1610	-116	-7.204968944	1494	
8		Year	6712	7300	-588	-8.054794521	6712	
9	Florida	Qtr1	1070	1300	-230	-17.69230769	1070	
10		Qtr2	1339	1570	-231	-14.7133758	1339	
11		Qtr3	1495	1730	-235	-13.58381503	1495	
12		Qtr4	1125	1300	-175	-13.46153846	1125	

Figure 2-20, Result of Zooming Out Within a Selected Group

3. Before moving on with the tutorial, disable the **Within Selected Group** option:
 - a. Choose Essbase | Options and select the **Zoom** tab.
 - b. Clear the **Within Selected Group** check box in the **Member Retention** option group.
4. Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Pivoting, Retaining, and Suppressing Data

Once you have retrieved data into the spreadsheet, you may want to manipulate the data in various ways. For example, you may want to move rows and columns to different positions in the spreadsheet, or you may want to tell Essbase to suppress or retain specific data during data retrievals.

To help you manipulate spreadsheet data, this section steps you through the following procedures:

- Pivoting Rows and Columns
- Retaining a Data Subset
- Removing a Data Subset
- Navigating Through the Spreadsheet Without Retrieving Data
- Suppressing Missing and Zero Values and Underscore Characters

Pivoting Rows and Columns

With the Pivot command, you can change the orientation of spreadsheet data. Use the Pivot command to:

- Move a row group to a column group
- Move a column group to a row group
- Change the order of row groups
- Change the order of column groups

You can execute the Pivot command in two ways:

- Select the member cell that you want to pivot, and choose Essbase | Pivot. This method applies only to moving a row group to a column group, or vice versa.
- Click in the center of the member cell that you want to pivot, press and hold the secondary mouse button, and drag the group to the desired location. This method applies to swapping row and column groups and to changing the order within groups.


For example, to pivot Year data from a row group to a column group.

1. Open a new spreadsheet by choosing File | New or clicking the  icon.

Note:

You should already be connected to the Sample Basic database. If you are not connected, follow the steps in “[Connecting to a Database](#)” earlier in this chapter.

2. Choose Essbase | Retrieve.
3. Zoom in (double-click) on Measures and Product in cells B1 and C1, respectively.
4. Press and hold the Alt key, and zoom in (double-click) on Scenario in cell E1.



	A	B	C	D	E	F	G	H
1						Market		
2				Actual	Budget	Variance	Variance %	Scenario
3	100	Profit	Year	30468	41940	-11472	-27.35336195	30468
4		Inventory	Year	29448	31590	2142	6.780626781	29448
5		Ratios	Year	57.27288145	57.6240049	-0.351123447	-0.609335377	57.27288145
6		Measures	Year	30468	41940	-11472	-27.35336195	30468
7	200	Profit	Year	27954	35950	-7996	-22.24200278	27954
8		Inventory	Year	33000	31090	-1910	-6.143454487	33000
9		Ratios	Year	55.53966595	57.46674162	-1.927075664	-3.353375551	55.53966595
10		Measures	Year	27954	35950	-7996	-22.24200278	27954
11	300	Profit	Year	25799	29360	-3561	-12.12874659	25799
12		Inventory	Year	28865	27140	-1725	-6.355932203	28865
13		Ratios	Year	54.23795671	57.13950487	-2.901548161	-5.078007182	54.23795671
14		Measures	Year	25799	29360	-3561	-12.12874659	25799
15	400	Profit	Year	21301	22130	-829	-3.746046091	21301

Figure 2-21. View Before Pivoting

- Select Year in cell C3 and choose Essbase | Pivot.

	A	B	C	D	E	F
1			Year	Market		
2			Actual	Budget	Variance	Variance %
3	100	Profit	30468	41940	-11472	-27.35336195
4		Inventory	29448	31590	2142	6.780626781
5		Ratios	57.27288145	57.6240049	-0.351123447	-0.609335377
6		Measures	30468	41940	-11472	-27.35336195
7	200	Profit	27954	35950	-7996	-22.24200278
8		Inventory	33000	31090	-1910	-6.143454487
9		Ratios	55.53966595	57.46674162	-1.927075664	-3.353375551
10		Measures	27954	35950	-7996	-22.24200278
11	300	Profit	25799	29360	-3561	-12.12874659
12		Inventory	28865	27140	-1725	-6.355932203
13		Ratios	54.23795671	57.13950487	-2.901548161	-5.078007182
14		Measures	25799	29360	-3561	-12.12874659

Figure 2-22, Result of Pivoting a Row Group to a Column Group

Essbase pivots the Year dimension to a column group next to Market (above the Scenario members).

- As another example, select Actual in cell C2.
- Press and hold the secondary mouse button and drag Actual to product 100 in cell A3.

	A	B	C	D	E	F
1			Year	Market		
2			Actual	Budget	Variance	Variance %
3	100	Actual Budget Variance Variance% Scenario			-11472	-27.35336195
4		Inventory	29448	31590	2142	6.780626781
5		Ratios	57.27288145	57.6240049	-0.351123447	-0.609335377
6		Measures	30468	41940	-11472	-27.35336195
7	200	Profit	27954	35950	-7996	-22.24200278
8		Inventory	33000	31090	-1910	-6.143454487
9		Ratios	55.53966595	57.46674162	-1.927075664	-3.353375551
10		Measures	27954	35950	-7996	-22.24200278
11	300	Profit	25799	29360	-3561	-12.12874659
12		Inventory	28865	27140	-1725	-6.355932203
13		Ratios	54.23795671	57.13950487	-2.901548161	-5.078007182
14		Measures	25799	29360	-3561	-12.12874659

Figure 2-23, Pivoting a Column Group to a Row Group

Note: The member label box that is displayed under the cursor during the pivot operation displays the names of the members you are pivoting. The *orientation* of the member label box, however, does not determine the orientation of the pivot result. Essbase determines the data orientation by the location of the destination cell.

Essbase pivots the Scenario members (Actual, Budget, Variance, and Variance%) from a column group to a row group appearing to the left of the Product members.

	A	B	C	D	E	F	G
1				Year	Market		
2	Actual	100	Profit	30468			
3			Inventory	29448			
4			Ratios	57.27288145			
5			Measures	30468			
6		200	Profit	27954			
7			Inventory	33000			
8			Ratios	55.53966595			
9			Measures	27954			
10		300	Profit	25799			
11			Inventory	26865			
12			Ratios	54.23795671			
13			Measures	25799			
14		400	Profit	21301			

Figure 2-24. Result of Pivoting a Column Group to a Row Group

To transpose the order of row groups:

1. Select Actual in cell A2.
2. Press and hold the secondary mouse button and drag Actual to Profit in cell C2.

	A	B	C	D	E	F
1				Year	Market	
2	Actual	100	Profit	30468		
3			Inventory	29448		
4			Ratios	57.27288145		
5			Measures	30468		
6		200	Profit	27954		
7			Inventory	33000		
8			Ratios	55.53966595		
9			Measures	27954		
10		300	Profit	25799		
11			Inventory	28865		
12			Ratios	54.23795671		
13			Measures	25799		
14		400	Profit	21301		
15			Inventory	26092		
16			Ratios	53.59966758		

Figure 2-25, Pivoting the Order of Row Groups

The pivot changes the order of the row groups.

	A	B	C	D	E	F
1				Year	Market	
2	100	Profit	Actual	30468		
3			Budget	41940		
4			Variance	-11472		
5			Variance %	-27.35336195		
6			Scenario	30468		
7		Inventory	Actual	29448		
8			Budget	31590		
9			Variance	2142		
10			Variance %	6.780626781		
11			Scenario	29448		
12		Ratios	Actual	57.27288145		
13			Budget	57.6240049		
14			Variance	-0.351123447		
15			Variance %	-0.609335377		
16			Scenario	57.27288145		

Figure 2-26, Result of Pivoting the Order of Row Groups

In this example, notice that the destination cell is another row member. Whenever the destination cell is a member of another row group, Essbase exchanges the member groups. You must select a destination cell that contains a member name to exchange row members. You can also exchange column members by choosing a destination cell in another column that contains a member name.

Retaining a Data Subset

The Keep Only command retains only selected member rows or columns and removes all other data from the spreadsheet view. This is a powerful way to remove dimensional slices without having to delete individual cells.

To keep only Actual and Budget data in the current spreadsheet:

1. Select Actual in cell C2 and Budget in cell C3.

	A	B	C	D	E	F
1				Year	Market	
2	100	Profit	Actual	30468		
3			Budget	41940		
4			Variance	-11472		
5			Variance %	-27.35336195		
6			Scenario	30468		
7		Inventory	Actual	29448		
8			Budget	31590		
9			Variance	2142		
10			Variance %	6.780626781		
11			Scenario	29448		
12		Ratios	Actual	57.27288145		
13			Budget	57.6240049		
14			Variance	-0.351123447		
15			Variance %	-0.609335377		
16			Scenario	57.27288145		

Figure 2-27. Selecting Members for the Keep Only Command

2. Choose Essbase | Keep Only.

Essbase removes the Variance, Variance %, and Scenario rows from the spreadsheet and retains only Actual and Budget data.

	A	B	C	D	E	F
1				Year	Market	
2	100	Profit	Actual	30468		
3			Budget	41940		
4		Inventory	Actual	29448		
5			Budget	31590		
6		Ratios	Actual	57.27288145		
7			Budget	57.6240049		
8		Measures	Actual	30468		
9			Budget	41940		
10	200	Profit	Actual	27954		
11			Budget	35950		
12		Inventory	Actual	33000		
13			Budget	31090		
14		Ratios	Actual	55.53966595		
15			Budget	57.46674162		
16		Measures	Actual	27954		

Figure 2-28. Result of Retaining a Data Subset (Adjacent Cells)

Occasionally, the data you want to remove from the spreadsheet does not lie in an adjacent range of cells. The following steps illustrate how to select and retain nonadjacent cells.

1. Press and hold the Alt key and zoom in (double-click) on Year in cell D1.
2. Select Qtr2 (in cell E2).

- Press and hold the **Ctrl** key and select **Qtr4** (in cell G2).

	A	B	C	D	E	F	G
1						Market	
2				Qtr1	Qtr2	Qtr3	Qtr4
3	100	Profit	Actual	7048	7872	8511	7037
4			Budget	9790	10660	11440	10050
5		Inventory	Actual	29448	29860	36461	35811
6			Budget	31590	29950	34830	32340
7		Ratios	Actual	57.40178857	57.28473167	57.39559978	56.99467561
8			Budget	57.7376566	57.39041794	57.45231167	57.96344648
9		Measures	Actual	7048	7872	8511	7037
10			Budget	9790	10660	11440	10050
11	200	Profit	Actual	6721	7030	7005	7198
12			Budget	8480	8840	8830	9800
13		Inventory	Actual	33000	31361	35253	32760
14			Budget	31090	28040	30260	26460
15		Ratios	Actual	55.38738874	55.49797453	55.06764011	56.21773123
16			Budget	57.36255286	57.40395375	57.11143695	57.9954955
17		Measures	Actual	6721	7030	7005	7198

Figure 2-29, Selecting Nonadjacent Members for the Keep Only Command

- Choose **Essbase | Keep Only**.

Essbase retains only **Qtr2** and **Qtr4** data and deletes the other **Year** members.

	A	B	C	D	E	F	G
1				Market			
2				Qtr2	Qtr4		
3	100	Profit	Actual	7872	7037		
4			Budget	10660	10050		
5		Inventory	Actual	29860	35811		
6			Budget	29950	32340		
7		Ratios	Actual	57.28473167	56.99467561		
8			Budget	57.39041794	57.96344648		
9		Measures	Actual	7872	7037		
10			Budget	10660	10050		
11	200	Profit	Actual	7030	7198		
12			Budget	8840	9800		
13		Inventory	Actual	31361	32760		
14			Budget	28040	26460		
15		Ratios	Actual	55.49797453	56.21773123		
16			Budget	57.40395375	57.9954955		
17		Measures	Actual	7030	7198		

Figure 2-30, Result of Retaining a Data Subset (Nonadjacent Cells)

Removing a Data Subset

The Remove Only command is the counterpart to the Keep Only command. With Remove Only, you can remove selected member rows or columns and retain all other data in the spreadsheet view.

To remove a data subset from the current spreadsheet view:

1. Select Ratios in cell B7.
2. Press and hold **Ctrl** and select Measures in cell B9.
3. Choose **Essbase | Remove Only**.

Essbase removes data on Ratios and Measures but retains data for Profit and Inventory.

	A	B	C	D	E	F	G	H	I
1				Market					
2				Qtr2	Qtr4				
3	100	Profit	Actual	7872	7037				
4			Budget	10660	10050				
5		Inventory	Actual	29860	35811				
6			Budget	29950	32340				
7	200	Profit	Actual	7030	7198				
8			Budget	8840	9800				
9		Inventory	Actual	31361	32760				
10			Budget	28040	26460				
11	300	Profit	Actual	6769	6403				
12			Budget	7680	7000				
13		Inventory	Actual	30334	38142				
14			Budget	28460	35460				

Figure 2-31, Result of Removing a Data Subset

Navigating Through the Spreadsheet Without Retrieving Data

With the Navigate Without Data feature, you can perform navigational operations, such as Pivot, Zoom In, Zoom Out, Keep Only, and Remove Only, without retrieving any data into the spreadsheet.

This feature is especially useful when dealing with Dynamic Calculation members, which are usually specified by your company's Application Designer. By activating Navigate Without Data, you are effectively telling Essbase *not* to dynamically calculate values (that is, calculate the database at retrieval time) while you are creating the spreadsheet report. Dynamic Calculation is discussed in more detail in "Retrieving Dynamic Calculation Members" in Chapter 3.

To navigate through the spreadsheet without retrieving data:

1. Choose Essbase | Navigate Without Data.

Essbase displays a check mark next to the menu item.

Note:

You can also enable Navigate Without Data by selecting the appropriate option in the **Essbase Options** dialog box (**Global** page) or by clicking the **Navigate Without Data** button on the Essbase toolbar.

2. Zoom out on Qtr2 by double-clicking the secondary mouse button in cell D2.

Essbase shows the collapsed Year dimension but withholds retrieving any data that is changed as a result of zooming out. The cells where data would normally appear are blank.

	A	B	C	D	E	F	G	H	I
1				Market					
2				Year					
3	100	Profit	Actual						
4			Budget						
5		Inventory	Actual						
6			Budget						
7	200	Profit	Actual						
8			Budget						
9		Inventory	Actual						
10			Budget						
11	300	Profit	Actual						
12			Budget						
13		Inventory	Actual						
14			Budget						

Figure 2-32. Result of Zooming Out (Navigate Without Data Enabled)

3. Press and hold the Alt key, and zoom in (double-click) on Year in cell D2.
Essbase zooms in without retrieving data.
4. Click Actual in cell C3 and choose Essbase | Pivot.
Essbase executes the pivot but does not retrieve data.

Note: You get the same result by pivoting any of the other Scenario members.

	A	B	C	D	E	F	G	H	I	J	K	L
1							Market					
2				Actual						Budget		
3			Qtr1	Qtr2	Qtr3	Qtr4	Year	Qtr1	Qtr2	Qtr3	Qtr4	Year
4	100	Profit										
5		Inventory										
6	200	Profit										
7		Inventory										
8	300	Profit										
9		Inventory										
10	400	Profit										
11		Inventory										
12		Diet										
13		Inventory										
14		Product	Profit									

Figure 2-33. Result of Pivoting (Navigate Without Data Enabled)

- Click the secondary mouse button on Market (cell G1) and drag it to product 100 (cell A4).

Essbase executes the pivot without retrieving data.

	A	B	C	D	E	F	G	H	I	J	K	L
1						Actual					Budget	
2				Qtr1	Qtr2	Qtr3	Qtr4	Year	Qtr1	Qtr2	Qtr3	Qtr4
3	Market	100	Profit									
4			Inventory									
5		200	Profit									
6			Inventory									
7		300	Profit									
8			Inventory									
9		400	Profit									
10			Inventory									
11		Diet	Profit									
12			Inventory									
13		Product	Profit									
14			Inventory									

Figure 2-34, Result of Pivoting (Navigate Without Data Enabled)

Navigating without data also works with the Keep Only and Remove Only commands:

- Select Qtr1 (cell D2) and Qtr2 (cell E2) and choose Essbase | Keep Only.

Essbase retains only the selected members without retrieving data.

	A	B	C	D	E	F	G	H	I	J
1						Actual				
2				Qtr1	Qtr2	Budget	Qtr1	Qtr2		
3	Market	100	Profit							
4			Inventory							
5		200	Profit							
6			Inventory							
7		300	Profit							
8			Inventory							
9		400	Profit							
10			Inventory							
11		Diet	Profit							
12			Inventory							
13		Product	Profit							

Figure 2-35, Result of Keep Only (Navigate Without Data Enabled)

2. Select products 300 (cell B7), 400 (cell B9), and Diet (cell B11) and choose Essbase | Remove Only.

Essbase executes the Remove Only command without actually querying the database for information.

	A	B	C	D	E	F	G	H	I	J
1				Actual		Budget				
2				Qtr1	Qtr2	Qtr1	Qtr2			
3	Market	100	Profit							
4			Inventory							
5		200	Profit							
6			Inventory							
7		Product	Profit							
8			Inventory							
9										
10										

Figure 2-36. Result of Remove Only (Navigate Without Data Enabled)

To turn off Navigate Without Data when you are ready to retrieve data:

1. Choose Essbase | Navigate Without Data.

Essbase removes the check mark next to the menu item.

Note: You can also disable Navigate Without Data by clearing the appropriate option in the **Essbase Options** dialog box (**Global** page) or by clicking the **Navigate Without Data** button on the Essbase toolbar.

- Zoom in (double-click) on Market in cell A3.

Essbase zooms in on the Market dimension and also retrieves data back into the spreadsheet.

	A	B	C	D	E	F	G	H	I
1				Actual		Budget			
2				Qtr1	Qtr2	Qtr1	Qtr2		
3	East	100	Profit	2747	3352	2880	3480		
4			Inventory	5384	4490	5200	3530		
5		200	Profit	562	610	960	1070		
6			Inventory	5957	6442	5610	5910		
7			Product	5380	6499	6500	7550		
8			Inventory	25744	26214	24710	24030		
9	West	100	Profit	1042	849	2350	2130		
10			Inventory	8592	9656	10250	10950		
11		200	Profit	2325	2423	2570	2720		
12			Inventory	11755	11643	11070	10900		
13			Product	7137	7515	8960	9290		
14			Inventory	38751	41574	39020	42820		

Figure 2-37, Result of Zooming In (Navigate Without Data Disabled)

Note: If you want to retrieve data without changing the current spreadsheet view, you can also retrieve data by simply double-clicking in any data cell or choosing Essbase | Retrieve (after disabling Navigate Without Data).

Suppressing Missing and Zero Values and Underscore Characters

Several types of data can be returned to a spreadsheet view:

- Numeric data values
- #NoAccess strings, which are displayed when you do not have the proper security access to view a data value
- #Missing strings, which indicate that no data exists for that member intersection
- Zero data values

A missing value is not the same as a zero value that is loaded into the Essbase database. When data does not exist for any data cell in Essbase, a value of #Missing is returned to the sheet. If any cell in a row contains a value, that row is not suppressed on a retrieval.

With Essbase, you can suppress missing and zero values from displaying in the spreadsheet. In addition, you can tell Essbase to suppress underscore characters that are in some member names.

To suppress rows that contain missing values from displaying in the spreadsheet:

1. Zoom out on Profit by double-clicking the secondary mouse button in cell C3.
2. Pivot Measures in cell C3 to Actual in cell D1.
3. Zoom in (double-click) on product 100 in cell B4.

Notice that in the South, the product 100-30 row contains all missing values, indicating that this product is not sold in the South. You may need to scroll down the spreadsheet to see this row.

	A	B	C	D	E	F	G
1				Measures			
2			Actual		Budget		
3			Qtr1	Qtr2	Qtr1	Qtr2	
4	East	100-10	2461	2940	2550	3050	
5		100-20	212	303	220	300	
6		100-30	74	109	110	130	
7		100	2747	3352	2880	3480	
8		200	562	610	960	1070	
9		Product	5380	6499	6500	7550	
10	West	100-10	1047	1189	1720	1900	
11		100-20	-67	-177	320	200	
12		100-30	62	-163	310	30	
13		100	1042	849	2350	2130	
14		200	2325	2423	2570	2720	
15		Product	7137	7515	8960	9290	
16	South	100-10	745	835	1160	1280	
17		100-20	306	363	570	660	
18		100-30	#Missing	#Missing	#Missing	#Missing	

Figure 2-38, Spreadsheet View Displaying Missing Data Values

4. Choose Essbase | Options and select the **Display** tab.
5. In the **Suppress** option group, click the **#Missing Rows** check box and click OK.

Note:

The **Suppress #Missing Rows** and **Zero Rows** options are not available when any of the **Formula Preservation** options are selected in the **Essbase Options** dialog box. For more information on Formula Preservation, see [“Preserving Formulas when Retrieving Data”](#) in Chapter 3.

6. Choose Essbase | Retrieve to update the sheet.

Note: After you change a spreadsheet option in the **Essbase Options** dialog box, you must perform a retrieval or zoom operation to have the new setting take effect.

Essbase suppresses product 100-30 from the South member group.

	A	B	C	D	E	F	G	H	I
4	East	100-10	2461	2940	2550	3050			
5		100-20	212	303	220	300			
6		100-30	74	109	110	130			
7		100	2747	3352	2880	3480			
8		200	562	610	960	1070			
9		Product	5380	6499	6500	7550			
10	West	100-10	1047	1189	1720	1900			
11		100-20	-67	-177	320	200			
12		100-30	62	-163	310	30			
13		100	1042	849	2350	2130			
14		200	2325	2423	2570	2720			
15		Product	7137	7515	8960	9290			
16	South	100-10	745	835	1160	1280			
17		100-20	306	363	570	660			
18		100	1051	1198	1730	1940			
19		200	1465	1540	1640	1700			
20		Product	3077	3267	4180	4410			
21	Central	100-10	843	928	1080	1180			

Figure 2-39, Result of Suppressing Missing Data Values

7. Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Note: After you enable the **Suppress #Missing Rows** feature in the **Essbase Options** dialog box, any missing values suppressed during a data retrieval are not retrieved again by simply disabling the feature. If you disable the feature in the **Essbase Options** dialog box, missing values are retrieved *only from that point on*. For example, in the tutorial task described above, Essbase could not go back and return the missing values for product 100-30. To return these missing values to the spreadsheet, you would disable the **Suppress #Missing Rows** feature, zoom out on a Product member, then zoom back in.

You can also suppress zeros and underscore characters as described in the task above by clicking the appropriate options in the **Suppress** option group in the **Essbase Options** dialog box (**Display** page).

In addition to suppressing specific values and characters during retrieval, Essbase lets you define a label for missing values (`#Missing`) or for data you do not have access to (`#NoAccess`). If you define a replacement label for these values, Essbase displays the replacement labels in the spreadsheet instead of the default labels. For more information on defining replacement labels for the `#Missing` and `#NoAccess` labels, see the Spreadsheet Add-in Online Help.

Formatting the Spreadsheet

Essbase provides you with various ways to customize the spreadsheet view. For example, you may want to apply visual cues, or styles, to certain member names or to data cells in the sheet, or you may want to display alternate names, or aliases, for member names. This section steps you through the following formatting procedures:

- Formatting Text and Cells
- Displaying Aliases for Member Names
- Displaying Both Member Names and Aliases
- Repeating Member Labels

This section of the tutorial starts with a new spreadsheet.

Formatting Text and Cells

In a spreadsheet report, you may have many hierarchical levels of database information displayed. By defining and applying visual cues, or styles, to the text and cells in the spreadsheet, you can easily keep track of specific database members, dimensions, and cell functions. Styles are a great way to help view and distinguish data in the Spreadsheet Add-in.

Note: Keep in mind that applying styles requires additional processing during a retrieval request. For more information, see [“Removing Styles”](#) in this section.

This section of the tutorial describes the following:

- Applying Styles to Parent Members
- Applying Styles to Dimension Members
- Applying Styles to Data Cells
- Determining the Precedence of Overlapping Styles
- Removing Styles

Note: For a discussion of the relationships among Essbase database members, see “[The Database Outline](#)” in Chapter 1.

Applying Styles to Parent Members

Each dimension in a database may contain a large number of hierarchical levels. As you view data in the spreadsheet, you may not be familiar with all the hierarchical levels of the database outline. To indicate which members have underlying children, you can apply formatting styles to parent members.

To apply styles to parent members:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Choose Essbase | Retrieve.

Note: You should still be connected to the Sample Basic database. If you are not connected, follow the steps in “[Connecting to a Database](#)” earlier in this chapter.

3. Zoom in (double-click) on Year in cell A2.
4. Choose Essbase | Options.

- In the **Essbase Options** dialog box, select the **Style** tab.

Note: The **Style** tab is available only when you are connected to a database.
Essbase displays the **Style** page.




Figure 2-40, Essbase Options Dialog Box, Style Page

The **Members** area lets you define styles for various types of database members, such as parent, child, and shared members.

- In the **Attribute** list, click the **Parent** check box.

Clicking this box defines a font and color style for parent member names. Essbase defines a default color of navy for all parent members. You can select any font format by clicking the **Format** button.

- Click the **Format** button.

Essbase displays the **Font** dialog box.




Figure 2-41, Font Dialog Box

- Select **Bold** in the **Font style** list box and click OK.

Note: Essbase displays an example of the selected style in the **Sample** box.

- Parent members will be the only style applied for now, so click OK.

Even though you have defined styles, they are not enabled until you click the **Use Styles** check box from the **Essbase Options** dialog box and refresh the sheet.

- Choose Essbase | Options and select the **Display** tab.
- In the **Cells** option group, click the **Use Styles** check box to enable your styles, and click OK.
- Choose Essbase | Retrieve to refresh the sheet and apply the styles.

Essbase displays parent member names in bold, navy font.

- Zoom in (double-click) on Qtr1 in cell A2.

Essbase displays Jan, Feb, and Mar in a regular font, because these members do not have underlying children.

	A	B	C	D	E	F	G
1		Measures	Product	Market	Scenario		
2	Jan	8024					
3	Feb	8346					
4	Mar	8333					
5	Qtr1	24703					
6	Qtr2	27107					
7	Qtr3	27912					
8	Qtr4	25800					
9	Year	105522					
10							
11							

Figure 2-42. Styles Applied to Parent Members

Applying Styles to Dimension Members

In addition to applying styles to parent members (as you did in the previous section), you can also apply styles to members of a dimension in a database. Applying styles to dimensions makes it easier to view the various dimension members in the Spreadsheet Add-in.

To apply styles to dimensions:

- Choose Essbase | Options and select the **Style** tab.
- Under the **Dimension** list, select **Year**.
- Click the **Cell Border** check box to create a border around each cell containing a member from the selected dimension.

4. Select **Yellow** from the **Background Color** list box.




Figure 2-43. Selecting a Background Color from the Style Page

5. Click **Format**.

Essbase displays the **Font** dialog box.

6. Select **Bold** from the **Font style** list box and click **OK**.

Note: Essbase displays an example of the selected style in the **Sample** box.

7. Select the **Measures** dimension from the **Dimension** list, and **Fuchsia** from the **Background Color** list box.
8. Select **Product** from the **Dimension** list, and clear the **Cell Border** check box.
9. Select **Aqua** from the **Background Color** list box.
10. Scroll down in the **Dimension** list and select **Market**.
11. Click the **Cell Border** check box and click **Format**.

12. Select **Italic** from the **Font style** list box and click OK.
13. Select **Scenario** from the **Dimension** list, and select **Red** from the **Background Color** list box.
14. Click **Format** and select **White** from the **Color** list box.
15. Click OK twice to return to the spreadsheet.

Note: When you define styles, your choices are saved to the ESSBASE . INI file on your local machine. You can define one set of styles per database.

16. Zoom in (double-click) on Market in cell D1.
17. Press and hold the Alt key and zoom in (double-click) on Scenario in cell E1.
18. Refresh the sheet by choosing Essbase | Retrieve.

Essbase redisplay the spreadsheet and implements the newly defined styles. For example, members of the SCENARIO dimension are displayed with a red background.

	A	B	C	D	E	F	G
1			Measures	Product			
2			Actual	Budget	Variance	Variance %	Scenario
3	East	Jan	1732	2080	-348	-16.73076923	1732
4		Feb	1843	2230	-387	-17.35426009	1843
5		Mar	1805	2190	-385	-17.57990868	1805
6		Qtr1	5380	6500	-1120	-17.23076923	5380
7		Qtr2	6499	7550	-1051	-13.9205298	6499
8		Qtr3	6346	7550	-1204	-15.94701987	6346
9		Qtr4	5936	6790	-854	-12.57731959	5936
10		Year	24161	28390	-4229	-14.89609017	24161
11	West	Jan	2339	2980	-641	-21.51006711	2339
12		Feb	2394	2990	-596	-19.93311037	2394
13		Mar	2404	2990	-586	-19.59866221	2404
14		Qtr1	7137	8960	-1823	-20.34598214	7137

Figure 2-44, Dimensions with Styles Applied

Applying Styles to Data Cells

You can apply styles to data cells, such as Read-Only cells, Read/Write cells, Linked Object cells, and Hyperion Integration Server Drill-Through cells to distinguish them from other cells in the sheet. The Sample Basic database that you are using for this tutorial does not contain data cells with any of these characteristics. In the advanced tutorial presented in Chapter 3, you will attach a linked reporting object to a data cell and apply a style to this cell.

In general, you would apply styles to data cells by following these steps:

1. Choose Essbase|Options and select the **Style** tab.
2. In the **Data Cells** option group, click the **Linked Objects**, **Integration Server Drill-Through**, **Read Only**, or **Read/Write** check box.
3. Click **Format**.
4. In the **Font** dialog box, specify the font, font size, font style, color, and effects, and click OK.

Note: Essbase displays an example of the selected style in the **Sample** box.




Figure 2-45, Sample Style for Read/Write Data Cells

5. Repeat steps 2–4 to set styles for other data cells.
6. Select the **Display** tab and click the **Use Styles** check box to apply styles to the spreadsheet.
7. Click OK to close the **Essbase Options** dialog box.
8. Choose Essbase|Retrieve to display the new styles in the spreadsheet.

Determining the Precedence of Overlapping Styles

The only way you can apply a background color to data is to define a style for dimensions. If dimension styles are defined, and the **Use Styles** setting is turned on, members of a dimension always have the background color defined for them.

The text styles you can apply to members, dimensions, and data cells have a hierarchy that determines which characteristics are applied. Member styles are at the top of that hierarchy, which means that they are always applied (as long as styles are turned on). Note that in Figure 2-44, the Qtr1 label in cell B6 is in bold, navy font, even though the Year dimension style is defined with a yellow background. This is because the Qtr1 label gets its navy text from the style defined for parent members.

Essbase uses the following order of precedence when applying multiple text styles:

- Linked Object cells
- Integration Server Drill-Through
- Read-Only cells
- Read/Write cells
- Parent members
- Child members
- Shared members
- Cells containing formulas
- Dynamic Calculation members
- Dimensions

If you want to see a child member style, make sure that the parent member style is turned off. If you want to see a shared member style, make sure that both parent and child member styles are turned off.

Removing Styles

Styles can be very helpful tools for keeping track of data in the Spreadsheet Add-in. Applying styles, however, involves additional processing time during a retrieval request. This additional processing has a slight impact on the speed of Essbase retrievals.

If you do not want to apply styles to the spreadsheet view, you can clear them. You can also turn off styles so they do not reappear when you refresh the view (by choosing Essbase | Retrieve, for example). *Do not* remove styles if you are stepping through the tutorial so that the spreadsheet will match the illustrations presented in the following tasks.

Note: If you have styles applied to the sheet and you execute the FlashBack command, these styles are temporarily removed from the current view. The styles are re-applied whenever you initiate a retrieval.

To remove all styles from a sheet:

1. Select all cells in the sheet.
2. Choose Edit|Clear|Formats from the Excel menu bar.

To disable styles:

1. Choose Essbase|Options and select the **Display** tab.
2. In the **Cells** option group, clear the **Use Styles** check box and click OK.

Note: If you turn styles off without clearing them from the sheet, the styles remain in the current spreadsheet view when you refresh the view. This is done to avoid removing any styles that you may apply to individual cells using native spreadsheet formatting options.

Displaying Aliases for Member Names

Aliases are alternate names for database members. You can create reports that use the database member name, which is often a stock number or product code, or an alias name, which can be more descriptive. Aliases are defined by the Essbase Application Designer. Each database can contain one or more alias tables.

For example, the Product members in the Sample Basic database are defined as codes, such as 100 and 200. A descriptive alias for each of these Product members, such as Colas and Root Beer, is defined in an alias table. In some cases, alias names may vary depending on the combination of other database members. For example, a Product member may have a different alias for each Market in which it is sold. For more information, see the Spreadsheet Add-in Online Help or the *Database Administrator's Guide*.

To display the alias of a member rather than its database name:

1. Zoom out on Actual by double-clicking the secondary mouse button in cell C2.
2. Press and hold the Alt key and zoom in (double-click) on Product in cell D1.
3. Choose Essbase | Options and select the **Display** tab.
4. In the **Aliases** option group, click the **Use Aliases** check box to display member aliases.
5. Select **Default** from the **Alias** list box.





Figure 2-46, Enabling Aliases in the Essbase Options Display Page

6. Click OK.

- Choose Essbase | Retrieve to refresh the sheet and display the alias names.

Essbase changes the Product codes (100, 200, and so forth) to their predefined aliases (Colas, Root Beer, Cream Soda, and so forth). In the Sample Basic database, Product is the only dimension with predefined aliases.



	A	B	C	D	E	F	G
1					Measures		
2			Colas	Root Beer	Cream Soda	Fruit Soda	Diet Drinks
3			Scenario	Scenario	Scenario	Scenario	Scenario
4	East	Jan	924	158	184	466	181
5		Feb	888	242	200	513	185
6		Mar	935	162	207	501	189
7		Qtr1	2747	562	591	1480	555
8		Qtr2	3352	610	922	1615	652
9		Qtr3	3740	372	522	1712	644
10		Qtr4	2817	990	592	1537	557
11		Year	12656	2534	2627	6344	2408
12	West	Jan	378	752	755	454	663
13		Feb	337	781	797	479	683
14		Mar	327	792	811	474	679

Figure 2-47, Result of Displaying Aliases

Notice that Essbase is still displaying the styles you created and applied in the previous sections.

Displaying Both Member Names and Aliases

In addition to displaying aliases for database members, you can also tell Essbase to display both aliases and the database member names in the Spreadsheet Add-in.

To display the name and alias of a member:

- Zoom out on Qtr2 by double-clicking the secondary mouse button in cell B8.
- Click Colas in cell C2 and choose Essbase | Pivot.
- Click Year in cell C3 and choose Essbase | Pivot.
- Choose Essbase | Options and select the **Display** tab.

- In the **Aliases** option group, click the check box for **Use Both Member Names and Aliases for Row Dimensions**.

Make sure that **Use Aliases** is already checked.

- Click OK to return to the spreadsheet, and choose Essbase | Retrieve.

Essbase displays both member names and their aliases for row dimensions. Since the only row dimension in this example that has preassigned aliases is Product, only the Product members display their aliases. Region members simply repeat the member name instead of displaying an alias.

	A	B	C	D	E	F	G
1					Year	Measures	
2					Scenario		
3	100	Colas	East	East	12656		
4			West	West	3549		
5			South	South	4773		
6			Central	Central	9490		
7			Market	Market	30468		
8	200	Root Beer	East	East	2534		
9			West	West	9727		
10			South	South	6115		
11			Central	Central	9578		
12			Market	Market	27954		
13	300	Cream Soda	East	East	2627		
14			West	West	10731		
15			South	South	2350		

Figure 2-48. Result of Displaying Both Member Names and Aliases

Repeating Member Labels

By default, Essbase displays member labels only once for each nested row and column group. If you were connected to a large database when using the Spreadsheet Add-in, you might have to scroll down or across the spreadsheet to see additional data rows and columns. In some cases, as you scroll down or across, member labels may disappear from view. Essbase provides a feature for repeating member labels in each row or column cell that represents a data point so that you can always see a member label in the spreadsheet view.

To repeat member labels down and across the spreadsheet:

1. Choose Essbase | Options and select the **Display** tab.
2. In the **Aliases** option group, clear the **Use Both Member Names and Aliases for Row Dimensions** check box.
3. In the **Cells** option group, click the **Repeat Member Labels** check box and click OK.




Figure 2-49, Enabling the Repeat Member Labels Option

4. Zoom in (double-click) on Year in cell E1.

Essbase displays a member label in every column and row cell. For the Sample Basic database that you are using for this tutorial, repeating member labels is probably not necessary since the database is relatively small. This feature is particularly helpful for keeping track of member labels when scrolling through large spreadsheets.

	A	B	C	D	E	F	G
1				Measures			
2				Scenario			
3	Qtr1	Colas	East	2747			
4	Qtr1	Colas	West	1042			
5	Qtr1	Colas	South	1051			
6	Qtr1	Colas	Central	2208			
7	Qtr1	Colas	Market	7048			
8	Qtr1	Root Beer	East	562			
9	Qtr1	Root Beer	West	2325			
10	Qtr1	Root Beer	South	1465			
11	Qtr1	Root Beer	Central	2369			
12	Qtr1	Root Beer	Market	6721			
13	Qtr1	Cream Soda	East	591			
14	Qtr1	Cream Soda	West	2363			
15	Qtr1	Cream Soda	South	561			
16	Qtr1	Cream Soda	Central	2414			

Figure 2-50, Result of Repeating Member Labels

Note: Even if you clear the **Repeat Member Labels** check box in the **Essbase Options** dialog box, Essbase retains the repeated member labels in the spreadsheet view. To remove the repeated labels, you would need to do one of the following: (1) clear the check box and open a new spreadsheet; (2) clear the check box and pivot the row group to a column group, then pivot it back to a row group (or vice versa); or (3) choose **Essbase | FlashBack** and clear the check box.

5. Before returning to the tutorial:
 - a. Choose **Essbase | Options** and select the **Display** tab.
 - b. In the **Cells** option group, clear the **Repeat Member Labels** check box and click **OK**.
 - c. Choose **File | Close** to close the spreadsheet. You do not need to save the sheet.

Using the Retrieval Wizard

So far, you have seen how easy it is to retrieve data and navigate through the Spreadsheet Add-in in an ad hoc fashion. Essbase also provides a Retrieval Wizard so that you can define a database query for retrieving dimensions and database members into the spreadsheet.

The Retrieval Wizard steps you through a series of dialog boxes to request the data you want to view in the spreadsheet before actually retrieving any data. The Retrieval Wizard is particularly helpful when you know exactly which data you want to retrieve from the server. In addition, Essbase lets you save a Retrieval Wizard query so that you can use it again.

Note: For complete information on Retrieval Wizard options, see the Spreadsheet Add-in Online Help.

To use the Retrieval Wizard, follow these steps:

1. Choose Essbase | Retrieval Wizard.

Essbase displays Step 1 of the Essbase Data Retrieval Wizard. You can either build a new query or open an existing one.




Figure 2-51, Retrieval Wizard—Step 1

2. Click **Next** to create a new query (the default action).

Essbase displays Step 2 of the Retrieval Wizard. You can define the layout of the spreadsheet view by dragging dimension tiles to a Page, Row, or Column location. You can also select a list of members from each dimension by double-clicking on any dimension tile.

3. Define the spreadsheet layout by dragging the dimension tiles as follows:
 - a. Drag Market and Product to a Row location.
 - b. Drag Measures to the Page location.
 - c. Drag Scenario below Year in the Column location.




Figure 2-52, Retrieval Wizard—Step 2

4. Select the Measures dimension by double-clicking the Measures tile. You can select only one member from the dimension in the Page location.

Essbase displays the **Essbase Member Selection** dialog box, where you can select a member from the Measures dimension.




Figure 2-53, Essbase Member Selection Dialog Box (Page Location)

5. Select Profit and click OK.

Note: If you do not select members from any given dimension, Essbase uses the top member of the dimension.

6. Select members of the Year dimension:
 - a. Double-click the Year tile.

Essbase displays the **Essbase Member Selection** dialog box so that you can select members from dimensions in the Row or Column locations. Because Year is in a Column location, you can select one or more members.

- b. Click Qtr1 and shift-click Qtr4 to select all four quarters.
- c. Click **Add** to add the members to the **Rules** list box and click OK.




Figure 2-54, Essbase Member Selection Dialog Box (Row and Column Locations)

7. Select members of the Scenario dimension:
 - a. Double-click the Scenario tile.
 - b. Select Actual and Budget, and click **Add** to add the members to the **Rules** list box.
 - c. Click OK.
8. Select members of the Product dimension:
 - a. Double-click the Product tile.
 - b. Select product codes 100 through 400, and click **Add** to add the members to the **Rules** list box.
 - c. Select product code 100 from the **Rules** list box and click the right mouse button to see a pop-up menu.

- d. Select **All Children and Member** to select all children of 100, including 100. Essbase displays All Children and Member next to 100 in the **Rules** list box.
- e. Select product code 400 and click the right mouse button to open the pop-up menu.
- f. Select **All Descendants** from the pop-up menu to select all descendants of 400. Essbase displays All Descendants next to 400 in the **Rules** list box.




Figure 2-55, Using the Member Criteria Menu

- g. Click the **Preview** button to view the list of product codes that will be retrieved into the spreadsheet.




Figure 2-56, Member Preview Dialog Box

- h. Click **Close** to close the **Member Preview** dialog box.
9. Click **OK** to close the **Essbase Member Selection** dialog box.
 10. Select members of the Market dimension:
 - a. Double-click the Market tile.
 - b. In the **View Method** option group, select **By Generation Name** to view the members by generation name.
 - c. Select **Region** to pick the second generation of the Market dimension.

- d. Click **Add** to add the generation name to the **Rules** list box.
- e. Click **Preview** to view the list of members that will be retrieved into the spreadsheet. Essbase displays East, West, South, and Central in the **Member Preview** dialog box.




Figure 2-57, Member Preview Dialog Box (Generation Name Selection)

- f. Click **Close** to dismiss the dialog box, and then click OK.

You have now defined a basic Essbase query.

11. Click **Finish** to continue.

Essbase displays a confirmation box asking if you want to save your work. In the next chapter, you will build a more advanced query based on the basic query you have defined in these steps.

12. Click **Yes** to save your work.

Warning!

If you respond **No**, the results of the query overwrite any data that is in the currently active sheet. If this occurs, you can use the FlashBack command to revert the sheet to its prior state. However, a FlashBack action causes you to lose the query you defined with the Retrieval Wizard.

Essbase displays Step 5 of the Retrieval Wizard.



Figure 2-58, Retrieval Wizard—Final Step

13. Click **Save** to save your query.

Essbase displays the **Save As Query** dialog box. You can save your query to the server or to your own client machine. To save to the server, you must have a security level of Database Designer or higher. Contact the Essbase System Administrator for more information.

14. Click **Client**.

15. Clear the **Create report specification** check box.




Figure 2-59, Retrieval Wizard Save as Query Dialog Box

16. Click the **File System** button.

Essbase displays the **Save As** dialog box.

17. Select a location, type `Basic1` in the **File name** text box, and click **Save**. You will use the `Basic1` query again in Chapter 3.



Figure 2-60, Save As Dialog Box

18. Click **A new workbook** in the Retrieval Wizard, and click **Finish**.

	A	B	C	D	E	F	G	H
1							Profit	
2			Qtr1		Qtr2		Qtr3	
3			Actual	Budget	Actual	Budget	Actual	Budget
4	100-10	East	2461	2550	2940	3050	3298	3440
5		West	1047	1720	1189	1900	1339	2120
6		South	745	1160	835	1280	1031	1490
7		Central	843	1080	928	1180	915	1170
8	100-20	East	212	220	303	300	312	310
9		West	-67	320	-177	200	-154	250
10		South	306	570	363	660	281	570
11		Central	908	1130	1045	1320	1089	1340
12	100-30	East	74	110	109	130	130	190
13		West	62	310	-163	30	-286	-130
14		South	#Missing	#Missing	#Missing	#Missing	#Missing	#Missing
15		Central	457	620	500	610	556	690

Figure 2-61, Results of Retrieval Wizard Query

Note: Even if you have styles enabled, they are not applied to the initial query results. To apply styles, choose Essbase | Retrieve. When Essbase returns the data to the sheet, you are free to further investigate the data by performing Zoom, Keep Only, Remove Only, and Pivot operations.

Applying Spreadsheet Options to Retrieval Wizard Results

You can also apply any of the spreadsheet options you have previously set from the **Essbase Options** dialog box to the results of a Retrieval Wizard query.

To enable the Retrieval Wizard to use your previously set spreadsheet options:

1. Choose Essbase | Options.
2. In the **Essbase Options** dialog box, select the **Display** tab.
3. Click the **Use Sheet Options with Retrieval Wizard** check box and click OK.

- Choose Essbase | Retrieve to refresh the spreadsheet.

Essbase displays the results of your Retrieval Wizard query and implements your previously set spreadsheet options. For example, note that aliases are now displayed for the Product dimension instead of the numeric codes.

	A	B	C	D	E	F	G	H	I
1						Profit			
2			Qtr1		Qtr2		Qtr3		Qtr4
3			Actual	Budget	Actual	Budget	Actual	Budget	Actual
4	Cola	East	2461	2550	2940	3050	3298	3440	2430
5		West	1047	1720	1189	1900	1339	2120	1018
6		South	745	1160	835	1280	1031	1490	965
7		Central	843	1080	928	1180	915	1170	793
8	Diet Cola	East	212	220	303	300	312	310	287
9		West	-67	320	-177	200	-154	250	-136
10		South	306	570	363	660	281	570	247
11		Central	908	1130	1045	1320	1089	1340	889
12	Caffeine Free Cola	East	74	110	109	130	130	190	100
13		West	62	310	-163	30	-286	-130	-123
14		Central	457	620	500	610	556	690	567
15	Colas	East	2747	2880	3352	3480	3740	3940	2817

Figure 2-62, Retrieval Wizard Results with Options Applied

- Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Selecting Members

An Essbase database may contain hundreds or even thousands of members, making it difficult to remember each member name. The **Essbase Member Selection** dialog box allows you to easily find and select members and to define their layout in the spreadsheet. In addition, you can use Boolean operators, such as AND, OR, and NOT, or other search parameters to specify criteria and conditions that members must meet for the member selection. Member Selection is an important method of creating a spreadsheet report for the data you want to retrieve.

Note: For complete information on the **Essbase Member Selection** dialog box, see the Spreadsheet Add-in Online Help.


For example, to view specific members from the Market dimension:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.

Note:

You should be connected to the Sample Basic database. If you are not connected, follow the steps in “[Connecting to a Database](#)” earlier in this chapter.

2. Choose Essbase | Retrieve.
3. Select Market and choose Essbase | Pivot to display Market as a row, rather than a column, dimension.



	A	B	C	D	E	F	G
1			Measures	Product	Scenario		
2	Market	Year	105522				
3							
4							
5							

Figure 2-63. Initial Spreadsheet for Member Selection

4. Select Market again and choose Essbase | Member Selection.

Essbase displays the **Essbase Member Selection** dialog box.




Figure 2-64, Essbase Member Selection Dialog Box

In the **Essbase Member Selection** dialog box, Essbase displays the Market dimension in the **Dimension** list box and its children, East, West, South, and Central in the **Members** list box.

5. Select East and click the **Member Information** button.

Essbase displays the **Member Information** dialog box. The dialog box provides information about the selected member, such as dimension, generation, level, storage setting, formula, User-Defined Attributes, and member comments.




Figure 2-65, Member Information Dialog Box

6. Click OK to close the **Member Information** dialog box.
7. Click the **Add** button to add East to the **Rules** list box.

Note: Alternatively, you can double-click an item in the **Members** list box to add the item.

8. Select **West** and click the **Find** button.

Essbase displays the **Find Member** dialog box.

In the **Find Member** dialog box, you can do pattern-match searches for members in the selected dimension. Wildcard patterns—(trailing asterisk, *) and (single-character match, ?)—are allowed. This dialog box locates the members that match the text string in alphabetical order and keeps them selected so that they can be selected as a group.

Note: You can use the trailing asterisk wildcard and single-character wildcard in the text string. The * wildcard replaces a string of characters, whereas the ? wildcard replaces a single character. J?n and 100* are examples of valid wildcard strings; *-10 and J*n are invalid wildcard strings.

9. In the **Find Member** dialog box, type C* in the text box.



Figure 2-66, Find Member Dialog Box

10. Click **Find** to locate the first member that matches C*.

Essbase locates and selects California. Its parent, **West**, is also selected since it was highlighted before the search.

11. Click **Close** to close the **Find Member** dialog box.
12. De-select **West**, leaving only California selected, and click **Add**.

Essbase displays **East** and the new selection, California, in the **Rules** list box.

13. Select **East** in the **Rules** list box and click the right mouse button to view a pop-up menu.
14. Select **All Children** from the pop-up menu.

Essbase displays **All Children** next to **East** in the **Rules** list box.

15. Select East, All Children in the **Rules** list box and click the right mouse button again.
16. Select **Subset** from the pop-up menu.

Essbase displays the **Subset** dialog box, where you can further define conditions for the selected member.

Note: You can define a maximum of 50 conditions in the **Subset** dialog box.

17. In the **Subset** dialog box, select **User-defined Attribute** from the first list box and select **Major Market** from the second list box.
18. Click the **Add as AND Condition** button.

Essbase displays Attribute of Major Market in the **Conditions** list box. The **Add as AND Condition** button adds the selected subsetting condition to the **Conditions** list box to be evaluated, using AND logic. AND logic means that the selection must meet the current condition *and* the one after it in the **Conditions** list box.




Figure 2-67, Subset Dialog Box (Before Adding Conditions)

19. Select **Pattern** from the first list box, click the **NOT** check box, and type **New York** in the second list box.

The **NOT** check box, when checked, tells Essbase to exclude the members that meet the selected condition from the selection.

20. Click **Add as AND Condition**.

Essbase displays NOT Pattern Matching New York in the **Conditions** list box.

21. Select **User-defined Attribute** from the first list box and **Small Market** from the second list box. Clear the **NOT** check box.

22. Click **Add as OR Condition**.

Essbase displays Attribute of Small Market in the **Conditions** list box.

The **Add as OR Condition** button adds the selected subsetting condition to the **Conditions** list box to be evaluated using OR logic. OR logic means that the selection must meet the current condition *or* the one after it in the **Conditions** list box.

23. Select **Generation Name** from the first list box, click the **NOT** check box, and select **Region** from the second list box.

24. Click **Add as AND Condition**.

Essbase displays NOT Generation of Region in the **Conditions** list box.

25. Select **Attribute of Major Market** and click the **Add (** button.

26. Select **NOT Pattern Matching New York** and click the **Add)** button.

The **Add (** and **Add)** buttons add a left parenthesis and right parenthesis to the selected items, respectively. Use parentheses for grouping multiple subsetting conditions together to determine the order of priority for analyzing the conditions. Each item in the **Conditions** list box can have either the left or right parenthesis, but not both. In this example, Essbase first evaluates members that have the **Major Market** attribute and do not match New York. Essbase then evaluates the results from this condition against members with the **Small Market** attribute.

Note: Use the **Remove ()** button to remove an individual group of parentheses from a selected item in the **Conditions** list box. Use the **Remove All ()** button to remove all parenthetical groupings from the **Conditions** list box.

The **Subset** dialog box should appear as follows.




Figure 2-68, Subset Dialog Box (After Adding Conditions)

27. Click **Preview** to open the **Member Preview** dialog box to view the resulting member selection based on the conditions you have defined.




Figure 2-69, Resulting Member Selection from Subsetting Conditions

28. Click **Close** to close the **Member Preview** dialog box.

29. Click **OK** to close the **Subset** dialog box and return to the **Essbase Member Selection** dialog box.

The conditions you set in the **Subset** dialog box are displayed in the **Rules** list box.

30. Select **California** and click the **Move Item Up** button once to change the order in which **California** will be displayed in the spreadsheet.

The **Move Item Up** and **Move Item Down** buttons move the selected item and its associated subset conditions in the **Rules** list box up or down one position each time you click the button. You can move only the top-level item (the item you added from the **Members** list box), not the individual subset conditions.

31. Click **Preview** to preview the members that will be retrieved in the spreadsheet.

Essbase displays the **Member Preview** dialog box. Click **Close** after previewing the list.




Figure 2-70, Members to be Retrieved in Spreadsheet

The selection should appear as follows:




Figure 2-71, Selecting Members Completed

32. Click OK to close the **Essbase Member Selection** dialog box and insert the new members into the spreadsheet.




Figure 2-72, Result of Selecting Members

Note: The FlashBack command cannot undo a Member Selection action.

33. Type Year next to each state, starting with Massachusetts. You need to do this step so that every state has a matching Year dimension associated with it in the report.

	A	B	C	D	E	F
1		Year	Measures	Product	Scenario	
2	California	Year	10522			
3	Massachusetts	Year				
4	Florida	Year				
5	Connecticut	Year				
6	New Hampshire	Year				
7						
8						

Figure 2-73, Spreadsheet After Adding the Year Dimension to All States

34. Choose Essbase | Retrieve to update the values in the sheet.

Essbase retrieves data for the members you selected and also applies the styles you have previously set.

	A	B	C	D	E	F
1		Year	Measures	Product	Scenario	
2	California	Year	12964			
3	Massachusetts	Year	6712			
4	Florida	Year	5029			
5	Connecticut	Year	3093			
6	New Hampshire	Year	1125			
7						
8						

Figure 2-74, Result After Retrieving with Member Selection

Saving and Disconnecting

After performing basic retrieval, navigation, and formatting tasks, you can save spreadsheets and disconnect from Essbase. This section steps you through both tasks and also provides information on forced logouts from Essbase.

Saving a Spreadsheet

At any point during the Essbase session, you can save the active spreadsheet with the Excel File | Save or File | Save As command. Saving a sheet lets you keep a personal library of database views. You can open the sheet during a later session and retrieve the latest data values to update the view.

Note: Saving a sheet saves the settings from the **Essbase Options** dialog box *unless the sheet is protected*. Essbase cannot save option settings for a protected sheet.

Disconnecting from Essbase

When you have finished retrieving and navigating through data, disconnect from the Essbase server to free up a port (or user count) on the server for other Spreadsheet Add-in users.

To disconnect from the server:

1. Choose Essbase | Disconnect.

Essbase displays the **Essbase Disconnect** dialog box, where you can disconnect any sheet that is connected to a database.




Figure 2-75, Essbase Disconnect Dialog Box

2. Select a sheet name from the list and click **Disconnect**.

3. Repeat step 2 until you have disconnected from all active sheets.
4. Click **Close** to close the **Essbase Disconnect** dialog box.

Note: You can also disconnect from the server by simply closing Excel. An abnormal termination of an Excel session, such as a power loss or system failure, does not disconnect your server connection.

Forced Logouts

Essbase provides two administrative facilities that control user connections:

- **Forced Logout**, where an administrator disconnects users at any point in time. This usually occurs when maintenance operations are performed on databases.
- **Auto Logout**, where Essbase automatically disconnects users that are inactive after a time interval specified by an administrator.

For further information, contact the Essbase System Administrator.

What's Next

Now that you have completed the basic Essbase tutorial, you are ready to move on to more complex tasks. In the next chapter, you will use the sample Excel files to see how you can perform advanced Essbase tasks in the Spreadsheet Add-in.

Chapter 3

An Advanced Essbase Tutorial

The tutorial you completed in Chapter 2 was designed to teach you basic data retrieval and navigation concepts for the Hyperion Essbase Spreadsheet Add-in. This chapter builds on those skills and expands your knowledge of Essbase and the Spreadsheet Add-in.

This chapter provides the following sections on advanced tasks:

- Performing Advanced Retrieval Tasks
- Using Linked Reporting Objects
- Connecting to Multiple Databases
- Accessing Linked Partitions
- Updating Data on the Server
- Calculating a Database
- Creating Multiple Sheets from Your Data
- Working with Currency Conversions

In this advanced tutorial, you will use several sample Excel files that were installed as part of the default Essbase installation. These files are stored in the `\ESSBASE\CLIENT\SAMPLE` directory. You will also reconnect to the Sample Basic database.

Before You Begin the Tutorial

Before you begin the advanced tutorial, follow the steps in the next two sections, [“Connecting to a Database”](#) and [“Setting Essbase Options.”](#) In addition, be sure to read [“Things to Remember During the Tutorial”](#) and [“About the Sample Basic Database”](#) in Chapter 2 for important information about what you should expect as you perform the tutorial tasks.

Connecting to a Database

To access Essbase data for the advanced tutorial, you must first connect to the Sample Basic database on the server. This tutorial assumes that you have the appropriate privileges to connect to a server, application, and database.

1. Choose Essbase | Connect.

Essbase displays the **Essbase System Login** dialog box.




Figure 3-1, Essbase System Login Dialog Box

Note: To complete the steps that follow, you need to know the name of the Essbase server, your user name, and your password. If you do not have this information, contact the Essbase System Administrator.

2. Choose the server that you want to access from the **Server** list box. (If server names are not shown in the list, you can type in the name of the server that you want to access.)
3. Press **Tab** to move to the **Username** text box and type your user name in the **Username** text box.
4. Press **Tab** to move to the **Password** text box and type your password in the **Password** text box.

Note: You can change your password when you are connected to a server. See [“Changing Your Password”](#) in Chapter 2 for instructions.

- Click OK to connect to the server.

Essbase displays a list of available Application/Database pairs in the list box. An Essbase server allows simultaneous access to multiple applications. An application can contain multiple databases. Only the databases to which you have security access appear in the list.

For this tutorial, you will use the Sample Basic database. If the Sample Basic database was installed as part of the Essbase installation, it is shown in the list. If Sample Basic is not shown in the **Application/Database** list, ask the Essbase System Administrator to install it.




Figure 3-2. Available Application and Database Pairs

- Double-click Sample Basic in the **Application/Database** list. You can also select Sample Basic from the list and click OK.

If the application is not already running, Essbase automatically starts it. There may be a brief pause as the application loads; the time required to start an application depends on the size and number of databases contained within the application and the size of their indexes.

Setting Essbase Options

Before you begin the tutorial, make sure that the spreadsheet options are set to the initial settings as illustrated in the following figures.

Note: For information on each option in the **Essbase Options** dialog box, see the Spreadsheet Add-in Online Help.

1. Choose Essbase | Options.
2. In the **Essbase Options** dialog box, select the **Display** tab.
3. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 3-3. Initial Settings for Display Options

4. Select the **Zoom** tab.
5. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 3-4, Initial Settings for Zoom Options

6. Select the **Mode** tab.
7. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 3-5, Initial Settings for Mode Options

8. Skip the **Style** tab.

9. Select the **Global** tab.
10. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 3-6. Initial Settings for Global Options

11. Click OK to save the settings for this session and close the **Essbase Options** dialog box.

Note: The settings in the **Essbase Options** dialog box may change as you access the various sample Excel files as part of the tutorial. Leave these settings as they are unless the tutorial advises you to change them. If you have different option settings, the illustrations presented in this chapter may not match the spreadsheet view.

Performing Advanced Retrieval Tasks

The tutorial in Chapter 2 described how to perform basic data retrieval and navigation tasks in the Spreadsheet Add-in. This section walks you through performing the following *advanced* retrieval tasks:

- Defining Data Filtering and Sorting Criteria
- Retrieving Data into Asymmetric Reports
- Working with Formatted Sheets
- Preserving Formulas when Retrieving Data
- Retrieving a Range of Data
- Retrieving Data Using a Function
- Retrieving Dynamic Calculation Members
- Specifying the Latest Time Period for Dynamic Time Series
- Using Free-Form Reporting to Retrieve Data

Remember that you can perform common data retrieval tasks by:

- Selecting commands from the Essbase menu on the Excel menu bar
- Clicking the appropriate buttons on the Essbase toolbar
- Double-clicking the primary or secondary mouse button in the appropriate cell (Retrieve, Zoom In, and Zoom Out commands only)

Defining Data Filtering and Sorting Criteria

Despite the ease and speed with which Essbase lets you navigate into large databases, it is not practical to use Excel's capabilities to filter and sort very large databases. The Hyperion Essbase OLAP Server includes powerful data filtering and sorting capabilities that you can take advantage of. In Chapter 2, you learned how to use the Retrieval Wizard to define a dimensional layout and select members to view. The Retrieval Wizard also provides a powerful yet easy-to-use facility to define conditional retrievals.

To become familiar with these capabilities, perform the following steps. Work with the query, `Basic1`, that you saved in Chapter 2.

Note: If you skipped the tutorial in Chapter 2, go back and follow the steps in “[Using the Retrieval Wizard](#)” to create and save the `Basic1` query.

1. Choose Essbase | Retrieval Wizard.

Essbase displays Step 1 of the Data Retrieval Wizard.

2. Click **Open an existing query**, then click **Open**.

Essbase displays the **Open Query** dialog box.

3. Select the `Basic1` file from the location that you specified in Chapter 2 and click OK.

4. Click **Next** to continue to Step 2 of the Retrieval Wizard.

5. The member selection remains unaltered from the last Retrieval Wizard session, so click **Next** again to continue to Step 3 of the Retrieval Wizard.

Essbase displays Step 3 of the Retrieval Wizard. The filter controls the number of data rows that are retrieved based on any column criteria you define. You can define data filtering criteria on data values that reside in one or more columns of the view.




Figure 3-7, Retrieval Wizard-Step 3

Step 3 of the Retrieval Wizard contains the following items:

- A grid to show all the data columns that will be retrieved, based on Column member selections in Step 2.
- A group that lets you define **Top** or **Bottom** filtering criteria. You can select the highest or lowest rows based on the Row dimension members selected from Step 2. When using the top or bottom criteria, you specify the number of rows, such as “top 10.” You also need to define the data column for which the criteria are based. Further, if you have more than one dimension defined, you can specify which dimension the criteria apply to.

- A group that lets you specify standard data comparison operations, such as **Greater than**, **Less than**, and **Equal to**. You can apply the comparison operator to data values in one or more data columns; you can even apply criteria to compare values between two columns.
 - If you define more than one column criteria, you can link the criteria with an **OR** or **AND** operator.
6. Click the **Top** check box, and enter a value of 2 in the **rows** text box.
 7. Select **1** from the **column** list box (Qtr1, Actual) as the column on which data values are based.
 8. Select **Market** as the dimension that filtering should be applied to.

Your screen should look like Figure 3–7. These settings will select the top two markets for each product, based on the data in column 1.

9. Click **Next**.

Essbase displays Step 4 of the Retrieval Wizard. You can specify data sorting criteria, which affect the order in which the selected rows, from a combination of Steps 2 and 3, are retrieved.

Step 4 of the Retrieval Wizard contains the following items:

- A grid to show all the data columns that will be retrieved, based on Column member selections in the Wizard's Step 2.
 - A group that lets you select one or more data columns to sort. For the selected column, you can apply an ascending or descending sort order. You can also specify sorting to occur over a specific Row dimension group. For example, sorting by **Product** within each **Market**, or sorting across all **Products** and **Markets**. This option is unavailable if you have defined a top or bottom filtering criteria in the Wizard's Step 3.
10. Select column 1 as the column on which data values will be based.

11. Click **Ascending order** and click **Add to list** to add the sort criteria.

Essbase adds the sorting criteria to the list box.




Figure 3-8, Retrieval Wizard-Step 4

12. Click **Next**.

Essbase displays Step 5 of the Retrieval Wizard.



Figure 3-9, Retrieval Wizard-Step 5

13. Click **Finish** and respond **Yes** to save the query.

14. Make sure **The current sheet overwriting its contents** is selected and click **Save**. Save the query again as Basic1.

- Click **Finish** to display the results of the query.

Essbase returns two markets for each product. Within each product group, the top two markets are sorted in ascending order, based on the data values in column 1.

	A	B	C	D	E	F	G	H	I
1						Profit			
2			Qtr1		Qtr2		Qtr3		Qtr4
3			Actual	Budget	Actual	Budget	Actual	Budget	Actual
4	100-10	West	1047	1720	1189	1900	1339	2120	1018
5		East	2461	2550	2940	3050	3298	3440	2430
6	100-20	South	306	570	363	660	281	570	247
7		Central	908	1130	1045	1320	1089	1340	889
8	100-30	East	74	110	109	130	130	190	100
9		Central	457	620	500	610	556	690	567
10	100	Central	2208	2830	2473	3110	2560	3200	2249
11		East	2747	2880	3352	3480	3740	3940	2817
12	200	West	2325	2570	2423	2720	2540	2820	2439
13		Central	2369	3285	2457	3350	2481	3470	2271
14	300	West	2363	2620	2739	2970	2937	3230	2692

Figure 3-10. Result of Filtering and Sorting Data

- Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Note: For complete information on the Retrieval Wizard, see the Spreadsheet Add-in Online Help.

Retrieving Data into Asymmetric Reports

When you retrieve data into the spreadsheet, the resulting report can be either *symmetric* or *asymmetric*. Symmetric reports are characterized by repeating, identical groups of members. For example, Figure 3-10 above shows a symmetric report that contains Actual and Budget members nested below each Year member (Qtr1, Qtr2, Qtr3, and Qtr4).

An asymmetric report is characterized by groups of nested members that differ by at least one member in the nested group. There can be a difference in the number of members or the names of members.

You can create asymmetric reports in one of the following ways:


- Enter member names into the sheet in Free-Form retrieval mode.
- Use a zoom action with the **Within Selected Group** option selected from the **Essbase Options** dialog box (**Zoom** page).
- Suppress rows that contain missing values, zero values, or underscore characters during data retrievals.

If you retrieve data into an asymmetric report, Essbase must perform more internal processing to maintain the asymmetric layout. This processing may increase the retrieval time on large reports. For more information regarding optimizing reports, see the *Database Administrator's Guide*.

Essbase provides a sample file, *ASYMM.XLS*, that illustrates these concepts as part of the default Essbase installation. To view the sample file, *ASYMM.XLS*:

1. Choose File | Open.
2. Open the *ASYMM.XLS* file from the `\ESSBASE\CLIENT\SAMPLE` directory.

Depending on how software is installed on your PC, this file may not be available or may be located in a different directory. Contact the Essbase System Administrator for more information.



	A	B	C	D	E	F	G	H
1	Sales							
2								
3			<i>Actual</i>	<i>Budget</i>	<i>Budget</i>	<i>Budget</i>		
4			Qtr1	Qtr2	Qtr3	Qtr4		
5	East	Colas	6292	6760	7300	5570		
6		Root Beer	5726	5650	5600	5780		
7		Fruit Soda	3735	4150	4350	3850		
8								
9	West	Root Beer	8278	7970	8320	7820		
10		Cream Soda	8043	7720	8300	7570		
11								

Figure 3-11, Asymmetric Report

In *ASYMM.XLS*, row and column dimension groups are asymmetric, which means that the nested member groups from the *Product* dimension differ in their member content within respective markets. For example, *Colas* and *Fruit Soda* are included in *East* but not in *West*. In addition, *Actual* data is displayed for *Qtr1*, whereas *Budget* data is displayed for *Qtr2*, *Qtr3*, and *Qtr4*. Also notice that the sample file displays styles for members of the *Scenario* and *Year* dimensions.

3. Leave the *ASYMM.XLS* file open for the next tutorial task.

Pivoting in Asymmetric Reports

When you pivot a group of members in an asymmetric report, Essbase keeps only unique members from dimensions that are not involved in the pivot.

To illustrate this point, use the *ASYMM.XLS* file that you have open:

1. Using the secondary mouse button, drag *East* (cell A5) to the cell below *Qtr1* (cell C5).

	A	B	C	D	E	F	G	H	I
1					Sales				
2									
3		<i>Actual</i>		<i>Budget</i>		<i>Budget</i>		<i>Budget</i>	
4		Qtr1		Qtr2		Qtr3		Qtr4	
5		East	West	East	West	East	West	East	West
6	Colas	6292	6950	6760	8800	7300	9100	5570	8430
7	Root Beer	5726	8278	5650	7970	5600	8320	5780	7820
8	Fruit Soda	3735	8403	4150	5840	4350	6070	3850	5280
9	Cream Soda	4868	8043	4030	7720	3850	8300	3170	7570
10									
11									

Figure 3-12, Result of Pivoting in an Asymmetric Report

Essbase combines the *Product* members into all unique members. For example, *Root Beer*, which is displayed twice in Figure 3-11, is displayed only once in the current view. *Colas*, which was displayed in only one market in Figure 3-12, now appears in *East* and *West*.

Essbase also removes the blank line between *Product* row groups. A pivot action always eliminates a row or column in which all cells are empty.

2. Close *ASYMM.XLS* without saving the changes.

Working with Formatted Sheets

In addition to providing flexible, ad hoc retrievals, Essbase supports retrieving data into formatted sheets. A sheet can contain the following formats:

- Spaces between rows and columns
- Cell values that contain text or data that is not defined in the database outline
- Member names in noncontiguous locations at the top of a sheet
- Excel formulas (see also “[Preserving Formulas when Retrieving Data](#)” later in this chapter)
- Visual cues (Styles)

Once you have formatted and saved a sheet, you may want to retrieve and navigate through new data in the existing sheet format. This section provides the following information on working with formatted sheets:

- Rules for Working with Formatted Sheets
- Retrieving Data into Formatted Sheets
- Pivoting Data on Formatted Sheets

Rules for Working with Formatted Sheets

Observe the following rules when retrieving data into a formatted sheet:

- Rule 1:** The sheet cannot contain any numeric cells before the first Essbase data cell. For example, in Figure 3–13, the first Essbase data cell is B6. No cell in rows 1 through 5 or cell A6 can contain numeric values, nor can they contain formulas that resolve to numeric values.
- Rule 2:** A cell that lies within a row or column of Essbase data cannot contain text or numeric values. For example, in Figure 3–13, the cells in columns B, C, D, and F and rows 6 through 9 and 11 through 14 cannot contain any text or numbers, or they may be overwritten (or emptied) by the retrieved data. These cells can contain formulas, however, if **Formula Preservation** options are used. For more information on **Formula Preservation** options, see “[Preserving Formulas when Retrieving Data](#)” in this chapter.
- Tip:** If you need to preserve text in a cell, define that text or value as an Excel formula, and use the **Formula Preservation** options.

- Rule 3:** The Pivot command is not available when the **Retain on Retrieval** check box is checked in the **Essbase Options** dialog box (**Mode** page).
- Rule 4:** The Pivot command removes all cells that contain text other than database member names.

Retrieving Data into Formatted Sheets

Essbase provides a sample file, P&L.XLS, that illustrates these concepts as part of the default Essbase installation. The P&L.XLS sample file illustrates how to retrieve data into a sheet that contains formatted text, formulas, and protected cells.

To view the P&L.XLS sheet:

1. Choose File | Open.
2. Open the P&L.XLS file from the \ESSBASE\CLIENT\SAMPLE directory.

Depending on how software is installed on your machine, this file may not be available or may be located in a different directory. Contact the Essbase System Administrator for more information.

	A	B	C	D	E	F	G	H
1	Market: Central			The Beverage Company				
2	Product: 200			Planning Dept.				
3	Scenario: Budget							
4								
5		Jan	Feb	Mar	Qtr1	% Sales		
6	Misc	5	10	10	25	0.30		
7	Payroll	200	200	200	600	0.07		
8	Marketing	350	350	350	1050	12.47		
9	Total Expenses	555	560	560	1675	19.89		
10								
11	COGS	1170	1180	1200	3550	42.16		
12	Sales	2740	2820	2860	8420	100.00		
13	Margin	1570	1640	1660	4870	57.84		
14	Profit	1015	1080	1100	3195	37.95		
15								
16	Ratio Analysis							
17	Markup	57.3%	58.2%	58.0%	57.8%			
18	Marketing %	12.8%	12.4%	12.2%	12.5%			

Figure 3-13. A Sample Formatted Sheet

3. Choose Essbase | Options and select the **Display** tab.
4. In the **Cells** option group, make sure that **Adjust Columns** is checked.

5. Select the **Mode** tab.
6. In the **Formula Preservation** group, click the **Retain on Retrieval** check box to enable Formula Preservation mode.

Note: When **Retain on Retrieval** is enabled, there may be a slight delay in retrieval time.

7. Click OK.

By default, an Essbase retrieval overwrites Excel formulas in the retrieval area of a sheet with data values. The retrieval process also eliminates formulas in cells outside the retrieval area. However, the **Retain on Retrieval** option lets you define retrievals that do not overwrite formulas in any area of the sheet.

8. Choose Essbase | Retrieve to update the sheet with the latest data values.

Essbase determines that some text cells in the sheet do not correspond to database member names. When Essbase is unable to resolve text in the sheet, the following message is displayed:




Figure 3-14, Essbase Unknown Member Message

In this example, the first unknown member detected is Market: in cell A1. Essbase doesn't recognize the colon (:) that follows Market in the cell. If you click **Yes**, Essbase displays the next unknown member; if you click **No**, Essbase continues with the retrieval.

Note: If you work with formatted sheets often, you may want to tell Essbase not to display this message. For more information, see "[Pivoting Data on Formatted Sheets.](#)"

9. Click **No** to close the dialog box and continue with the retrieval.

Essbase retrieves new data but retains the formatting and formulas in the spreadsheet.

	A	B	C	D	E	F	G	H
1	Market: Central			The Beverage Company				
2	Product: 200			Planning Dept.				
3	Scenario: Budget							
4								
5		Jan	Feb	Mar	Qtr1	% Sales		
6	Misc	#Missing	#Missing	#Missing	0	0.00		
7	Payroll	210	210	210	630	0.07		
8	Marketing	300	310	320	930	11.05		
9	Total Expenses	510	520	530	1560	18.53		
10								
11	COGS	1170	1180	1200	3550	42.16		
12	Sales	2740	2820	2860	8420	100.00		
13	Margin	1570	1640	1660	4870	57.84		
14	Profit	1060	1120	1130	3310	39.31		
15								
16	Ratio Analysis							
17	Markup	57.3%	58.2%	58.0%	57.8%			
18	Marketing_%	10.9%	11.0%	11.2%	11.0%			

Figure 3-15, Result of Retrieving on a Formatted Sheet

10. Close P&L.XLS without saving it.

Note: This chapter's section on "[Preserving Formulas when Retrieving Data](#)" provides additional tutorial tasks that show you how to take advantage of all the **Formula Preservation** options.

Pivoting Data on Formatted Sheets

With the Pivot command, you can produce ad hoc reports in both formatted and unformatted sheets. However, a formatted sheet may contain labels and formulas that make the result of a pivot operation ambiguous. The pivot is designed to compress and retain *only* the database elements represented in the sheet. The sheet also retains labels in areas that are not overwritten by pivoted data.

Note: Essbase prevents pivot operations on sheets that contain formulas when **Formula Preservation** mode is active.

INV.XLS, a sample file installed as part of the Essbase installation process, illustrates these concepts. It was saved with the **Retain on Retrieval** option disabled so that you can pivot on this sheet.

To view the INV.XLS sheet:

1. Choose File | Open.
2. Open the INV.XLS file from the \ESSBASE\CLIENT\SAMPLE directory.

Depending on how software is installed on your PC, this file may not be available or may be located in a different directory. Contact the Essbase System Administrator for more information.

	A	B	C	D	E	F	G
1	Market		<i>Inventory Analysis</i>				
2	Actual						
3			Jan	Feb	Mar		Qtr1
4							
5	Sales	100	8314	8327	8407		25048
6		200	8716	8960	8951		26627
7		300	7874	8046	8077		23997
8		400	6634	6736	6778		20148
9		Product	31538	32069	32213		95820
10							
11	Opening Inventory	100	29448	29124	28929		29448
12	* Adjusted for Audit	200	33000	32100	31125		33000
13		300	28865	28964	29095		28865
14		400	26092	26246	26409		26092
15		Product	117405	116434	115558		117405
16							
17	Stock to Sales		3.72	3.63	3.59		
18			=====	=====	=====		
19							

Figure 3-16, Formatted Sheet before Pivoting

3. Choose Essbase | Options and select the **Global** tab.
4. In the **Display Messages** group, clear the **Display Unknown Members** check box to avoid seeing the Essbase message when working with formatted sheets.

- Using the secondary mouse button, drag Sales (in cell A5) to the cell nested below Jan (C4).

Essbase pivots the Sales member group so that it is nested below the monthly members. However, during the pivot, Essbase retains only database elements. For example, all data for Stock to Sales and Adjusted for Audit was deleted during the pivot.

	A	B	C	D	E	F	G
1			<i>Inventory Analysis</i>		Market		
2					Actual		
3		Jan		Feb		Mar	
4		Sales	Opening Ir	Sales	Opening Ir	Sales	Opening Ir
5							
6	100	8314	29448	8327	29124	8407	28929
7	200	8716	33000	8960	32100	8951	31125
8	300	7874	28865	8046	28964	8077	29095
9	400	6634	26092	6736	26246	6778	26409
10	Product	31538	117405	32069	116434	32213	115558
11							
12		* Adjusted for Audit					
13							
14							
15							
16							
17	Stock to Sales						
18			-----	-----	-----		

Figure 3-17, Result of Pivoting on a Formatted Sheet

- Close INV . XLS without saving it.

Preserving Formulas when Retrieving Data

In “[Retrieving Data into Formatted Sheets](#)” previously in this chapter, you used the **Retain on Retrieval** option to preserve formatting and formulas in an existing spreadsheet. Collectively, the **Formula Preservation** options let you retain formulas during data retrievals, Keep and Remove Only operations, and Zoom operations. In addition, Essbase can replicate formulas for additional members retrieved into the sheet as part of a Zoom operation. This section steps you through using all of the **Formula Preservation** options in a report that you create.


You must enable some options to enable other options. Keep in mind the following guidelines and restrictions when using the **Formula Preservation** options:

- On the **Mode** page of the **Essbase Options** dialog box, you must have the **Advanced Interpretation** option selected to enable **Retain on Retrieval**. The **Formula Preservation** options do not work with Free-Form retrieval mode.
- You must enable **Retain on Retrieval** to enable **Retain on Keep and Remove Only** and **Retain on Zooms**.
- You must enable **Retain on Zooms** to enable **Formula Fill**.
- When you click the **Retain on Retrieval** check box, the **Suppress #Missing Rows** and **Zero Rows** options on the **Display** page become disabled. Conversely, if you have either of these **Display** options selected, the **Formula Preservation** options are automatically disabled.
- When you click the **Retain on Zooms** check box, the **Remove Unselected Groups** option on the **Zoom** page is disabled, and vice versa.
- When **Retain on Retrieval** is enabled, there may be a slight delay in retrieval time.
- As a general rule, always insert a blank row as the last row in the formula range to ensure that the cell range in the formula expands properly when you zoom in on members with **Retain on Zooms** enabled. For more information, see the Spreadsheet Add-in Online Help.
- Formula arrays are not supported in the Essbase Spreadsheet Add-in with the preserve formula option on. If you have formula arrays in the spreadsheet, Essbase will not preserve these types of formulas.

To preserve formulas when retrieving or retaining data:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Choose Essbase | Retrieve.
3. Zoom in (double-click) on Year in cell A2.
4. Press and hold the Alt key and zoom in (double-click) on Scenario in cell E1.
5. Select cell G3 and enter the following formula in the cell:

=B3/B7*100



	A	B	C	D	E	F	G	H
1		Measures	Product	Market				
2		Actual	Budget	Variance	Variance %	Scenario		
3	Qtr1	24703	30580	-5877	-19.21844343	24703	=B3/B7*100	
4	Qtr2	27107	32870	-5763	-17.53270459	27107		
5	Qtr3	27912	33980	-6068	-17.85756327	27912		
6	Qtr4	25800	31950	-6150	-19.24882629	25800		
7	Year	105522	129380	-23858	-18.44025352	105522		
8								
9								
10								
11								

Figure 3-18. Entering an Excel Formula into a Cell

6. Press Enter.

Excel calculates the formula you entered in cell G3 and now reflects Qtr1 as a percentage of Year.

	A	B	C	D	E	F	G	H
1		Measures	Product	Market				
2		Actual	Budget	Variance	Variance %	Scenario		
3	Qtr1	24703	30580	-5877	-19.21844343	24703	23.41028411	
4	Qtr2	27107	32870	-5763	-17.53270459	27107		
5	Qtr3	27912	33980	-6068	-17.85756327	27912		
6	Qtr4	25800	31950	-6150	-19.24882629	25800		
7	Year	105522	129380	-23858	-18.44025352	105522		
8								
9								
10								
11								

Figure 3-19, Result of Excel Formula with Essbase Data

7. Choose Essbase | Options and select the **Mode** tab.
8. In the **Formula Preservation** area, click the boxes for **Retain on Retrieval** and **Retain on Keep and Remove Only** and click OK.

9. Select Variance, %Variance, and Scenario in cells D2, E2, and F2, respectively.
10. Choose Essbase | Remove Only.

Essbase removes the selected columns but retains the Excel formula you entered, keeping it with the retained dataset.

	A	B	C	D	E	F	G	H
1	Measures	Product	Market					
2	Actual	Budget						
3	Qtr1	24703	30580	23.41028411				
4	Qtr2	27107	32870					
5	Qtr3	27912	33980					
6	Qtr4	25800	31950					
7	Year	105522	129380					
8								
9								
10								
11								

Figure 3-20, Result of Removing Columns with Retain on Keep or Remove Only Enabled

11. Choose Essbase | Options and select the **Mode** tab.
12. In the **Formula Preservation** area, click the box for **Retain on Zooms** and click OK.

13. Zoom in (double-click) on Qtr1 in cell A3.

Essbase zooms in on Qtr1 and moves the formula you entered down with the Qtr1 member.


	A	B	C	D	E	F	G
1		Measures	Product	Market			
2		Actual	Budget				
3	Jan	8024	9940				
4	Feb	8346	10350				
5	Mar	8333	10290				
6	Qtr1	24703	30580	23.41028411			
7	Qtr2	27107	32870				
8	Qtr3	27912	33980				
9	Qtr4	25800	31950				
10	Year	105522	129380				
11							
12							
13							

Figure 3-21, Result of Zooming with Retain on Zooms Enabled

14. Choose Essbase | FlashBack.
15. Choose Essbase | Options and select the **Mode** tab.
16. In the **Formula Preservation** area, click the **Formula Fill** check box and click OK.

17. Zoom in (double-click) on Qtr1 in cell A3.

Essbase zooms in on Qtr1 and fills in, or replicates, a corresponding formula for each member of Qtr1 (Jan, Feb, and Mar). To view the replicated formulas, click in cells D3, D4, D5, and D6 and look at the new syntax in the Excel formula bar.



	A	B	C	D	E	F	G
1		Measures	Product	Market			
2		Actual	Budget				
3	Jan	8024	9940	29.60121002			
4	Feb	8346	10350	29.9011178			
5	Mar	8333	10290	32.29844961			
6	Qtr1	24703	30580	23.41028411			
7	Qtr2	27107	32870				
8	Qtr3	27912	33980				
9	Qtr4	25800	31950				
10	Year	105522	129380				
11							

Figure 3-22, Result of Zooming In with Formula Fill Enabled

18. Before moving on with the tutorial:
- Choose Essbase | Options and select the **Mode** tab.
 - Clear all of the **Formula Preservation** options.
 - Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Retrieving a Range of Data

In a typical Excel spreadsheet, you can select a range of cells by pressing the primary mouse button and dragging the mouse across the sheet. You can also select a range of cells and then tell Essbase to restrict the data retrieval to the selected range in the sheet. Retrieving a range of data is particularly useful when:

- A sheet contains multiple reports
- A sheet contains extraneous information that is not supported in a formatted report retrieval
- You need to retrieve only a small subset of values from the server, which dramatically decreases retrieval time for large datasets
- You need to retrieve data to an area of the sheet other than the first column

Essbase provides a sample file, `PROFIT.XLS`, that illustrates these concepts as part of the default Essbase installation.

To view the `PROFIT.XLS` file:

1. Choose File | Open.
2. Open the `PROFIT.XLS` file from the `\ESSBASE\CLIENT\SAMPLE` directory.

Depending on how software is installed on your PC, this file may not be available or may be located in a different directory. Contact the Essbase System Administrator for more information.

PROFIT.XLS has a range of cells (B2 through F9) already selected for you.

	A	B	C	D	E	F	G	H
1								
2		100	Central					
3		Actual		Budget				
4		Sales	Profit %	Sales	Profit %			
5		Qtr1	1111	27.3	2222	34.5		
6		Qtr2	1111	28.4	2222	35.1		
7		Qtr3	1111	28.8	2222	35.3		
8		Qtr4	1111	27.6	2222	38.1		
9		Year	1111	28.1	2222	35.7		
10								
11								
12			Central	Actual	Profit %			
13		Qtr1	Qtr2	Qtr3	Qtr4	Year		
14	100-10	22.0	22.0	22.0	22.0	22.0	22.0	
15	100-20	22.0	22.0	22.0	22.0	22.0	22.0	
16	100-30	22.0	22.0	22.0	22.0	22.0	22.0	

Figure 3-23, Selected Range of Cells for Retrieval

3. Choose Essbase | Retrieve to update the selected range.

	A	B	C	D	E	F	G	H
1								
2		100	Central					
3		Actual		Budget				
4		Sales	Profit %	Sales	Profit %			
5		Qtr1	8074	27.3	8200	34.5		
6		Qtr2	8701	28.4	8870	35.1		
7		Qtr3	8894	28.8	9060	35.3		
8		Qtr4	8139	27.6	7800	38.1		
9		Year	33808	28.1	33930	35.7		
10								
11								
12			Central	Actual	Profit %			
13		Qtr1	Qtr2	Qtr3	Qtr4	Year		
14	100-10	22.0	22.0	22.0	22.0	22.0	22.0	
15	100-20	22.0	22.0	22.0	22.0	22.0	22.0	
16	100-30	22.0	22.0	22.0	22.0	22.0	22.0	

Figure 3-24, Result of Retrieving First Range of Data

Essbase updates only the data in the selected range of cells. Now, choose another range to update.

- Select cells B12 through G16.

The screenshot shows a spreadsheet window titled 'Profit.xls'. It contains two data tables. The first table, located in rows 2-9, compares 'Actual' and 'Budget' data for 'Sales' and 'Profit %' across four quarters and a total 'Year'. The second table, located in rows 12-16, shows 'Actual' and 'Profit %' data for 'Qtr1' through 'Qtr4' and 'Year' across three different ranges: '100-10', '100-20', and '100-30'. A range of cells from B12 to G16 is highlighted in black, indicating it has been selected.

	A	B	C	D	E	F	G	H
1								
2			100	Central				
3			Actual		Budget			
4			Sales	Profit %	Sales	Profit %		
5		Qtr1	8074	27.3	8200	34.5		
6		Qtr2	8701	28.4	8870	35.1		
7		Qtr3	8894	28.8	9060	35.3		
8		Qtr4	8139	27.6	7800	38.1		
9		Year	33808	28.1	33930	35.7		
10								
11								
12				Central	Actual	Profit %		
13		Qtr1	Qtr2	Qtr3	Qtr4	Year		
14		100-10	22.0	22.0	22.0	22.0	22.0	22.0
15		100-20	22.0	22.0	22.0	22.0	22.0	22.0
16		100-30	22.0	22.0	22.0	22.0	22.0	22.0

Figure 3-25, Selecting Cells for Retrieval

- Choose Essbase | Retrieve once again to update the selected range.
Essbase updates the data in the selected range.

This screenshot shows the same spreadsheet as Figure 3-25, but the data in the selected range (B12:G16) has been updated. The 'Actual' and 'Profit %' values for the three ranges are now different from the initial state.

	A	B	C	D	E	F	G	H
1								
2			100	Central				
3			Actual		Budget			
4			Sales	Profit %	Sales	Profit %		
5		Qtr1	8074	27.3	8200	34.5		
6		Qtr2	8701	28.4	8870	35.1		
7		Qtr3	8894	28.8	9060	35.3		
8		Qtr4	8139	27.6	7800	38.1		
9		Year	33808	28.1	33930	35.7		
10								
11								
12				Central	Actual	Profit %		
13		Qtr1	Qtr2	Qtr3	Qtr4	Year		
14		100-10	24.6	25.1	24.7	23.8	24.6	
15		100-20	29.6	31.3	32.1	29.7	30.7	
16		100-30	28.9	30.0	31.0	31.4	30.4	

Figure 3-26, Result of Retrieving Second Range of Data

- Close PROFIT.XLS without saving it.

Retrieving Data Using a Function

The Essbase cell retrieve function, *EssCell*, retrieves a single database value into a spreadsheet cell. You can enter an EssCell function directly into a sheet or select it from the Excel menu bar.

Note: You must be connected to a database to use EssCell.

EssCell retrieves data when you perform an Essbase retrieval or recalculate the sheet through Excel. Essbase provides a sample file, *SUMMARY.XLS*, that illustrates these concepts as part of the default Essbase installation. This file has EssCell functions already set in cells B16 and B17.

To view the *SUMMARY.XLS* file:

1. Choose File | Open.
2. Open the *SUMMARY.XLS* file from the `\ESSBASE\CLIENT\SAMPLE` directory.

Depending on how software is installed on your PC, this file may not be available or may be located in a different directory. Contact the Essbase System Administrator for more information.

	A	B	C	D	E	F	G
1	200						
2	Texas						
3							
4		Budget					
5		Qtr1	Qtr2	Qtr3	Qtr4	Year	
6	Sales	1460	1560	1630	1320	5970	
7	COGS	560	590	630	500	2280	
8	Margin	900	970	1000	820	3690	
9	Marketing	160	160	170	120	610	
10	Payroll	60	60	60	110	290	
11	Misc	#Missing	#Missing	#Missing	#Missing	#Missing	
12	Total Expenses	220	220	230	230	900	
13	Profit	680	750	770	590	2790	
14							
15							
16	Year Sales	#N/A					
17	Year Margin %	#N/A					

Figure 3-27, Sheet Containing EssCell Functions

Cells B16 and B17 in *SUMMARY.XLS* contain the EssCell function. If you select either of these cells, you can view the syntax for the EssCell function in the Excel formula bar at the top of the sheet.

The EssCell function is defined in a cell as follows:

```
=EssCell(mbrList)
```

Where *mbrList* is one of the following:

- **A null value.** If the parameters of the function are empty, Essbase returns the data value from the top of each dimension.
- **A comma-delimited list of member names.** Member names must be enclosed in double quotes, with only one member per dimension allowed. If you omit members from any dimensions, the function returns the data value from the top member of each unspecified dimension. Furthermore, you can include aliases in the member list, subject to the same rules as member names.
- **An Excel cell reference.** The reference must point to a cell that contains a valid member name. Member names, such as 200 and 300-10, need to be formatted as text cells, rather than numeric cells.

For example, the syntax for the EssCell function in cell B16 in the *SUMMARY.XLS* file is:

```
=EssCell("Sales", A1, A2, B4, F5)
```

When you open the sheet, the values in these cells are #N/A. To update these values with the data in your database, you must perform a retrieval from Essbase.

3. Choose Essbase | Retrieve.

Essbase calculates the EssCell functions in cells B16 and B17.

	A	B	C	D	E	F	G
1	200						
2	Texas						
3							
4		Budget					
5		Qtr1	Qtr2	Qtr3	Qtr4	Year	
6	Sales	1460	1560	1630	1320	5970	
7	COGS	560	590	630	500	2280	
8	Margin	900	970	1000	820	3690	
9	Marketing	160	160	170	120	610	
10	Payroll	60	60	60	110	290	
11	Misc	#Missing	#Missing	#Missing	#Missing	#Missing	
12	Total Expenses	220	220	230	230	900	
13	Profit	680	750	770	590	2790	
14							
15							
16	Year Sales	5970					
17	Year Margin %	61.81					

Figure 3-28, Retrieval on a Sheet Containing the EssCell Function

Now update the EssCell functions to retrieve data for a different state.

4. Change the contents of cell A2 from Texas to Florida.

The values in cells B16 and B17 are updated as soon as you update the cell. This update occurs because Excel has recalculated the sheet (if Excel is configured to automatically calculate changes). The remaining data cells did not change. To completely update the sheet, you must retrieve data from the server.

	A	B	C	D	E	F	G
1	200						
2	Florida						
3							
4		Budget					
5		Qtr1	Qtr2	Qtr3	Qtr4	Year	
6	Sales	1460	1560	1630	1320	5970	
7	COGS	560	590	630	500	2280	
8	Margin	900	970	1000	820	3690	
9	Marketing	160	160	170	120	610	
10	Payroll	60	60	60	110	290	
11	Misc	#Missing	#Missing	#Missing	#Missing	#Missing	
12	Total Expenses	220	220	230	230	900	
13	Profit	680	750	770	590	2790	
14							
15							
16	Year Sales	5030					
17	Year Margin %	60.04					

Figure 3-29, Updating the EssCell Function

Tip: If the sheet contains many EssCell functions, change Excel to manual calculation mode. This prevents the cell retrieve from calculating until you retrieve data or manually calculate the sheet. For more information, see the Excel documentation.

- Choose Essbase | Retrieve to update the report.

Essbase returns an error message if EssCell is unsuccessful. The following table lists messages that Essbase displays in the EssCell cell and the condition that caused the message:

Message	Reason
#N/A	The sheet is not connected to a database.
#VALUE!	Invalid member name in list or reference.
#NAME?	A text name in the function did not contain double quotation marks.

- Close SUMMARY.XLS without saving it.

The sample file that you used for this tutorial task already had EssCell functions defined. To enter your own EssCell function into a spreadsheet, you would:

- Choose Insert|Function from the Excel menu bar.
- Select **Essbase Add-in** from the **Function Category** list.
The Excel Function Wizard steps you through defining the EssCell function.

Note: For more information on EssCell functions, see the Spreadsheet Add-in Online Help.

Retrieving Dynamic Calculation Members

Dynamic Calculation members are database members that are excluded from the batch calculation process, thus shortening the regular database calculation time. Your Essbase Application Designer tags Dynamic Calculation members in the database outline so that Essbase knows not to calculate those members until a data retrieval requests them. This process is referred to as Dynamic Calculation. Dynamically calculating database members benefits the Essbase server in the following ways:

- Reduced disk usage
- Reduced database restructuring time
- Reduced time to back up the database

Database values that Essbase calculates dynamically take slightly longer to retrieve in the Spreadsheet Add-in because Essbase must perform calculations *before* retrieving data into the spreadsheet. For more information on Dynamic Calculation, see the *Database Administrator's Guide*.

Tip: Enable the Navigate Without Data feature while you arrange the spreadsheet report so that Essbase does not dynamically calculate the database when you are creating the report. For more information on the Navigate Without Data feature, see [“Navigating Through the Spreadsheet Without Retrieving Data”](#) in Chapter 2.

Since there may be a performance impact on retrieving data for Dynamic Calculation members, you may want to define visual cues, or styles, for these members so that you can identify them in the Spreadsheet Add-in.

To illustrate these concepts, use the ASYMM.XLS file. To view this file:

1. Choose File | Open.
2. Open the ASYMM.XLS file from the \ESSBASE\CLIENT\SAMPLE directory.
3. Zoom out on ACTUAL by double-clicking the secondary mouse button in cell C3.

- Zoom in on Scenario in cell C3 to display all members for this dimension.

Essbase displays all of the Scenario members for Qtr1 only.

	A	B	C	D	E	F	G
1					Sales		
2							
3			<i>Actual</i>	<i>Budget</i>	<i>Variance</i>	<i>Variance %</i>	<i>Scenario</i>
4			Qtr1	Qtr1	Qtr1	Qtr1	Qtr1
5	East	Colas	6292	5870	422	7.189097104	6292
6		Root Beer	5726	5460	266	4.671794872	5726
7		Fruit Soda	3735	3880	-145	-3.737113402	3735
8							
9	West	Root Beer	8278	7700	578	7.506493506	8278
10		Cream Soda	8043	6890	1153	16.73439768	8043

Figure 3-30, Displaying Scenario Members

- Choose Essbase | Options and select the **Style** tab.

Note: You must be connected to the Sample Basic database to display the **Style** tab. For more information on connecting to a database, see “[Connecting to a Database](#)” earlier in this chapter.

- Scroll down in the **Members** group until you see **Dynamic Calculations**.
- Click the **Dynamic Calculations** check box and click the **Format** button.
- In the **Font** style list, select **Bold Italic**.
- In the **Color** list box, select **Gray**.
- Click OK and then select the **Display** tab.
- In the **Cells** option group, click **Use Styles** and click OK.

12. Choose Essbase | Retrieve.

Essbase displays the data and applies all the visual cues, or styles, you have set, including the newly set style for Dynamic Calculation members and the styles you set in Chapter 2. In this example, the columns for Variance and Variance% were dynamically calculated. You can tell because Essbase displays these members in gray, bold, italicized font. (They also have a red background because of the style that was previously set for all members of the Scenario dimension.)

	A	B	C	D	E	F	G
1					Sales		
2							
3			Actual	Budget	Variance	Variance %	Scenario
4			Qtr1	Qtr1	Qtr1	Qtr1	Qtr1
5	East	Colas	6292	5870	422	7.189097104	6292
6		Root Beer	5726	5460	266	4.871794872	5726
7		Fruit Soda	3735	3880	-145	-3.737113402	3735
8							
9	West	Root Beer	8278	7700	578	7.506493506	8278
10		Cream Soda	8043	6890	1153	16.73439768	8043
11							

Figure 3–31, Result of Retrieving Dynamic Calculation Members

Note: Occasionally, other styles you have set may override a style for Dynamic Calculation members. For example, if a parent member is also a Dynamic Calculation member, and if you have styles set for both, the style for the parent member overrides the style for the Dynamic Calculation member. In this case, you would need to remove the style for parent members in order to see the style for Dynamic Calculation members. For more information on the precedence of styles, see “Determining the Precedence of Overlapping Styles” in Chapter 2.

13. Close the ASYMM.XLS file without saving it.

Specifying the Latest Time Period for Dynamic Time Series

Dynamic Time Series members are predefined database members that are used in dynamic, to-date reporting, such as year-to-date or month-to-date values. Dynamic Time Series members do not appear as individual members in the database outline; instead, they correspond to a generation name that uses a key term for time, such as Year, Month, or Day.

For example, in the Sample Basic database, a generation name called **Quarter** for Generation 2 in the **Year** dimension was created that contains the members for **Qtr1**, **Qtr2**, **Qtr3**, and **Qtr4**. When the generation name **Quarter** was created, Essbase created a Dynamic Time Series member called **Q-T-D**, or quarter-to-date.

To take advantage of Dynamic Time Series in the Spreadsheet Add-in, you can choose the latest time period for which you want data in a to-date calculation. The calculated value of the Dynamic Time Series member is derived when you define the latest time period to be reported. In the Sample Basic database, for example, the Level 0 members of the **Year** dimension are the months of the year: **Jan**, **Feb**, **Mar**, and so on. If the current month is **August**, and you want to know the sales data for the quarter up to the current month, a quarter-to-date calculation gives you the sales data for the months of **July** and **August**.

To illustrate the concept of Dynamic Time Series:

1. Open a new spreadsheet by choosing **File | New** or clicking the  icon.
2. Choose **Essbase | Options** and select the **Zoom** tab.
3. In the **Zoom In** option group, select **Next Level**.
4. Clear the **Within Selected Group** check box.
5. Choose **Essbase | Retrieve**.
6. Zoom in (double-click) on **Measures** in cell B1.
7. Click **Year** in cell B2.
8. Type **Q-T-D** in cell B2 and press **Enter** to enter a predefined Dynamic Time Series member (**Q-T-D**):



	A	B	C	D	E	F
1			Product	Market	Scenario	
2	Profit	Q-T-D	105522			
3	Inventory	Year	117405			
4	Ratios	Year	55.26162827			
5	Measures	Year	105522			
6						
7						
8						

Figure 3-32. Entering a Dynamic Time Series Member into a Spreadsheet

Note: For a list of other possible Dynamic Time Series members, see the Spreadsheet Add-in Online Help.

9. Choose Essbase | Options and select the **Display** tab.
10. In the **Dynamic Time Series** area, click the box for **Latest Time Period**.
11. From the list box, select **May** and click OK.




Figure 3-33. Specifying Latest Time Period in a Dynamic Time Series

Note: If you do not specify a latest time period, Essbase uses the first Level 0 member (Jan) as the default.

12. Choose Essbase | Retrieve.

Note: The Retrieve & Lock, Zoom In, and Zoom Out commands are not supported with Dynamic Time Series members.

Essbase displays data for the Q-T-D member. The data values in the spreadsheet are the aggregated values for April and May, because May is the month you specified as the latest month in the quarter-to-date Dynamic Time Series.

	A	B	C	D	E	F
1			Product	Market	Scenario	
2	Profit	Q-T-D	17573			
3	Inventory	Year	117405			
4	Ratios	Year	55.26162827			
5	Measures	Year	105522			
6						
7						
8						

Figure 3-34. Result of Specifying Latest Time Period in a Dynamic Time Series

13. Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Note: You can also create a report like the one shown above by simply typing the Dynamic Time Series member followed by the latest time period in parentheses: for example, Q-T-D (May). If you do this in Free-Form retrieval mode, you must enter the Dynamic Time Series member and the latest time period in separate, adjacent cells. You can also select a Dynamic Time Series member and a latest time period through the Retrieval Wizard or Member Selection.

For more information on Dynamic Time Series, see the Spreadsheet Add-in Online Help.

Using Substitution Variables

The Essbase Application Designer uses substitution variables to define global variables to represent Essbase-specific values. For example, `LCtest` can be a substitution variable representing the latest time period in a Dynamic Time Series. Using the Hyperion Essbase Application Manager, the Application Designer sets substitution variables and their corresponding values for a specific application. Essbase stores these variables and their values on the Essbase server. You can take advantage of the predefined substitution variables in the Spreadsheet Add-in during Dynamic Time Series reporting.

For example, say the Application Designer has set a substitution variable on the server for the current month. The variable is called CurMnth and has a value of August. This means that if you use this substitution variable in the spreadsheet, a retrieval returns values for August, since August was set as the current month on the server. If, at a later date, the Application Designer changed the value of the CurMnth substitution variable to October, a retrieval would return data for October.

The Sample Basic database you are using for this tutorial does not contain predefined substitution variables. If the Application Designer had set a substitution variable in the database you were using, you could enter a substitution variable directly into a spreadsheet. For example, you could open a blank spreadsheet and type member names as follows:




Figure 3-35, Entering a Substitution Variable in a Spreadsheet

Note: Notice the substitution variable (CurMnth) in cell A2. When you enter a substitution variable directly into a cell, you must precede it with an ampersand (&).

In this example, a retrieval produces the following results:

	A	B	C	D	E	F
1		Product	Measures	Market	Scenario	
2	Aug	9545				
3						
4						
5						
6						

Figure 3-36, Result of Retrieval on a Substitution Variable

Essbase queries the server for the value of the substitution variable CurMnth, which is August. Data is returned for August only.

Note: If you save a spreadsheet containing a substitution variable as a template, make sure that you save the sheet *before* you retrieve data. For example, if you saved the sheet shown in Figure 3-36 as a template, each time you retrieved the template, August would be shown rather than the substitution variable CurMnth.

Using Free-Form Reporting to Retrieve Data

So far, you have learned how to retrieve Essbase data into a spreadsheet through ad hoc retrieval, Retrieval Wizard queries, and Member Selection operations. In addition to these retrieval methods, Essbase supports *free-form reporting*. Free-form reporting lets you tell Essbase specifically what you want to retrieve by simply typing data into the spreadsheet. Free-form reporting is especially useful when you are familiar with the dimensions and members in the database outline.

Essbase provides two different retrieval modes for free-form reporting:

- Advanced Interpretation retrieval mode
- Free-Form retrieval mode

In both retrieval modes, you can enter member names directly into the spreadsheet. The following sections describe the similarities and differences between these two modes.

Using Advanced Interpretation Mode

The Essbase server contains an advanced spreadsheet interpretation engine that scans a sheet and interprets its content when fulfilling retrieval requests. When you construct a report by entering names directly into a sheet in Advanced Interpretation retrieval mode, Essbase interprets the member names and creates a default view based on the location of the labels.


Keep in mind the following guidelines when you are working in Advanced Interpretation mode:

- Precede all member names that consist of numbers with a single quote. For example, for Product dimension member 100, type ' 100 in the sheet.
- If you define a report that does not contain all the database dimensions, you may need to enter a dummy value, such as 0, in the first data cell. Essbase overwrites this value with the contents of the corresponding database cell upon retrieval. Be sure to use a numeric value as the dummy value.

To construct a free-form report in Advanced Interpretation retrieval mode:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Choose Essbase | Options and select the **Mode** tab.
3. In the **Retrieval** option group, select **Advanced Interpretation** (the default setting) and click OK.
4. Enter member names and data as in the following illustration.

Note: If a member name consists of a number, such as 100, you must precede the member name with a single quote (for example, ' 100). This also applies to member names with spaces between words.




	A	B	C	D	E	F	G
1	Sales	East	Budget				
2							
3		Qtr1	Qtr2				
4	' 100						
5	200						
6	300						
7	400						
8							
9							

Figure 3-37. Creating a New Free-Form Report

- Choose Essbase | Retrieve or double-click in a data cell.

Essbase retrieves data for the members you entered into the free-form report and implements the **Use Aliases** option you set in the **Essbase Options** dialog box in the beginning of this chapter.




	A	B	C	D	E	F	G
1	Sales	East	Budget				
2							
3		Qtr1	Qtr2				
4	Colas	5870	6760				
5	Root Beer	5460	5650				
6	Cream Soda	3680	4030				
7	Fruit Soda	3880	4150				
8							
9							

Figure 3-38, Retrieving Data into a Free-Form Report

Now define a free-form report that does not contain all the dimensions from the database. In Advanced Interpretation mode, you may need to enter a dummy data value, such as 0, into the first Essbase data cell to tell Essbase where the data starts in the sheet. Be sure to use a numeric value as the dummy value.

For example:

- Choose Essbase | FlashBack.
- Delete cells A1, B1, and C1.
- Type 0 in cell B4 to provide Essbase with a data cell reference point.




	A	B	C	D	E	F	G
1							
2							
3		Qtr1	Qtr2				
4	100	0					
5	200						
6	300						
7	400						
8							
9							

Figure 3-39, Defining a Free-Form Report Without All Dimensions

- Choose Essbase | Retrieve.

Essbase adds the dimensions that were omitted from the free-form report to the spreadsheet and retrieves data.



	A	B	C	D	E	F	G
1							
2							
3		Measures	Market	Scenario			
4		Qtr1	Qtr2				
5	Colas	7048	7872				
6	Root Beer	6721	7030				
7	Cream Soda	5929	6769				
8	Fruit Soda	5005	5436				
9							

Figure 3-40, Retrieval in a Free-Form Report Without all Dimensions

- Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Using Free-Form Mode

Similar to Advanced Interpretation retrieval mode, Free-Form retrieval mode lets you enter member names into any location in a sheet and then interprets the sheet's contents when fulfilling the retrieval request. In addition, with Free-Form retrieval mode, you can use Essbase report script commands to retrieve data into a sheet.

Report script commands are most useful for defining member references that can dynamically bring back the most current member information. For example, if you need to create a report that shows every product, including those added since the last retrieval, standard retrieval mode only reflects these changes when you zoom in on the product. If you use the report script command <IDESC, Essbase retrieves all descendants of a member in the database, including the specified member. For more information on the syntax of report script commands and guidelines for developing reports, see the online *Technical Reference* in the DOCS directory and the *Database Administrator's Guide*.

Keep in mind the following guidelines when you are working in Free-Form retrieval mode:

- You must precede all member names that consist of numbers with a single quote. For example, for the **PRODUCT** dimension member 100, you need to type '100 in the sheet.
- You cannot cancel a retrieve in Free-Form mode.
- You cannot apply Essbase Styles in Free-Form mode.
- Essbase removes any blank rows and columns on any retrieval action.
- Do not use Report Writer formatting commands, such as {BRACKETS}, {DECIMAL}, and {EUROPEAN} in Free-Form mode, because they are incompatible with Excel's formatting features.
- When you are in Free-Form mode, an **Auto Sort Rows** option is enabled in the **Display** page of the **Essbase Options** dialog box. If you select this feature, Essbase retrieves data in symmetric rows that are sorted according to the order specified in the database outline.
- All **Formula Preservation** and **Modes** options (**Essbase Options** dialog box, **Mode** page) are *not* available in Free-Form mode.
- To use Dynamic Time Series in Free-Form mode, do not put the Dynamic Time Series and the latest time period (for example, Q-T-D(Feb)) in the same cell. You need to type the Dynamic Time Series member, Q-T-D, and the latest time period within parentheses, (Feb), in separate, adjacent cells.

To construct a free-form report in Free-Form retrieval mode:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Choose Essbase | Options and select the **Mode** tab.
3. In the **Retrieval** option group, select **Free Form**.
4. Select the **Display** tab.
5. In the **Cells** option group, click **Auto Sort Rows**, and click OK.

- Enter the following members into the sheet as shown in the following illustration:

	A	B	C	D	E	F	G
1	Product	COGS					
2	Jan						
3	East						
4	Budget						
5	Actual						
6							
7							

Figure 3-41, Typing Member Names In a Free-Form Report

- Choose Essbase | Retrieve.

Essbase retrieves data for the members and creates a default view according to the location of the labels. Note that three members were pivoted from row groups to column groups.


	A	B	C	D	E	F	G
1	Product	COGS		Jan	East		
2	Budget	2590					
3	Actual	3007					
4							
5							
6							

Figure 3-42, Result of Retrieving in Free-Form Retrieval Mode

- Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Now create a report by entering member names and a report script command:


1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Enter the following member names into the blank sheet:



	A	B	C	D	E	F
1		Actual	Sales	East		
2		Jan	Feb	Mar		
3						
4						
5						
6						
7						

Figure 3-43, Typing Member Names in a Free-Form Report

3. Type <IDESC Product in cell A3 and press Enter:



	A	B	C	D	E	F
1		Actual	Sales	East		
2		Jan	Feb	Mar		
3	<IDESC Product					
4						
5						
6						

Figure 3-44, Typing a Report Script Command In a Free-Form Report

4. Choose Essbase | Retrieve.

Essbase retrieves data into the sheet for all descendants of Product and for the members you entered in the sheet.

	A	B	C	D	E	F
1		Actual	Sales	East		
2		Jan	Feb	Mar		
3	Cola	1812	1754	1805		
4	Diet Cola	200	206	214		
5	Caffeine Free Cola	93	101	107		
6	Colas	2105	2061	2126		
7	Old Fashioned	647	668	672		
8	Diet Root Beer	310	310	312		
9	Sasparilla	#Missing	#Missing	#Missing		
10	Birch Beer	896	988	923		
11	Root Beer	1853	1966	1907		
12	Dark Cream	999	1012	1026		

Figure 3-45. Result of a Retrieve with a Report Script Command

Note: When Essbase completes the retrieval, the report script command is overwritten by the data it returns. You can use FlashBack to restore the previous view in Free-Form mode.

5. Choose File | Close to close the spreadsheet. You do not need to save the sheet.


Entering Generation and Level Names

In addition to entering database member names into a free-form report, you can enter generation or level names directly into a spreadsheet to retrieve specific members. The Essbase Application Designer defines generation and level names for database dimensions in the database outline. You have two options for finding out what generation and level names have been defined in the database:

- View generation and level names in the **Essbase Member Selection** dialog box.
- Contact the Essbase Application Designer to see what generation and level names have been defined in the database outline.

To enter generation and level names directly into a free-form report:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Choose Essbase | Options and select the **Mode** tab.
3. In the **Retrieval** option group, select **Advanced Interpretation** and click OK.
4. Enter member names as shown in the following illustration:




The screenshot shows a spreadsheet window titled 'Book1'. The grid has columns A through G and rows 1 through 7. The data is as follows:

	A	B	C	D	E	F	G
1		Sales	Budget	West	Year		
2							
3							
4							
5							
6							
7							

Figure 3-46, Entering Member Names in a Free-Form Report

5. Enter a generation name as shown in the following illustration:

Family is a generation name in the Product dimension that is already defined in the Sample Basic database.



The screenshot shows the same spreadsheet window as Figure 3-46. The data is updated as follows:

	A	B	C	D	E	F	G
1		Sales	Budget	West	Year		
2	Family						
3							
4							
5							
6							
7							

Figure 3-47, Entering a Generation Name in a Free-Form Report

6. Choose Essbase | Retrieve.

Essbase retrieves data for the member and generation names you entered. The Family generation name expands to its individual members.

	A	B	C	D	E	F
1		Sales	Budget	West	Year	
2	Colas	34830				
3	Root Beer	31810				
4	Cream Soda	30480				
5	Fruit Soda	22730				
6	Diet Drinks	35690				
7						

Figure 3-48, Result of Free-Form Retrieval with Generation Name

7. Change Year to a level name (Lev0,Year) as shown in the following illustration.

Note:

Be sure not to insert a space between the comma after 0 and Year. Generation and level names that are entered directly into a sheet must be precise.

	A	B	C	D	E	F
1		Sales	Budget	West	Lev0,Year	
2	Colas	34830				
3	Root Beer	31810				
4	Cream Soda	30480				
5	Fruit Soda	22730				
6	Diet Drinks	35690				
7						

Figure 3-49, Entering a Level Name in a Free-Form Report

8. Choose Essbase | Retrieve.

Essbase retrieves data for the Level 0 members of the Year dimension, which are the individual months (Jan, Feb, Mar, and so forth).

	A	B	C	D	E	F
1			Sales	Budget	West	
2	Jan	Colas	2860			
3		Root Beer	2540			
4		Cream Soda	2220			
5		Fruit Soda	1840			
6		Diet Drinks	2810			
7	Feb	Colas	2820			
8		Root Beer	2560			
9		Cream Soda	2310			
10		Fruit Soda	1840			
11		Diet Drinks	2900			
12	Mar	Colas	2820			

Figure 3-50, Result of Free-Form Retrieval with Level Name

9. Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Using Linked Reporting Objects

A *linked reporting object* is an external file, cell note, or World Wide Web resource that you link to a cell in an Essbase database. The file, note, or Web resource (indicated by a URL, or Uniform Resource Locator) can then be retrieved by Spreadsheet Add-in users who have access to the database.

Note: If your organization has licensed and implemented the Hyperion Essbase Partitioning product, you can also access *linked partitions* from cells in the Spreadsheet Add-in. For more information on linked partitions, see “[Accessing Linked Partitions](#)” later in this chapter.

This section describes the following procedures:

- Linking a File to a Data Cell
- Linking a Cell Note to a Data Cell
- Linking a URL to a Data Cell
- Accessing and Editing Linked Reporting Objects

Note: For additional information on using linked reporting objects, see the Spreadsheet Add-in Online Help.

Linking a File to a Data Cell

With the Linked Reporting Objects feature, you can link an external file to a data cell in the Spreadsheet Add-in. Essbase stores the file on the Essbase server. Users who have access to the database can then retrieve the file while viewing the data contained in the cell.

The following example uses the `ASYMM.XLS` sample spreadsheet with data from the Sample Basic database. It links a sample file, `BUDASMP.TXT`, to a cell containing the Budget figure. `BUDASMP.TXT` details the budgetary assumptions for the current year.

Follow these steps to link the file to a data cell:

1. Choose File | Open.
2. Open the `ASYMM.XLS` file from the `\ESSBASE\CLIENT\SAMPLE` directory.
3. Make sure you are connected to the Sample Basic database. If you are not, see [“Connecting to a Database”](#) earlier in this chapter.

4. Select cell D5.

Note: You can link objects only to data cells, not to cells containing member names.

	A	B	C	D	E	F	G
1	Sales						
2							
3			Actual	Budget	Budget	Budget	
4			Qtr1	Qtr2	Qtr3	Qtr4	
5	East	Colas	6292	6760	7300	5570	
6		Root Beer	5726	5650	5600	5780	
7		Fruit Soda	3735	4150	4350	3850	
8							
9	West	Root Beer	8278	7970	8320	7820	
10		Cream Soda	8043	7720	8300	7570	
11							

Figure 3-51, Selecting a Data Cell for Linking an External File

5. Choose Essbase | Linked Objects.

Essbase displays the **Linked Objects Browser** dialog box.




Figure 3-52, Linked Objects Browser Dialog Box, Linking a File

6. In the **Linked Objects Browser** dialog box, click **Attach**.

Essbase displays the **Attach Linked Object** dialog box.

7. Under the **Attachment Type** option group, click **File**.




Figure 3-53, Linking a File to a Data Cell

8. Click the **Browse** button next to the **File Name** text box.

Essbase displays the **Browse Files** dialog box.

9. Go to the `\ESSBASE\CLIENT\SAMPLE` directory and select the `BUDASMP.TXT` file.
10. Click **Open**.

- Under **File Description**, enter a brief description for the file as indicated in the following illustration.

Note: Entering text in the **File Description** text box is optional.




Figure 3-54, Selecting and Describing a File to Link

- Click **OK** to close the dialog box and link the file to the cell.

Essbase copies the file to the server and establishes a link to the current data cell.

- Click **Close** to close the **Linked Objects Browser** dialog box.
- Do not close the **ASYMM.XLS** file. You will use it in the next tutorial task.

To recognize cells that have linked reporting objects attached to them, you might want to apply a visual cue, or style, to these cells. To apply styles:

- Choose **Essbase | Options** and click the **Style** tab.
- In the **Data Cells** area, click **Linked Objects**.
- Click **Format**.
- In the **Font style** list box, select **Italic**.
- In the **Color** list box, select **Purple**.
- Click **OK** and then select the **Display** tab.

7. In the **Cells** option group, click the **Use Styles** box and click OK.
8. Choose **Essbase | Retrieve** to refresh the sheet and apply the styles.

Cell D5 (the cell you just attached the linked file to) now appears in purple, italic font. Essbase also refreshes the sheet with the other options set in the **Essbase Options** dialog box.

	A	B	C	D	E	F	G	H
2								
3			Actual	Budget	Budget	Budget		
4			Qtr1	Qtr2	Qtr3	Qtr4		
5	East	Colas	6292	<i>6767</i>	7300	5570		
6		Root Beer	5726	5650	5600	5780		
7		Fruit Soda	3735	4150	4350	3850		
8								
9	West	Root Beer	8278	7970	8320	7820		
10		Cream Soda	8043	7720	8300	7570		
11								
12								

Figure 3-55, Result of Applying a Style to a Linked Reporting Object Cell

9. Leave the ASYMM.XLS file open for the next tutorial task.

Linking a Cell Note to a Data Cell

In addition to linking external files to a data cell in the Spreadsheet Add-in, you can also link individual cell notes containing information on particular data cells. Cell notes can be no more than 599 characters in length. If you need to link information to a data cell that is longer than 599 characters, you need to create and save an external file, and then link the file to the data cell.

Follow these steps to link a cell note to a data cell:

1. In the ASYMM.XLS file, select cell C5.

Note: You can link objects only to data cells, not to cells containing member names.

2. Choose **Essbase | Linked Objects**.

Essbase displays the **Linked Objects Browser** dialog box.

3. In the **Linked Objects Browser** dialog box, click **Attach**.
Essbase displays the **Attach Linked Object** dialog box.
4. Under the **Attachment Type** option group, click **Cell note**.
5. In the **Cell Note** box, type the note as indicated in the following illustration:



Figure 3-56, Creating a Cell Note to Link

6. Click **OK** to close the dialog box and link the cell note.
Essbase copies the note to the server and establishes a link to the current data cell.
7. Click **Close** to close the **Linked Objects Browser** dialog box.

- Choose Essbase | Retrieve to refresh the sheet and apply the style you defined for linked objects..

Now Essbase displays two data cells (C5 and D5) in purple, italic font to represent a cell containing a linked reporting object.

	A	B	C	D	E	F	G	H	I
1	Sales								
2									
3			Actual	Budget	Budget	Budget			
4			Qtr1	Qtr2	Qtr3	Qtr4			
5	East	Colas	<i>6292</i>	<i>6762</i>	7300	5570			
6		Root Beer	5726	5650	5600	5780			
7		Fruit Soda	3735	4150	4350	3850			
8									
9	West	Root Beer	8278	7970	8320	7820			
10		Cream Soda	8043	7720	8300	7570			
11									

Figure 3-57, Result of Creating a Linked Cell Note

- Leave the ASYMM.XLS file open for the next tutorial task.

Linking a URL to a Data Cell

A URL, or Uniform Resource Locator, is an address string that identifies resources on the World Wide Web, such as documents, images, and downloadable files. With the Linked Reporting Objects feature, you can link a URL to a data cell so that users who have access to the database can link directly to the specified URL. When you access the cell from the Spreadsheet Add-in, your default Web browser opens and displays the specified URL.

Note: For more information on URL syntax, see the Spreadsheet Add-in Online Help.

If you have a Web browser and Internet access, follow these steps to link a data cell to the Hyperion Solutions Web site:

1. In the ASYMM.XLS file, select cell E5.

Note: You can link objects only to data cells, not to cells containing member names.

	A	B	C	D	E	F	G
1	Sales						
2							
3			Actual	Budget	Budget	Budget	
4			Qtr1	Qtr2	Qtr3	Qtr4	
5	East	Colas	6292	6760	7300	5570	
6		Root Beer	5726	5650	5600	5780	
7		Fruit Soda	3735	4150	4350	3850	
8							
9	West	Root Beer	8278	7970	8320	7820	
10		Cream Soda	8043	7720	8300	7570	
11							

Figure 3-58. Selecting a Data Cell for Linking to a URL

2. Choose Essbase | Linked Objects.

Essbase displays the **Linked Objects Browser** dialog box.

3. In the **Linked Objects Browser** dialog box, click **Attach**.

Essbase displays the **Attach Linked Object** dialog box.

- Under the **Attachment Type** option group, click **URL**.




Figure 3-59. Linking a URL to a Data Cell

- Enter a URL in the **Location** text box and a brief description in the **URL Description** text box, as indicated in the following illustration.

Note: Entering text in the **URL Description** text box is optional.




Figure 3-60. Entering and Describing a URL to Link

Note: The text field for entering the URL location is limited to 512 characters in length. The text field for entering the URL description is limited to 80 characters in length.

6. Click OK to close the dialog box and link the URL to the cell.

Essbase copies the URL string to the server and establishes a link to the current data cell.

Note: The syntax for the URL is not checked at creation time; Essbase checks the syntax when the user accesses the URL from the spreadsheet. The default Web browser checks for the existence (or use validity) of the URL.

7. Click **Close** to close the **Linked Objects Browser** dialog box.
8. Choose Essbase | Retrieve to refresh the sheet and apply the style you defined for linked objects.
9. Leave the ASYMM.XLS file open for the next tutorial task.

Now that you have learned to create linked reporting objects, you are ready to learn how to access them from the Spreadsheet Add-in.

Accessing and Editing Linked Reporting Objects

You have two options for accessing and editing a linked reporting object that is attached to a data cell:

- Select the cell (as identified by the style applied to it) and choose Essbase | Linked Objects.
- Enable mouse double-clicking for linked object browsing.

Note: If you enable double-clicking for linked object browsing, double-clicking behavior changes for retrieving data or performing zoom actions. For more information on these changes, see the Spreadsheet Add-in Online Help.

For this tutorial, you will access the linked reporting objects you created in the previous sections by using the Essbase menu item instead of the double-clicking action.

Accessing a Linked File

To access the external file that you previously linked to a data cell:

1. In the ASYMM.XLS file, select cell D5.
2. Choose Essbase | Linked Objects.

3. In the **Linked Objects Browser** dialog box, select the BUDASMP .TXT file.




Figure 3-61, Accessing a Linked External File

4. To view the linked file, click **View/Launch**.

The BUDASMP .TXT file is opened from the source application.




Figure 3-62, Viewing the Contents of a Linked External File

Note: When you want to edit the contents of a file, do so in the source application. After the edits are made and the file saved, you can re-attach the edited file by clicking the **Edit** button in the **Linked Objects Browser** dialog box. Essbase displays the **Re-attach Linked Object** dialog box, which lets you re-attach, or re-link, the edited file to a data cell. For more information, see the Spreadsheet Add-in Online Help.

5. Close the BUDASMP.TXT file and click **Close** to close the **Linked Objects Browser** dialog box.
6. Leave the ASYMM.XLS file open for the next task.

Accessing a Linked Cell Note

To access and edit the cell note that you created previously:

1. In the ASYMM.XLS file, select cell C5.
2. Choose Essbase | Linked Objects.

The **Linked Objects Browser** dialog box displays the cell note that is linked to the selected data cell.

3. In the **Linked Objects Browser** dialog box, select the cell note.




Figure 3-63, Accessing a Linked Cell Note

- To edit the contents of the cell note, click **Edit**.

Essbase displays the **Edit Cell Note** dialog box with the selected cell note displayed.




Figure 3-64, Editing the Contents of a Linked Cell Note

Note: If you simply wanted to view the contents of the cell note, you would click the **View/Launch** button instead of the **Edit** button in the **Linked Objects Browser** dialog box.

- Edit the contents of the cell note as indicated in the following illustration:




Figure 3-65, Result of Editing Cell Note Contents

- Click **OK** to close the **Edit Cell Note** dialog box and save the edits you made to the note.

Essbase saves the edits to the cell note on the server.

- Click **Close** to close the **Linked Objects Browser** dialog box.
- Leave the `ASYMM.XLS` file open for the next tutorial task.

Accessing a Linked URL

If you followed the steps in “[Linking a URL to a Data Cell](#),” you can access and edit the URL you created.

To access the URL, follow these steps:

1. In the ASYMM.XLS file, select cell E5.
2. Choose Essbase | Linked Objects.

The **Linked Objects Browser** dialog box displays the URL that is linked to the selected data cell.

3. In the **Linked Objects Browser** dialog box, select the URL.




Figure 3-66. Accessing a Linked URL

4. To view the linked URL, click **View/Launch**.

Essbase checks the syntax of the URL. If there are syntax errors, Essbase displays an error message. If the URL syntax is correct, your default Web browser launches and connects to the specified site. In this case, the syntax for the URL is correct, so your default Web browser launches and connects to the Hyperion Solutions Web site.



Figure 3-67, Viewing the Linked URL

5. Close the Web browser.

To edit the URL, follow these steps:

1. In the **Linked Objects Browser** dialog box, select the URL.
2. To edit the linked URL, click **Edit**.

Essbase displays the **Edit URL** dialog box with the selected URL displayed.




Figure 3-68, Preparing to Edit the Contents of a Linked URL

3. Edit the URL location and description as show in the following illustration:




Figure 3-69, Editing the Contents of a Linked URL

4. Click **OK** to close the **Edit URL** dialog box and save the edits you made.

Essbase saves the edits to the URL on the server.

5. Click **View/Launch** to view the new URL.

The Web browser launches and connects to the new URL.



Figure 3-70. Viewing the Edited URL

6. Close the Web browser.
7. Click **Close** to close the **Linked Objects Browser** dialog box.
8. Close the ASYMM.XLS file without saving it.

Connecting to Multiple Databases

Essbase supports simultaneous access to multiple databases. The databases can be in different applications and can be stored on different servers. In Excel, you can open multiple spreadsheets, each of which can be connected to a different database. An individual sheet can access only one database at a time. You can use the Connect command from the Essbase menu to switch your connection between databases.

Note: Depending on the status of production applications at your site, you may not have access to additional applications or databases. Check with the Essbase System Administrator if you need access to other applications.

For this tutorial, you do not need to connect to another database. To access multiple databases, you would use the following procedure:

1. Choose **Essbase|Connect**.
 2. In the **Essbase System Login** dialog box, choose the server you want to access from the **Server** list box (or type in the name of the server).
 3. Press **Tab** to move to the **Username** text box and type your user name.
 4. Press **Tab** to move to the **Password** text box and type your password.
 5. Click **OK** to connect to the server.
- When the server connection is complete, a list of available application and database pairs appears in the **Application/Database** list.
6. Double-click the Application/Database pair you want to connect to in the **Application/Database** list. Alternatively, you can select the Application/Database pair and click **OK**.
- If the application is not already running, Essbase automatically starts it. There may be a brief pause as the application loads; the time required to start an application depends on the size and number of databases contained within the application and the size of their indexes.
7. Open a new sheet and repeat the steps to connect to additional databases. You can open one database at a time per sheet.

Viewing Active Database Connections

If you frequently connect to multiple databases, you may need to check the active database for each sheet. There are two ways to view the database connection status:

- The **Style** page of the **Essbase Options** dialog box contains a **Connection Information** text box. This box displays connection information for the active sheet.
- The **Essbase Disconnect** dialog box lists all active sheets and their connection information. This dialog box also lets you disconnect one or more sheets from their respective databases.

Accessing Linked Partitions

Linked partitions are part of the Hyperion Essbase Partitioning product. They provide the ability to link Essbase databases containing different dimensions together without losing access to the additional dimensions. If your organization has purchased and implemented the Partitioning product, you can take advantage of its powerful capabilities. The *Database Administrator's Guide* describes how to design and implement a linked partition. Partitions are usually set up by the Essbase Application Designer.

Note: The Partitioning product also allows the Essbase Application Designer to set up transparent or remote partitions. For more information on partitioning, see the *Database Administrator's Guide*.

You can set visual cues, or styles, for cells tagged as Linked Objects. These cells are access points to the linked database, or partition. You have two options for accessing a linked partition from a data cell in the Spreadsheet Add-in:

- Select the cell and choose Essbase | Linked Objects.
- Enable mouse double-clicking for linked object browsing.

If you enable double-clicking for linked object browsing, double-clicking behavior changes for retrieving data or performing zoom actions. For more information on these changes, see the Spreadsheet Add-in Online Help.

When you choose Essbase | Linked Objects from a linked partition cell:

- Essbase displays the **Linked Objects Browser** dialog box, which contains a list of possible partitions to access. From this dialog box, you can select the partition to connect to.

Note: The **Linked Objects Browser** dialog box may also contain a list of linked reporting objects, such as cell notes and external files. For more information, see [“Using Linked Reporting Objects”](#) earlier in this chapter.

- After you select the partition, Essbase creates a new sheet containing corresponding members and dimensions for that cell in the linked partition.

Note: Essbase does not preserve formulas across partitions.

- Essbase retrieves data values from the linked partition.

You can then perform operations such as zoom in and zoom out to get more information on the new sheet.

The Sample Basic database that you are using for this tutorial does not contain a linked partition. If the Essbase Application Designer had a linked partition set up, you would use the following procedure to access the linked partition in the Spreadsheet Add-in:

1. Locate a Linked Object cell, as indicated by the style applied to the cell.
2. Choose Essbase|Linked Objects to open the **Linked Objects Browser** dialog box.

Note: Alternatively, you can click the **Enable Linked Object Browsing** check box in the **Essbase Options** dialog box to enable double-clicking to view linked objects.

3. Select the partition you want to connect to and click **View/Launch**.




Figure 3-71, Linked Objects Browser Dialog Box, Linked Partition

Essbase creates a new sheet containing the dimensions and members for that cell in the linked partition.

Note: You need to have the proper privileges to access a linked partition. If your user account and password match the account information for the linked partition, Essbase uses this information to establish a connection with the linked partition. Otherwise, Essbase displays the **Essbase System Login** dialog box for you to enter the user account and password information manually.

Updating Data on the Server

Data values are changed frequently in applications that involve planning, budgeting, and forecasting. Once you retrieve data into the sheet, you can use the Spreadsheet Add-in to change values, enter formulas, and format the data. Essbase is also designed to permit multiuser, concurrent database access and updates. Depending on your security privileges, you may be able to modify all data values or a certain subset of values. To recognize cells that you have read/write access to, you can apply a visual cue, or style, to these cells. For more information, see "[Applying Styles to Data Cells](#)" in Chapter 2.

When you need to update data from the sheet, you must lock the area of the database that contains the values you want to change. This prohibits other users from changing the data you want to update. Other users can retrieve locked data but cannot lock or change the data. You have exclusive update rights to that area.

You can lock data values in three ways:

- The Retrieve & Lock command retrieves data into the sheet while locking the corresponding data area on the server. When you perform a subsequent retrieval, Essbase automatically unlocks the previous data values.

Note:

The Retrieve & Lock command is not supported with Dynamic Time Series members.

- The Lock command locks information that you have already retrieved. When you perform a subsequent retrieval, Essbase automatically unlocks the previous data values.
- The **Update Mode** check box in the **Mode** page of the **Essbase Options** dialog box automatically locks the corresponding database area for each retrieval.

To update the server with data values from the sheet, use the Send command on the Essbase menu. After updating the server, the Send command automatically unlocks data (unless you are in **Update Mode**). You must disable **Update Mode** to stop locking blocks automatically.

You can unlock data blocks in two ways:

- The Unlock command unlocks all blocks that you have locked.
- The server automatically unlocks data blocks that have been locked for the maximum time allowed as defined by the Essbase System Administrator. This ensures that blocks are not locked for extended periods of time.

P&L.XLS, a sample Excel file installed as part of the default Essbase installation, illustrates these concepts.

To view the P&L.XLS sheet:

1. Choose File | Open.
2. Open the P&L.XLS file from the \ESSBASE\CLIENT\SAMPLE directory.
3. Choose Essbase | Retrieve & Lock.

Essbase retrieves data and locks the appropriate area of the database.

	A	B	C	D	E	F	G	H
1	Market: Central			The Beverage Company				
2	Product: 200			Planning Dept.				
3	Scenario: Budget							
4								
5		Jan	Feb	Mar	Qtr1	% Sales		
6	Misc	#Missing	#Missing	#Missing	0	0.00		
7	Payroll	210	210	210	630	0.07		
8	Marketing	300	310	320	930	11.05		
9	Total Expenses	510	520	530	1560	18.53		
10								
11	COGS	1170	1180	1200	3550	42.16		
12	Sales	2740	2820	2860	8420	100.00		
13	Margin	1570	1640	1660	4870	57.84		
14	Profit	1060	1120	1130	3310	39.31		
15								
16	Ratio Analysis							
17	Markup	57.3%	58.2%	58.0%	57.8%			
18	Marketing %	10.9%	11.0%	11.2%	11.0%			

Figure 3-72, P&L Sheet After Retrieve & Lock

4. Change the value for Sales in Jan (cell B12) to 4000 and press Enter.

Essbase changes the affected data values.

- Choose Essbase | Send to update the server with the new values.

Essbase updates the server and unlocks the data blocks.

	A	B	C	D	E	F	G	H
1	Market: Central			The Beverage Company				
2	Product: 200			Planning Dept.				
3	Scenario: Budget							
4								
5		Jan	Feb	Mar	Qtr1	% Sales		
6	Misc	#Missing	#Missing	#Missing	0	0.00		
7	Payroll	210	210	210	630	0.07		
8	Marketing	300	310	320	930	9.61		
9	Total Expenses	510	520	530	1560	16.12		
10								
11	COGS	1170	1180	1200	3550	36.67		
12	Sales	4000	2820	2860	9680	100.00		
13	Margin	2830	1640	1660	6130	63.33		
14	Profit	2320	1120	1130	4570	47.21		
15								
16	Ratio Analysis							
17	Markup	70.8%	58.2%	58.0%	63.3%			
18	Marketing %	7.5%	11.0%	11.2%	9.6%			

Figure 3-73. P&L Sheet After Sending New Values to the Server

- Close P&L .XLS without saving it.

Note: Essbase provides a spreadsheet update logging facility, which tracks and logs all data updates sent from the Spreadsheet Add-in to the server. The Essbase System Administrator enables this facility for extra protection against data loss. For more information, see the *Database Administrator's Guide* or contact the Essbase System Administrator.

Calculating a Database

Sending updated data to the server does not automatically recalculate the database. If you have the appropriate security privileges to perform database calculations, you can calculate the database from the Spreadsheet Add-in with the Calculation command. For this tutorial, you will not actually calculate the Sample Basic database. For more information on Essbase calculations, see the *Database Administrator's Guide*.

Warning! Do not perform any calculation operations for this tutorial.

When you choose Essbase | Calculation, Essbase displays the **Essbase Calculation** dialog box.




Figure 3-74, Essbase Calculation Dialog Box

The **Essbase Calculation** dialog box contains the following items:

- The **Connection Information** text box displays the active database connection.
- The **Select Calc Script** list box contains the server-based calculation scripts that you have access to.
- The **Database State** text box indicates the current calculation state of the database. The following states are possible:
 - **Calculating** indicates that a calculation is currently running on the database.
 - **Data values have been modified since the last calculation** indicates that data values have changed since the database was last calculated. The last calculation may have been an entire calculation of the database or a calculation of any subset of the database.
 - **No data values have been changed since the last calculation** indicates that the data in the database has not changed since it was last calculated. The last calculation may have been an entire calculation of the database or a calculation of any subset of the database.

Warning! If the last calculation was performed on a subset of the data, the entire database may not have been calculated since values last changed. To ensure that the results of calculations are up-to-date, you may want to run a calculation of the entire database. For more information, contact the Essbase System Administrator.

Creating Multiple Sheets from Your Data

One frequent requirement of budgeting and planning applications is to send spreadsheets to various functional areas of an organization. After the sheets have been distributed, the recipients can review the contents, make modifications, and send updates back to the distributor. Essbase provides a Cascade feature, which lets you create multiple spreadsheet files based on a single database view. You can specify at what level of detail you want to replicate the sheets to tailor the information to each recipient's needs.

The Sample Basic database contains data for beverage products sold in different states across the U.S. As an example, assume that we want all product managers to review and respond to a proposed budget and return their changes to the finance department. Therefore, we must create a spreadsheet for each combination of budget and P&L data to distribute to the product managers for their respective products.

To create this set of sheets, use the `P&L.XLS` file:

1. Select **File | Open**.
2. Open the `P&L.XLS` file from the `\ESSBASE\CLIENT\SAMPLE` directory. This file contains the data you need to replicate for each sheet.
3. Choose **Essbase | Retrieve**.

Notice that the retrieval used the **Use Aliases** option, which is already set in the **Essbase Options** dialog box for this file. In this example, product 200 changed to **Root Beer**, which is its preassigned alias.

4. Select **Central** (in cell B1) and **Root Beer** (in cell B2) as the members to be represented in the resulting sheets.
5. Choose **Essbase | Cascade**.

Essbase displays the **Essbase Cascade Options** dialog box.

- Click the **Cascade Information** tab.

The **Cascade Information** page contains the list of members you have selected and options for specifying the level at which the selected members are retrieved into the cascaded sheets.

Note: For more information on each option, see the Spreadsheet Add-in Online Help.

- Select **Central** in the **Member** list box, and select **Same Level** in the **Choose Level for Selected Member** option group.
- Select **Root Beer** in the **Member** list box, and select **Next Level** (the default setting).




Figure 3-75, Cascade Options Dialog Box (Cascade Information Page)

The replicated, or cascaded, spreadsheet reports will now provide data for members at the *same* level as Central (East, West, and South) and for members at the level *below* Root Beer (Old Fashioned, Diet Root Beer, Sasparilla, and Birch Beer).

- Click the **Destination Options** tab.
- In the **Destination Directory** text box, enter `C:\TEMP` as the name of the directory where you want the cascaded sheets to be stored.

You can also click **Browse** to choose a destination directory from the **Browse** dialog box.

- In the **Destination Types** option group, select **Separate Workbooks** (the default setting) to create separate Excel files for each cascaded sheet.

You can also tell Essbase to create only one workbook with separate sheets for each cascaded report, or you can send the cascaded reports to the printer.

- In the **File Information** option group, click **Overwrite Existing Files** (the default setting). This option tells Essbase to overwrite any cascaded sheets with the same file name.

You could also select **Open Created Files** to open each cascaded file in Excel as it is created.

Warning!

Depending on the number of replicated sheets you want to create, the Cascade command can create more sheets than can be stored in your computer's memory. Therefore, the **Open Created Files** option should *not* be used when you are replicating large numbers of sheets.

- In the **Naming Information** option group, enter BUD in the **Prefix** text box.




Figure 3-76, Essbase Cascade Options Dialog Box (Destination Options Page)

When you assign a prefix or suffix in the **Naming Information** option group, the spreadsheet files that are generated as a result of executing the Cascade command are named with the prefix or suffix that you specify. The default is to generate spreadsheet names that are numbered 1 through n , where n is the total number of sheets created. The syntax for the file names is *PrefixnSuffix.xls*. If you do not specify a prefix or suffix, Essbase creates the sheets 1.XLS, 2.XLS, and so on. If you are creating a single workbook, the same naming convention is used for the sheet tab names within the workbook.

Warning! Do not specify a prefix and suffix combination that leaves no characters free for Essbase to create unique file names. If file names are duplicated, Essbase overwrites the duplicate file name with the last cascaded sheet.

14. Click the **Format Options** tab.
15. Click the **Copy Formatting** check box to copy the formatting of the source spreadsheet into each cascaded sheet.

Notes: Copy Formatting copies only the visual cues set using Essbase and cell formatting you set using the spreadsheet. It does not copy formulas, column formatting, sheet formatting, or graphs.

In the **Header** and **Footer** text boxes, you can specify a header or footer name to be used for all of the cascaded sheets.

16. In the **Sheet Formatting** group, click the **Suppress Missing Rows** check box so that rows containing only #Missing values will not be replicated.

17. In the **Table of Contents** group, click the **Include Table of Contents** check box to create a text file that lists all replicated sheets, their creation date, and their member content.

By default, Essbase names the Table of Contents file with the extension `.LST`.




Figure 3-77, Essbase Cascade Options Dialog Box (Format Options Page)

18. Click OK to create the cascaded sheets.

Essbase rapidly creates the cascaded sheets (9 total sheets in this example). As each sheet is created, it is automatically saved, closed, and logged in the Table of Contents. Each individual file is saved in the directory you specified, named BUD1 .XLS through BUD9 .XLS. When the Cascade is completed, Essbase returns you to the original spreadsheet view (that is, the source file).

19. Using a text editing application, open the Table of Contents file from the destination directory you specified earlier. This file is named BUD0.LST and contains a list of all cascaded sheets.

```

/* File name: c:\temp\BUD0.lst */
/* Creation date: Wed Nov 11 17:53:14 1998 */
/*
c:\temp\BUD1.xls /* East, Old Fashioned */
c:\temp\BUD2.xls /* East, Diet Root Beer */
c:\temp\BUD3.xls /* East, Birch Beer */
c:\temp\BUD4.xls /* West, Old Fashioned */
c:\temp\BUD5.xls /* West, Diet Root Beer */
c:\temp\BUD6.xls /* West, Sasparilla */
c:\temp\BUD7.xls /* South, Old Fashioned */
c:\temp\BUD8.xls /* South, Diet Root Beer */
c:\temp\BUD9.xls /* South, Sasparilla */
*/

```

Figure 3-78, Table of Contents File for Cascaded Sheets

20. Choose File | Close to close the spreadsheet. You do not need to save the sheet.

Working with Currency Conversions

Organizations with offices in different countries generally do business in the currency of the host country (known as the *local* currency). Such organizations must convert data entered in local currencies to a common currency for consolidation and analysis.

The Hyperion Essbase Currency Conversion product can be purchased separately for Essbase. If your organization has purchased this product and has implemented a Currency Conversion application, you can take advantage of its powerful capabilities. The *Database Administrator's Guide* describes how to design and implement a Currency Conversion application.

The following sections provide a brief tutorial for working with currency conversions:

- About Currency Conversion Retrievals
- Connecting to the Sample Currency Databases
- Performing Ad Hoc Currency Reporting

About Currency Conversion Retrievals

This section focuses on basic currency conversion concepts, including the easy-to-use Currency Report command.

A Currency Conversion application consists of two databases:

- A main database that contains data in local and converted values
- A currency rates database that contains exchange rates

Converted values are derived by applying exchange rates from the currency rates database to local values from the main database. The Hyperion Essbase OLAP Server product installation includes an optionally installable sample Currency Conversion application that consists of two sample databases: a main database called `Interntl` and a currency rates database called `Xchgrate`.

The Sample `Interntl` database consists of five dimensions: `Year`, `Measures`, `Product`, `Market`, and `Scenario`. All dimensions are identical to the Sample Basic database, except the `Market` and `Scenario` dimensions. The `Market` dimension includes Toronto, Vancouver, Montreal, France, Germany, Spain, and the UK. The `Scenario` dimension handles different currency types (such as `Actual` and `Budget`) in both local and converted currencies. In this database, all local currencies are converted to the common currency of U.S. dollars.

The Sample `Xchgrate` database, which is a subset of the main database, contains four dimensions:

- The `CurTime` dimension accommodates different exchange rates by month.
- The `CurName` dimension contains names of currencies from their respective Markets.
- The `CurCategory` dimension contains the names of the various currency categories that may be applied to different categories of `Measures`. For example, there are different rates that are applied to Profit and Loss items versus Balance Sheet items.
- The `CurType` dimension allows a currency database to contain rates for different scenarios, such as `Actual` and `Budget`.

Connecting to the Sample Currency Databases

The Sample `Interntl` and Sample `Xchgrate` databases must be installed on the server to complete these exercises. Contact the Essbase System Administrator if these application and database pairs are unavailable.

To retrieve data from the Sample Interntl database:

1. Choose Essbase | Connect.
2. Select the Sample Interntl database and click OK to complete the connection.

The Essbase installation also includes sample Excel files that illustrate currency conversion concepts.

3. Open LOCAL.XLS from the \ESSBASE\CLIENT\SAMPLE directory.

This spreadsheet contains actual (Act) and budget (Bud) data entered in local currencies for New York and Germany.

	A	B	C	D	E	F
1		Jan	100-10			
2						
3						
4		Act		Bud		
5		New York	Germany	New York	Germany	
5	Sales	678	210	640	190	
6	COGS	271	84	260	80	
7	Margin	#Missing	#Missing	#Missing	#Missing	
8						
9	Marketing	94	27	80	20	
10	Payroll	51	31	40	20	
11	Misc	0	0	#Missing	#Missing	
12	Total Expenses	#Missing	#Missing	#Missing	#Missing	
13						
14	Margin %	#Missing	#Missing	#Missing	#Missing	
15	Profit %	#Missing	#Missing	#Missing	#Missing	
16						
17						
18						

Figure 3-79, Retrieving Local Data

4. Open CONVERT.XLS from the \ESSBASE\CLIENT\SAMPLE directory.

- Choose Essbase | Retrieve.

This sheet contains values for the same members as they appear after conversion.

	A	B	C	D	E	F	G
1		Jan	100-10				
2							
3		<i>Actual</i>		<i>Actual @ Bud XChg</i>		<i>Budget</i>	
4		New York	Germany	New York	Germany	New York	Germany
5	Sales	678	130	678	300	640	133
6	COGS	271	52	271	120	260	56
7	Margin	407	78	407	180	380	77
8							
9	Marketing	94	17	94	39	80	14
10	Payroll	51	19	51	44	40	14
11	Misc	0	0	0	0	#Missing	#Missing
12	Total Expenses	145	36	145	83	120	28
13							
14	Margin %	60.03	60.00	60.03	60.00	59.38	57.89
15	Profit %	38.64	32.38	38.64	32.38	40.63	36.84
16							

Figure 3-80, Retrieving Converted Data Values

Notice that the sheet contains data that is converted to U.S. dollars. Values for New York remain the same, but Germany values are converted. Essbase converts these values using exchange rates from the Sample Xchgrate database.

- Open RATES.XLS from the \ESSBASE\CLIENT\SAMPLE directory and connect to the Sample Xchgrate database.
- Choose Essbase | Retrieve.

	A	B	C	D	E	F	G	H	I	J
1				Jan	Feb	Mar	Apr	May	Jun	Jul
2	US\$	Act xchg	P&L	1	1	1	1	1	1	1
3			B/S	1	1	1	1	1	1	1
4		Bud xchg	P&L	1	1	1	1	1	1	1
5			B/S	1	1	1	1	1	1	1
6	CN\$	Act xchg	P&L	1.53	1.53	1.53	1.53	1.53	1.53	1.53
7			B/S	1.55	1.55	1.55	1.55	1.55	1.55	1.55
8		Bud xchg	P&L	1.5	1.5	1.5	1.5	1.5	1.5	1.5
9			B/S	1.5	1.5	1.5	1.5	1.5	1.5	1.5
10	Mark	Act xchg	P&L	0.62	0.62	0.62	0.62	0.62	0.62	0.62
11			B/S	0.63	0.63	0.63	0.63	0.63	0.63	0.63
12		Bud xchg	P&L	0.7	0.7	0.7	0.7	0.7	0.7	0.7

Figure 3-81, Retrieving Exchange Rates from the Currency Database

This sheet contains all possible combinations of exchange rate scenarios, categories, and types by month. Because this example converts to U.S. dollars (US\$), the sample file contains a base rate of 1 for US\$. Therefore, the local and converted figures remain the same for New York. Essbase converts the figures for Germany, however, as follows using data values in the currency database:

- Essbase divides data values from Actual by values in the Act xchg currency type.
- Essbase divides data values from Actual @ Bud xchg by values in the Bud xchg currency type.
- Essbase divides data values from Budget by values in the Bud xchg currency type.
- Essbase bases all figures in CONVERT.XLS on the CurCategory of P&L and the CurTime of Jan.

Note: A conversion can be defined as a multiplication or division operation on exchange rates. This is determined by the Application Designer.

Performing Ad Hoc Currency Reporting

A main database, such as Sample Interntl, usually contains values that are converted and stored in the database. You may want to perform currency conversions dynamically, as well. Essbase provides this capability with the Currency Report command. This command lets you interactively exchange the currency rates and types applied to the retrieval.

To illustrate this point, perform an ad hoc conversion on data in the CONVERT.XLS file, by following these steps:

1. Open CONVERT.XLS from the \ESSBASE\CLIENT\SAMPLE directory.

This sheet contains data that is already converted to U.S. dollars.

2. Choose Essbase | Connect and connect to the Sample Interntl database.
3. Choose Essbase | Retrieve.

4. Choose Essbase | Currency Report.

Essbase displays the **Essbase Currency Report** dialog box.




Figure 3-82, Essbase Currency Report Dialog Box

The **Essbase Currency Report** dialog box lets you interactively modify the exchange rates applied to the retrieval. This box contains options for currency settings, names, categories, and years. For more information on these options, see the Spreadsheet Add-in Online Help.

Note: The dimension names **CurName**, **CurType**, and **CurCategory** are default names for a currency database. The Application Designer can use different names for any of these dimensions.

5. Select the currency settings you want to apply.

For example, select **CN\$** from the **CurName** list box and **Bud xchg** from the **CurType** list box.

6. Click **Apply** to apply the settings.

- Choose Essbase | Retrieve to refresh the data in the sheet with the results of the ad hoc conversion.

	A	B	C	D	E	F	G
1		Jan	100-10				
2							
3		<i>Actual</i>		<i>Actual @ Bud XChg</i>		<i>Budget</i>	
4		New York	Germany	New York	Germany	New York	Germany
5	Sales	452	87	452	200	427	89
6	COGS	181	35	181	80	173	37
7	Margin	271	52	271	120	253	51
8							
9	Marketing	63	11	63	26	53	9
10	Payroll	34	13	34	30	27	9
11	Misc	0	0	0	0	#Missing	#Missing
12	Total Expenses	97	24	97	55	80	19
13							
14	Margin %	60.03	60.00	60.03	60.00	59.38	57.89
15	Profit %	38.64	32.38	38.64	32.38	40.63	36.84
16							

Figure 3-83, Performing an Ad Hoc Currency Conversion

Essbase converts the New York and Germany figures to Canadian dollars (CN\$).

- Click the **Clear** button in the **Essbase Currency Report** dialog box to disable currency reporting and return to standard retrieval mode.

Note: Performing a currency report retrieval does not change values in the database. It simply performs a temporary conversion as part of the retrieval. Converted data values may not always balance because the ad hoc conversion is performed on values that were previously calculated or consolidated in another currency.

If the values must balance and verify, they must be converted to the target currency in the database, calculated, and retrieved. This procedure differs from the ad hoc currency conversion retrievals described in this section; see the Essbase System Administrator for more information.

Chapter 4

Using SQL Drill-Through

Hyperion Essbase SQL Drill-Through is an optional product that works with Essbase and Excel. This tutorial provides a brief overview of the SQL Drill-Through product, and walks through several examples of how to access detail-level data from a remote SQL database in the Spreadsheet Add-in.

Note: For information about the Hyperion Integration Server Drill-Through product, see Chapter 5, “[Using Hyperion Integration Server Drill-Through](#).”

What Is SQL Drill-Through?

Essbase excels at rapid navigation of large analytic datasets in an intuitive fashion. Despite the inherent benefits of the multidimensional database for storing analytic data, some data elements that are required for analysis are better suited to remain in the relational structure.

Usually, the scope of data residing in an Essbase database is at a summary level where complex relationships are modeled and consolidated for planning and analysis. Typically, detailed “transaction” level data is not rigorously examined during the planning and analysis of a business. For example, say you use Essbase to budget, plan, and perform variance analysis on weekly data. Daily data is not used during the normal course of analyzing business performance. However, as you analyze variance results by week, you will occasionally find high- or low-performing areas that are well outside the normal range of variance. When this occurs, you might want to view daily transactions to locate any problems that might exist.

With SQL Drill-Through, you can navigate from analytic data in multidimensional databases to transaction details in relational databases. The SQL Drill-Through product provides intuitive data navigation into a relational database by defining mappings between the dimensional attributes of an Essbase database and the fields of relational database tables. The complexity of the mapping is transparent to you. As with the Hyperion Essbase Spreadsheet Add-in interface, you do not need to learn a programming language or know how to construct Structured Query Language (SQL) queries to view relational data.

The database administrator needs to predefine the data mapping. For example, the Essbase members East, West, South, and Central might map back to a field called

Region in a DB2 database. As you navigate through data in the spreadsheet, Essbase knows how the current data maps back to the relational source. The SQL Drill-Through product dynamically creates an SQL query based on the dimensional attributes of a single Essbase data point in the spreadsheet.

For example, suppose you select cell C8 in the following sheet:

	A	B	C	D	E	F	G
1	Sales						
2	New York						
3			Actual			Variance	
4		Jan	Feb	Mar	Jan	Feb	Mar
5	100	135	187	116	(25)	(33)	(14)
6	200	162	241	68	(8)	(9)	(2)
7	300	235	220	271	(5)	(10)	1
8	400	56	232	309	6	(8)	(11)
9	Product	588	880	764	(32)	(60)	(26)
10							
11							
12							

Figure 4-1, Sample SQL Drill-Through File

The dimensional attributes of the cell are: Sales, New York, Actual, Feb, and 400. The combination of one or more of these attributes becomes the basis of an SQL query that returns all records that contain matching field values. For example, the SQL query would return all records from a Sales table that contain a value of Feb in the Monthly field, 400 in the Product ID field, and New York in the State field.

Before You Start

Before reviewing the following concepts, you should have a working familiarity with the Essbase product through the use of the Spreadsheet Add-in interface. As a prerequisite, you should review Chapters 2 and 3 of this guide.

The Sample Basic database is the basis for the examples in this tutorial. If you plan to follow the examples in a live working session, check with the Essbase System Administrator to ensure that the Sample Basic database and SQL Drill-Through product are installed and ready for use. If you followed the tutorials in Chapters 2 and 3, you are already familiar with the Sample Basic database.

The Essbase System Administrator should install the SQL Drill-Through product on your client PC. Additionally, SQL Drill-Through requires ODBC (Open Database Connectivity) drivers and databases that house relational data. The ODBC drivers

can be installed on the Essbase server machine or on your client PC. If the ODBC drivers are on the server, the Essbase System Administrator must also install the Hyperion Essbase SQL Interface product on the server. If the ODBC drivers are on your client PC, you must provide these drivers. For more information, see the *SQL Drill-Through Guide*.

The SQL mapping information is controlled via an initialization file (.INI) that is placed on your PC. If the .INI file is not properly defined on your machine, you might see an error message when you start the spreadsheet session.

Essbase displays the following error if the .INI file is not properly installed on your PC.




Figure 4-2, Essbase Error Message for Missing SQLDRILL.INI File

Essbase displays the following error when the .INI file is installed, but the file itself doesn't contain any SQL mapping profile entries:



Figure 4-3, Essbase Error Message for Incomplete SQLDRILL.INI File

If either of these errors occurs, you will be able to run a normal spreadsheet session with Essbase, but SQL Drill-Through will not function properly. For more information, contact the Essbase System Administrator.

A Guided Tour

The Sample Basic database is a five-dimensional product planning and analysis database. As shown below, it contains dimensions for Year, Measures, Scenario, Product, and Market. The following is an expanded view of the database outline:




Figure 4-4, Expanded Database Outline for Sample Basic

Note: The outline shown in Figure 4-4 does not show member labels or descriptions.

This tutorial walks you through two sample SQL Drill-Through sessions. If your organization has already built an application with SQL Drill-Through, you might not have access to the profiles used in this tutorial.

Sample 1

Assume that the Essbase System Administrator has reviewed the end-user requirements for returning detailed data that relates to data in Essbase. In summary, the Sample Basic database contains data that is used for product planning. When performing variance analysis between ACTUAL and BUDGET data, you occasionally need to view detailed information at a product ID and market area level. Neither of these details is stored in the Essbase database. On a dimension-by-dimension basis, you might require the following:

- **Product dimension:** When you view information about product families or product groups, Essbase must return transactions by Product ID. The retrieved records must match the code of the product currently being viewed in the Essbase model.
- **Market dimension:** You want to view transactional data only when you are looking at the lowest level in the Market dimension. In this case, you want to view area data only for the state you are currently viewing from the Spreadsheet Add-in.
- **Year dimension:** You want to view transactional data only when you are looking at quarterly or monthly data. If you are analyzing a quarterly figure, Essbase must return records that relate to the months within the given quarter being viewed. If you are analyzing a monthly figure, Essbase must return records that match the current month being viewed.
- **Scenario dimension:** The Scenario data in Essbase is irrelevant because you always want to view actual figures from the relational database.
- **Measures dimension:** The Measures data in Essbase is irrelevant because you always want to view unit sales from the relational database.

To analyze data, use the sample `SQLDRILL.XLS` file that is provided as part of the default Essbase installation:

1. Start Excel.
2. Choose File | Open and open the `SQLDRILL.XLS` file from the `\ESSBASE\CLIENT\SAMPLE` directory.

This file is supplied as part of the default Essbase installation and contains an Essbase view that analyzes actual performance as a percent variance to budget data.

	A	B	C	D	E	F	G
1	Sales						
2	New York						
3		Actual			Variance		
4		Jan	Feb	Mar	Jan	Feb	Mar
5	100	135	187	116	(25)	(33)	(14)
6	200	162	241	68	(8)	(9)	(2)
7	300	235	220	271	(5)	(10)	1
8	400	56	232	309	6	(8)	(11)
9	Product	588	880	764	(32)	(60)	(26)
10							
11							
12							

Figure 4-5, Spreadsheet Showing Variance Percent to Budget Data

3. Choose Essbase | Connect and connect to the Sample Basic database. (See “[Connecting to a Database](#)” in Chapter 2 for instructions.)

Based on the spreadsheet view, it appears that product family 400 is performing below budget. You may want to do an analysis by product ID and market area to find the problems. February is of particular concern because it is the largest volume month of the quarter.

4. Choose Essbase | Retrieve.
5. Select cell C8.

By selecting this cell, you are focusing the SQL Drill-Through analysis to data with attributes of: Sales, New York, Actual, Feb, and 400.

6. Choose Essbase | SQL Drill-Through.

A short pause occurs while the Essbase server determines the dimensional attributes of the current cell.

Note:

The SQL Drill-Through action can be initiated only if the current cell represents a data point from the multidimensional model. If not, Essbase displays the following error message:



Figure 4-6, Essbase Error Message for Nondata Point Cell

If this message appears, click OK. Then select a cell that contains data from an Essbase retrieval, and choose Essbase | SQL Drill-Through again.

The Essbase client-server icon appears while the server updates the Spreadsheet Add-in with the relevant information. The **SQL Database Login** dialog box appears.




Figure 4-7, SQL Database Login Dialog Box

This dialog box contains several fields that specify the data source. Depending on the data source, you might be required to enter a password to gain access to underlying tables. The Essbase System Administrator defines the appropriate data source for the application. This tutorial uses dBASE files.

- The **Edit SQL** button lets you view or modify the SQL statement that is dynamically constructed from the active cell in the spreadsheet.
 - The **Query Options** button lets you select from one or more SQL mapping profiles that are defined by the Essbase System Administrator. A profile is a definition of how to map the dimensional attributes of an Essbase database to the fields of a relational database. Depending on the nature of your SQL drill requirement, you might have multiple mappings that define relationships to various fields of one or more tables.
 - The **Output Options** button lets you select the destination of the SQL query output. You can view the results of the query in the spreadsheet, in a text file, or in printed form.
7. Choose **Query Options** to select the appropriate profile.

Essbase displays the **Query Options** dialog box.




Figure 4-8. Query Options Dialog Box

The **Output Profile** list box lets you select from a list of predefined profiles that are either shipped with the Essbase installation software or are defined by the Essbase System Administrator.

The **Delete Profile** and **Edit Profile** buttons are available only to users that are defined as SQL Drill-Through Supervisors in their initialization file. If you need to define or modify the existing profiles, contact the Essbase System Administrator.

8. Select the profile named **Sample1** from the **Output Profile** list box, and click **Close**.

Essbase displays the **SQL Database Login** dialog box.

9. Choose **Output Options** to select an output destination.

Essbase displays the **Output Options** dialog box:




Figure 4-9, Output Options Dialog Box

The **Output To** list box lets you select the destination for the results of the SQL query. Three destinations are available:

- The **File** destination outputs the records in an ASCII text file. If you select the **Browse** button, you can specify a file name.
- The **Printer** destination outputs the records to a selected printer.
- The **Sheet** destination outputs the records to an .XLS file that corresponds to the version of Excel you are using. You can select the **Browse** button to specify a file name.

You can limit the number of records that are returned by the query by clicking the **Limit Output** check box, and entering the maximum number of rows.

10. Select **Sheet** and click OK.

Essbase displays the **SQL Database Login** dialog box.

11. Choose **Drill** to start the SQL query.

Essbase displays the following message:




Figure 4-10, Essbase Operation Message During SQL Drill-Through

The server then passes the SQL statement to the source database. The query is asynchronous, so you can cancel it if necessary.

Once the query is complete, Essbase sends data records to the output destination. The spreadsheet output appears as follows:

 A screenshot of an Excel spreadsheet window titled "Sqldata.xls". The spreadsheet has columns labeled A through H and rows numbered 1 through 11. The data is as follows:

	A	B	C	D	E	F	G	H
1	PROD_CODE	PACKAGE	DESCRIP	STATE	AREA	MONTH	UNIT_SAL	RETURNS
2	400-10-12	12 oz. Can	Smoothie	New York	Manhattan	Feb	32	0
3	400-10-32	1 Liter Bottle	Smoothie	New York	Manhattan	Feb	81	0
4	400-10-12	12 oz. Can	Smoothie	New York	Bronx	Feb	91	2
5	400-10-32	1 Liter Bottle	Smoothie	New York	Bronx	Feb	3	0
6	400-20-12	12 oz. Can	Diet Smoo	New York	Manhattan	Feb	57	1
7	400-20-32	1 Liter Bottle	Diet Smoo	New York	Manhattan	Feb	94	2
8	400-20-12	12 oz. Can	Diet Smoo	New York	Bronx	Feb	25	0
9	400-20-32	1 Liter Bottle	Diet Smoo	New York	Bronx	Feb	78	1
10								
11								

Figure 4-11, Result of SQL Drill-Through

Essbase returns all Product IDs that start with 400 for New York in the month of Feb.

To further illustrate how the SQL Drill-Through product dynamically returns records based on the current data cell, you'll analyze data at a more detailed product level.

1. Close `SQLDATA.XLS` without saving it.
2. Return to the `SQLDRILL.XLS` sheet.

Note: If you attempt another SQL Drill-Through action while the output destination sheet is already open, a new untitled workbook is created.

3. Zoom in (double-click) on product 400 in cell A8.

	A	B	C	D	E	F	G	H
3			Actual			Variance		
4		Jan	Feb	Mar	Jan	Feb	Mar	
5	100	678	645	675	38	35	35	
6	200	551	641	586	21	31	16	
7	300	663	675	695	153	155	155	
8	400-10	234	232	234	(16)	(18)	(16)	
9	400-20	219	243	213	(11)	(17)	(17)	
10	400-30	134	189	198	(6)	(11)	(12)	
11	400	587	664	645	(33)	(46)	(45)	
12	Product	2479	2625	2601	179	175	161	
13								
14								

Figure 4-12. Result of Zoom In Operation

4. Select cell D8 and choose `Essbase | SQL Drill-Through`.

Essbase displays the **SQL Database Login** dialog box.

- Click **Drill** to start the SQL query.

Essbase returns all Product IDs that start with 400-10 for Mar.

	A	B	C	D	E	F	G	H
1	PROD_CO	PACKAGE	DESCRIF	STATE	AREA	MONTH	UNIT_SAL	RETURN
2	400-10-12	12 oz. Can	Smoothie	New York	Manhattan	Mar	9	0
3	400-10-32	1 Liter Bottle	Smoothie	New York	Manhattan	Mar	94	1
4	400-10-12	12 oz. Can	Smoothie	New York	Bronx	Mar	23	0
5	400-10-32	1 Liter Bottle	Smoothie	New York	Bronx	Mar	53	0
6								
7								

Figure 4-13, Result of SQL Drill-Through

- Close `SQLDATA.XLS` without saving it.
- In `SQLDRILL.XLS`, zoom out on cell A8.

Sample 2

This sample illustrates how a different mapping profile can be used to retrieve data at a different level of detail.

As mentioned in Sample 1, the Sample Basic database contains data that is used for product planning. When performing variance analysis between actual and budget data, you may occasionally need to view more detailed information at a weekly level. Weekly data is not stored in the Essbase database. On a dimension-by-dimension basis, you would require the following:

- **Product dimension.** When you view information about product families or product groups, Essbase must return transactions by Product Group that match the code of the product currently being viewed in the Essbase model.
- **Market dimension.** You want to view transactional data only when you are looking at the region or state level in the Market dimension. When you view regional data from Essbase, the states belonging to the current region must be returned. When you view state data from Essbase, the relational records for the given state must be returned.
- **Year dimension.** You want to view weekly data only when you are looking at the lowest level in the Year dimension. In this case, you want to view weekly data that relates to the current month from Essbase.


- Scenario dimension. The Scenario data in Essbase is irrelevant because you always want to view actual figures from the relational database.
- Measures dimension. The Measures data dimension is irrelevant because you always want to view unit sales from the relational database.

To analyze data:

1. Open a new spreadsheet by choosing File | New or clicking the  icon.
2. Choose Essbase | Connect and connect to the Sample Basic database. (See “Connecting to a Database” in Chapter 2 for instructions.)
3. Open SQLDRILL.XLS (if it’s not already open from the previous example).

This file is supplied as part of the default Essbase installation and is located in the \ESSBASE\CLIENT\SAMPLE directory on your PC.

This file contains an Essbase view that analyzes actual performance as a percent variance to budget data.



	A	B	C	D	E	F	G
1	Sales						
2	New York						
3			Actual		Variance		
4		Jan	Feb	Mar	Jan	Feb	Mar
5	100	135	187	116	(25)	(33)	(14)
6	200	162	241	68	(8)	(9)	(2)
7	300	235	220	271	(5)	(10)	1
8	400	56	232	309	6	(8)	(11)
9	Product	588	880	764	(32)	(60)	(26)
10							
11							
12							

Figure 4-14, Sample SQL Drill-Through File

Based on the view, it appears that product family 400 is performing below budget. You may want to do an analysis by week to find the problems. February is of particular concern because it is the largest volume month of the quarter.

4. Select cell C8 and choose Essbase | SQL Drill-Through.

This focuses the SQL Drill-Through analysis to data with attributes of: Sales, New York, Actual, Feb, and 400.

After a short pause, during which the Essbase server determines the dimensional attributes of the active cell in the spreadsheet, Essbase displays the **SQL Database Login** dialog box.




Figure 4-15, SQL Database Login Dialog Box

5. Click **Query Options** to select the appropriate profile.

The **Output Profile** list box lets you select predefined profiles that are either shipped with the Essbase installation software or are defined by the Essbase System Administrator.

- Select the profile named **Sample2**, and click **Close**.




Figure 4-16, Query Options Dialog Box

Essbase displays the **SQL Database Login** dialog box.

- Click **Drill** to start the SQL query.

Essbase returns weekly data for the month of February and all Product IDs that start with 400.

	A	B	C	D	E	F	G	H
1	CALENDAR.MONTH	WEEKLY.W_ENDING	TERRITOR.REGION	WEEKLY.STATE	WEEKLY.PROD_FAM	WEEKLY.UNIT_SALES		
2	Feb-95	1995-02-05	East	New York	400-20	15		
3	Feb-95	1995-02-05	East	New York	400-10	43		
4	Feb-95	1995-02-12	East	New York	400-20	29		
5	Feb-95	1995-02-12	East	New York	400-10	26		
6	Feb-95	1995-02-19	East	New York	400-20	4		
7	Feb-95	1995-02-19	East	New York	400-10	80		
8	Feb-95	1995-02-26	East	New York	400-20	1		
9	Feb-95	1995-02-26	East	New York	400-10	67		
10								

Figure 4-17, Result of SQL Drill-Through

You are now finished with the SQL Drill-Through tutorial. For more information on SQL Drill-Through, see the Spreadsheet Add-in Online Help.

Chapter 5 Using Hyperion Integration Server Drill-Through

Hyperion Integration Server is a product that works with Hyperion Essbase and Microsoft Excel. Integration Server is a suite of tools and data integration services that serve as a bridge between relational data sources and the Hyperion Essbase OLAP Server. Hyperion Integration Server Drill-Through is one of these tools. Drill-Through enables you to view and customize spreadsheet reports that display data retrieved from relational databases. Your organization must license Hyperion Integration Server for you to use the Drill-Through tool.

This chapter provides:

- A brief overview of the Drill-Through feature
- A description of the sample database, Excel file, and Drill-Through report used for the tutorial
- A tutorial that walks you through tasks for using Drill-Through

Notes:

- Drill-Through is available only for 32-bit clients, such as Microsoft Excel 97.
- Drill-Through is different from the Hyperion Essbase SQL Drill-Through product. Integration Server Drill-Through is accessed through the Linked Objects Browser; Essbase SQL Drill-Through is accessed from the Essbase menu. These two products are independent of each other.

What Is Drill-Through?

Despite the benefits of the multidimensional database for storing analytic data, some data elements that are required for analysis are better suited to remain in the relational structure, in a relational database. The scope of data residing in an Essbase database is typically at a summary level, where data is summarized and calculated for planning and analysis. Usually, detailed, transactional data is not examined during the planning and analysis of a business.

For example, say you are using Essbase to analyze retail sales for the first quarter in the Eastern region. Detail data, such as a list of customers who purchased a particular product in a particular size, is not used during the normal course of analyzing business performance. However, as you analyze sales results, you may want to view more detailed information. Drill-Through is a tool that enables you to drill from the summarized and calculated data stored in your organization's Hyperion Essbase OLAP Server into detailed data stored in a relational database.

The database administrator predefines a data mapping for you from Essbase to the relational source. For example, the Essbase members East, West, South, and Central might map to a field called Region in a relational database. As you navigate through data in the spreadsheet, Essbase knows how the current data maps to the relational source. For example, suppose you select cell E4 in the following sheet:

	A	B	C	D	E	F	G	H	I	J	K
1											
2							East				
3							1996		1997		
4	MARKETING	Bottles	Retail	Colas	3062	9856	3693	3840.47	12348.64	4619.19	
5				Cream_Soda	1195	3790	1404	1486.65	4738.55	1750.13	
6				Root_Beer	1222	3697	1456	1520.66	4883.07	1823.38	
7				DIET	1792	5830	2146	2243.74	7288.31	2673.78	
8			Wholesale	Colas	208	650	246	264.63	817.23	301.69	
9				Cream_Soda	51	156	59	65.71	191.39	73.31	
10				Root_Beer	85	264	102	110.01	325.43	131.64	
11				DIET	88	272	102	110.01	340.33	125.84	
12											
13											

Figure 5-1, Example of Drill-Through Sheet

The dimensional attributes of the cell are: East, Feb, 1996, Marketing, Bottles, Retail, and Colas. The combination of one or more of these attributes becomes the basis of a Drill-Through query that returns data from the relational source.

From the Hyperion Essbase Spreadsheet Add-in, you can access a predefined Drill-Through report that is based on the member intersections of Essbase data cells in the sheet. Using an Integration Server tool called Hyperion OLAP Builder, an administrator at your organization sets up Drill-Through reports for you to access; that is, each Drill-Through report is already defined in terms of what to retrieve from the relational source.

You access Drill-Through reports from the Spreadsheet Add-in **Linked Objects Browser** dialog box. When you select a Drill-Through cell in the sheet and choose Essbase | Linked Objects, the **Linked Objects Browser** dialog box displays an entry for Drill-Through that you can select and launch.




Figure 5-2, Linked Objects Browser Dialog Box with Drill-Through Entry

To help you identify which cells in the sheet have Drill-Through reports associated with them, you can define a style for cells tagged as Drill-Through. For more information, see “[Accessing Drill-Through from the Spreadsheet](#)” later in this chapter.

What Is the Drill-Through Wizard?

Integration Server Drill-Through reports are predefined by an administrator at your organization for you to view or customize. The person who develops a report determines whether or not the report can be customized by Drill-Through users. If a report can be customized, you can use the Integration Server Drill-Through Wizard to customize it. The Drill-Through Wizard is a graphical user interface that steps you through the following customization tasks:

- *Selecting columns to retrieve from the relational data source*
Decide which columns from the predefined report you need to see.
- *Selecting the display order for columns*
Change the default display order of columns across the sheet.
- *Selecting a sort order for data*
Choose an ascending or descending sort order for a particular column, for example, sort a list of managers in alphabetical order.
- *Selecting data filters*
Define a filter on a column so that only data meeting certain criteria is retrieved.

Before You Start

Before starting the tutorial, you should have a working familiarity with the Essbase product through the use of the Spreadsheet Add-in interface. As a prerequisite, you should review Chapters 2 and 3 of this guide.

A sample Essbase database is the basis for the examples in this tutorial. The database administrator creates this sample Essbase database using the sample metaoutline supplied with Integration Server. For more information, see the *Hyperion OLAP Builder User's Guide*. A sample Excel file, `DTREPORT.XLS`, contains a sheet with the appropriate member intersections for the sample Drill-Through report. For more information on the sample database, Excel file, and Drill-Through report, see "[About the Samples Used for this Tutorial](#)" later in this chapter.

If you plan to follow the examples in a live working session, check with the person at your organization who installs the Hyperion Integration Server product family for information on the sample database needed for Drill-Through. You will also need to know which Essbase server to connect to.

Before you start the tutorial, make sure the following requirements are met:

- You must install the following components on your client PC:
 - The Spreadsheet Add-in for Excel
 - A 32-bit version of Excel (for example, Excel 95 or Excel 97)
 - Drill-Through

The Drill-Through module is installed automatically when you install the Spreadsheet Add-in. This module is transparent to you until you invoke it from the **Linked Objects Browser**. For more information on installation, contact the Essbase System Administrator.
- The Essbase System Administrator must install the Essbase server.
- You must have access to the Hyperion Integration Server and to the Essbase server. For more information, contact the Essbase System Administrator or the person who administers Hyperion Integration Server at your organization.
- You must have access to the underlying relational database (typically using a user name and password that are different from Essbase). For more information, contact the Essbase System Administrator or the person who administers Hyperion Integration Server at your organization.
- Make sure that the sample Excel file, DTREPORT.XLS, is available in the \ESSBASE\CLIENT\SAMPLE directory.
- The sample database that contains the Drill-Through report must be set up. The sample Drill-Through report used in this tutorial (called “Promotion Media Mix for Cities”) is available with the sample database. Contact the person at your organization who installs Hyperion Integration Server to find out the name of the sample database needed for Drill-Through.

Note: For more information on Hyperion Integration Server installations, see the Hyperion Integration Server *Installation Notes*. For more information on Essbase installations, see the Essbase *Installation Notes*.

Also, keep in mind the following guidelines during the tutorial:

- Each tutorial task builds upon the previous task. These tasks must be followed in succession.
- Tasks that should *not* be performed as part of the tutorial appear in gray boxes. These tasks are included for your reference. You can find more information on these tasks in the Hyperion Integration Server Drill-Through Online Help.
- The examples used in this tutorial are based on the sample database that is included with the Hyperion Integration Server installation. Contact the person at your organization who installs Hyperion Integration Server for information about accessing the sample database.
- You must set the options in the **Essbase Options** dialog box as described in the following section, “[Setting Essbase Options](#).” If the option settings are different, the illustrations presented in this chapter may not match the spreadsheet view.
- If you make a mistake during the tutorial, you can choose Essbase | FlashBack to return to the previous spreadsheet view.

Setting Essbase Options

Before you begin the tutorial, make sure that the spreadsheet options are set to the initial settings as illustrated in the following figures. If the option settings are different, the illustrations presented in this chapter may not match the spreadsheet view.

Note: For information about each option in the **Essbase Options** dialog box, click **Help** to see the Spreadsheet Add-in Online Help.

1. Choose Essbase | Options.
2. In the **Essbase Options** dialog box, select the **Display** tab.

3. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 5-3. Initial Settings for Display Options

4. Select the **Zoom** tab.
5. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 5-4, Initial Settings for Zoom Options

6. Select the **Mode** tab.
7. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 5-5. Initial Settings for Mode Options

8. Select the **Style** tab.
9. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 5-6, Initial Settings for Style Options

10. Select the **Global** tab.
11. Click the appropriate check boxes and option buttons so that your display matches the following illustration:




Figure 5-7. Initial Settings for Global Options

12. Click OK to save the settings for this session and close the **Essbase Options** dialog box.

About the Samples Used in This Tutorial

The sample database used for this tutorial contains the following dimensions: SCENARIO, PRODUCTS, PACKAGE, MARKETS, ACCOUNTS, TIME, and CHANNEL. The sample Excel file provides a particular view from this database:

	A	B	C	D	E	F	G	H	I	J	K
1							East				
2						1996			1997		
3					Feb	Jan	Mar	Feb	Jan	Mar	
4	MARKETING	Bottles	Retail	Colas	3062	9856	3693	3840.47	12348.64	4619.19	
5				Cream_Soda	1195	3790	1404	1486.65	4738.55	1750.13	
6				Root_Beer	1222	3897	1456	1520.66	4883.07	1823.38	
7				DIET	1792	5830	2146	2243.74	7288.31	2673.78	
8			Wholesale	Colas	208	650	246	264.63	817.23	301.69	
9				Cream_Soda	51	156	59	65.71	191.39	73.31	
10				Root_Beer	85	264	102	110.01	325.43	131.64	
11				DIET	88	272	102	110.01	340.33	125.84	
12											
13											

Figure 5-8. View from Sample Database

For this spreadsheet view, detail-level data exists in a relational data source—data that is not available from Essbase. For example, the relational source contains columns of data for cities, seasons, and different types of media (for example, print, radio, and so forth). This tutorial walks you through a sample Integration Server Drill-Through session, where you will drill down from the data shown above into the detail data from the relational source.

This tutorial uses a sample Drill-Through report called “Promotion Media Mix for Cities.” As with all Drill-Through reports, this report has been predefined to retrieve specific columns from the relational source. You will use the Drill-Through Wizard to customize the predefined report.

Note: The sample file also contains a second sample report, called “City Demographics,” that you can use for Drill-Through practice.

Using Drill-Through

Drill-Through consists of the following tasks:

- Accessing Drill-Through from the Spreadsheet Add-in
- Selecting Drill-Through Reports to View or Customize
- Selecting and Ordering Columns
- Sorting Data
- Filtering Data

The following sections describe each of these tasks and step you through a live working Drill-Through session.

Accessing Drill-Through from the Spreadsheet

From the Spreadsheet Add-in, you can access detail-level Drill-Through reports that are based on the member intersections of Essbase data cells in the sheet. Each Drill-Through report has been predefined by an administrator at your organization; that is, each Drill-Through report is already set up to retrieve specific columns from the relational source, sort data in these columns in specific ways, and so forth. Using the Drill-Through Wizard, you can customize these predefined Drill-Through reports to retrieve only the data you want, displayed in a specific way.

To access the predefined Drill-Through report, you double-click a Drill-Through cell in the spreadsheet (or select a range of cells and choose Essbase | Linked Objects). To help you identify which cells in the sheet are associated with Drill-Through reports, you can set styles for cells tagged as Drill-Through. When you double-click a Drill-Through cell, Essbase displays the **Linked Objects Browser** dialog box, which displays a Drill-Through report entry. A single cell can have multiple reports associated with it. The **Linked Objects Browser** dialog box also displays entries for linked partitions and other linked object types (for example, cell notes and application files). After you view or customize the Drill-Through report, the Integration Server retrieves data from the relational source and displays the results in a new spreadsheet.

Before starting the Drill-Through tutorial, you will:

1. Open a sample Excel file that contains the appropriate member intersections from the sample database for the Drill-Through report. This file, DTREPORT.XLS, is provided as part of the default Essbase installation.
2. Set a style for data cells that have Drill-Through reports associated with them.

To access the sample file and sample database:

1. Start Excel.
2. Choose File | Open and open the DTREPORT.XLS file from the ESSBASE\CLIENT\SAMPLE directory.

The sample file should look like this:

	A	B	C	D	E	F	G	H	I	J	K
1							East				
2						1996			1997		
3					Feb	Jan	Mar	Feb	Jan	Mar	
4	MARKETING	Bottles	Retail	Colas	3062	9856	3693	3840.47	12348.64	4619.19	
5				Cream_Soda	1195	3790	1404	1486.65	4738.55	1750.13	
6				Root_Beer	1222	3897	1456	1520.66	4883.07	1823.38	
7				DIET	1792	5830	2146	2243.74	7288.31	2673.78	
8			Wholesale	Colas	208	650	246	264.63	817.23	301.69	
9				Cream_Soda	51	156	59	65.71	191.39	73.31	
10				Root_Beer	85	264	102	110.01	325.43	131.64	
11				DIET	88	272	102	110.01	340.33	125.84	
12											
13											

Figure 5-9, Sample Excel File for Drill-Through

The sample file shows data for specific members of an Essbase database. From this view, a predefined Drill-Through report exists for all member intersections in the sheet. Using Drill-Through, you can access this report and customize it so that the Integration Server retrieves only the data you need and displays the data in the desired format.

3. Choose **Essbase | Connect** and connect to the appropriate sample database.

Note: For information on the sample database, contact the person at your organization who installs Hyperion Integration Server.

4. Choose **Essbase | Options** and select the **Style** tab.
5. In the **Data Cells** option group, click the **Integration Server Drill-Through** check box and click **Format**.

Essbase displays the **Font** dialog box.

6. Select **Bold Italic** from the **Font style** list box.
7. Select **Red** from the **Color** drop-down list, and click OK.

Note: Essbase displays an example of the selected style in the **Sample** box.




Figure 5-10, Sample Style for Integration Server Drill-Through Data Cells

8. Click OK to close the **Essbase Options** dialog box.

- Choose Essbase | Retrieve to display the new style in the spreadsheet.

In this example, the sample Drill-Through report is associated with every member intersection in the sheet, so all cells are now displayed in red, bold, italic font.

	A	B	C	D	E	F	G	H	I	J	K
1							East				
2						1996			1997		
3					Feb	Jan	Mar	Feb	Jan	Mar	
4	MARKETING	Bottles	Retail	Colas	3062	9856	3693	3840.47	12348.64	4619.19	
5				Cream_Soda	1195	3790	1404	1486.65	4738.55	1750.13	
6				Root_Beer	1222	3897	1456	1520.66	4883.07	1823.38	
7				DIET	1792	5830	2146	2243.74	7288.31	2673.78	
8			Wholesale	Colas	208	650	246	264.63	817.23	301.69	
9				Cream_Soda	51	156	59	65.71	191.39	73.31	
10				Root_Beer	85	264	102	110.01	325.43	131.64	
11				DIET	88	272	102	110.01	340.33	125.84	
12											
13											

Figure 5-11, Sample Excel File with Drill-Through Style Applied

To access the sample Drill-Through report from the Spreadsheet Add-in:

- Select any Drill-Through cell, for example, cell E4.

	A	B	C	D	E	F	G	H	I	J	K
1							East				
2						1996			1997		
3					Feb	Jan	Mar	Feb	Jan	Mar	
4	MARKETING	Bottles	Retail	Colas	3062	9856	3693	3840.47	12348.64	4619.19	
5				Cream_Soda	1195	3790	1404	1486.65	4738.55	1750.13	
6				Root_Beer	1222	3897	1456	1520.66	4883.07	1823.38	
7				DIET	1792	5830	2146	2243.74	7288.31	2673.78	
8			Wholesale	Colas	208	650	246	264.63	817.23	301.69	
9				Cream_Soda	51	156	59	65.71	191.39	73.31	
10				Root_Beer	85	264	102	110.01	325.43	131.64	
11				DIET	88	272	102	110.01	340.33	125.84	
12											
13											

Figure 5-12, Selecting a Drill-Through Cell

Note:

You can also select a continuous range of cells in the sheet to display all Drill-Through reports associated with cells you select. In this example, we only have one Drill-Through report attached to the range of cells.

2. Choose Essbase | Linked Objects to open the **Linked Objects Browser** dialog box.

Alternatively, click the **Enable Linked Object Browsing** check box in the **Essbase Options** dialog box (**Global** page), which enables you to double-click a linked object cell to open the **Linked Objects Browser** dialog box. This option works only with single-cell selection. If you select a range of cells, use the Essbase | Linked Objects menu command.




Figure 5-13, Linked Objects Browser Dialog Box with Drill-Through Entry Selected

3. Select the Drill-Through report entry and click **View/Launch**.

Essbase launches Drill-Through and displays the **Select Drill-Through Report** dialog box.

Note: If the Hyperion Integration Server is not running, Drill-Through does not launch properly. For more information, contact the Essbase System Administrator.




Figure 5-14, Select Drill-Through Report Dialog Box

4. If you are prompted with the **Drill-Through Login** dialog box to connect to the Integration Server and the relational data source, enter the appropriate connection information. The person at your organization who administers Hyperion Integration Server and develops Drill-Through reports should provide you with this information.

Note: If there is only one report available for the cells you select in the spreadsheet, and if that report is not designed to be customized, Drill-Through generates the report and immediately displays the results in the spreadsheet. The person at your organization who develops Drill-Through reports specifies whether you can customize a report and whether you need to log in to the Integration Server and relational data source.

5. Follow the steps in the next section, “[Selecting Drill-Through Reports to View or Customize](#)” to select a report to customize.

Selecting Drill-Through Reports to View or Customize

After you launch Drill-Through from the **Linked Objects Browser** dialog box, the Integration Server displays the **Select Drill-Through Report** dialog box if:

- More than one Drill-Through report exists for the cell or cell range that you select in the spreadsheet, or
- Only one report exists, but you have the option of customizing it using the Drill-Through Wizard.

The **Select Drill-Through Report** dialog box displays the list of Drill-Through reports available for the cells you select in the spreadsheet. Depending on how a report is defined in Hyperion OLAP Builder, you may have access only to view, not customize, the report.

The sample report used for this tutorial is the Promotion Media Mix for Cities report. You will use the Drill-Through Wizard to customize this sample report. To execute a predefined Drill-Through report without customizing it, you would:

1. Select the report that you want to view from the **Available Reports** list box.
2. Click **Execute**.

The Integration Server retrieves the data from the relational source and displays the results in a new spreadsheet. The new sheet is added before the current sheet.

To customize the sample Drill-Through report:

1. Select the Promotion Media Mix for Cities report from the **Available Reports** list box.




Figure 5-15, Selecting the Sample Drill-Through Report

2. Click **Customize**.

Note: The **Customize** button may be enabled or disabled for any given report, depending on how the report was defined in OLAP Builder.

The Integration Server displays the first screen of the Drill-Through Wizard.




Figure 5-16, Drill-Through Wizard Dialog Box, Introductory Screen

- Click **Next** to display the **Select Columns and Display Order** dialog box.




Figure 5-17, Select Columns and Display Order Dialog Box

- Follow the steps in the next section, “[Selecting and Ordering Columns](#),” to select and order rows for the customized report.

Selecting and Ordering Columns

Using the Drill-Through Wizard, you can customize predefined Drill-Through reports. The first task in the Drill-Through Wizard is selecting and ordering columns to retrieve from the relational database. These columns contain detailed information that is not available in the Essbase database.

In the **Select Columns and Display Order** dialog box, you can select which columns you want the Integration Server to retrieve from the relational data source. From this dialog box, you can also specify how the columns are displayed in the resulting report.

The **Available Columns** list box displays a list of columns available from the relational data source for this report (as defined in OLAP Builder). The **Selected Columns** list box displays the columns from the **Available Columns** list box in expanded form. You can remove columns from the **Selected Columns** list box to exclude them from the Drill-Through report.

In this example, the columns from the **Available Columns** list box are selected for inclusion in the sample Promotion Media Mix for Cities report. These columns are displayed in expanded form in the **Selected Columns** list box. In this task, you will remove several of the selected columns from the Drill-Through report:

1. In the **Selected Columns** list box, select the `TIME.PRINTMEDIA`, `TIME.TV`, `TIME.RADIO`, and `TIME.DIRECT` columns.

Hold down the `Ctrl` key to select multiple columns at once.




Figure 5-18. Selecting Columns to Remove From the Drill-Through Report

2. Click  to move the selected columns from the **Selected Columns** list box back to the **Available Columns** list box.

To move a column from one list box to another, click  or .

To move all columns from one list box to another, click  or .

- To rearrange the display order of columns, select each `PRODUCTS` column (one at a time) in the **Selected Columns** list box and click **Move Up** twice to move each column up above the `MARKETS` columns.

The customized report will display the columns in the **Selected Columns** list box in the order in which they appear; the `PRODUCTS` columns will appear as the first (left-most) columns, then the `MARKETS` columns, and so forth.




Figure 5-19, Rearranging the Display Order of Columns

- Click **Next** to display the **Select Data Sort Order** dialog box, and follow the steps in the following section, “[Ordering Data](#)” to further customize the report.

Note: When you finish customizing the report, you can click **Finish** at any time to generate the report and view the results in a new sheet. The new sheet is placed before the current sheet.

Ordering Data

In the **Select Data Sort Order** dialog box, you can select an ascending or descending sort order for the data in a column. Sort order determines the order in which rows will be displayed in the Drill-Through report. For example, you can sort the contents of a `MARKETS . CITY` column in ascending order, which presents the cities in alphabetical order in the Drill-Through report.

To define the sort order of rows in the Drill-Through report:

1. In the **Available Columns** list box, select the `SALESINVACT.MARKETING` column.

The columns in the **Available Columns** list box are those that you selected in “[Selecting and Ordering Columns](#).” The columns in the **Column** list box are those for which a sort order has already been defined in OLAP Builder.

If a data sort order was selected when the report was created in OLAP Builder, that selection is displayed in the **Order By** list box. Otherwise, the default sort order is **Ascending**.

2. Click  to move the `SALESINVACT.MARKETING` column to the **Column** list box so that you can define a sort order for the column.

To move a column from one list box to another, click  or .

To move all columns from one list box to another, click  or .




Figure 5–20, Moving a Column to the Column List Box for Sorting

3. Rearrange the display order of columns in the **Column** list box so that the columns are grouped:
 - a. Click `MARKETS . CITY` and click **Move Up** twice.
 - b. Click `SALESINVACT . MARKETING` and click **Move Up** twice.
4. In the **Column** list box, double-click the `SALESINVACT . SALES` column to change the data sort order from **Descending** to **Ascending** so that `SALES` values are displayed in chronological order in the Drill-Through report.

The Integration Server now sorts the columns it retrieves first by state (in alphabetical order), then by city (in alphabetical order), then by sales (in chronological order).




Figure 5-21, Selecting the Data Sort Order

6. Click **Next** to display the **Select Data Filters** dialog box, and follow the steps in the following section, “[Filtering Data](#)” to further customize the report.

To change the data sort order for multiple columns at one time:

1. Hold down the **Ctrl** key and select the desired columns from the **Column** list box.
2. Click **Order By**.

The Integration Server displays the **Order By** dialog box.




Figure 5-22, Order By Dialog Box

3. Select **Ascending** or **Descending** and click **OK** to return to the **Selecting Data Sort Order** dialog box.

Filtering Data

You can apply filters to determine what the Integration Server retrieves for the Drill-Through report. For any given column, you may want to retrieve only data that meets certain conditions. For example, the `MARKETS.CITY` column in the sample database contains many cities. In the sample Drill-Through report, if you did not apply a filter to this list of cities, the Integration Server would retrieve all cities in the East from the relational source, because the sample Drill-Through report applies to the entire Eastern region. In this section, you will apply a filter to the `MARKETS.CITY` column so that only specific Eastern cities are included in the report.

To define a filter:

1. Select the `MARKETS.CITY` column from the **Column** list box.

The columns in the **Column** list box are those that you selected in “[Selecting and Ordering Columns](#).”




Figure 5-23, Select Data Filters Dialog Box

Note: If there is a filter already attached to the column, it is displayed in the **Condition** list box. The full string of the filter is displayed in the lower **Condition** text box.

2. With the `MARKETS.CITY` column selected, click **Add**.

The Integration Server displays the **Set Filter on Column** dialog box.




Figure 5-24, Set Filter on Column Dialog Box

3. Select the `CITY` column from the **Column** drop-down list box.

The column displayed in the **Column** drop-down list box is the one that you selected in “[Filtering Data.](#)”

4. Select the **in** operator from the **Operator** drop-down list box.

Note: For more information on filter operators, see the Hyperion Integration Server Drill-Through Online Help.

5. Click the **Browse**  button to open the **Select Filter Values from the List** dialog box, which lists all possible values for that column.

The Integration Server displays the **Select Filter Values from the List** dialog box.

Note: The Integration Server retrieves these values directly from the relational data source. If the relational data source contains many values, the Integration Server confirms whether you want to view them all before it retrieves them from the data source.

6. Hold down the **Ctrl** key, select **Andover**, **Boston**, and **Cape Cod**, and click **OK**.

You can select multiple values at one time only if you have selected **in** or **not in** as the filter operator.




Figure 5-25, Selecting Filter Values from the List

7. Select **And** from the **Add Type** option group.
8. Click **Add** to add the condition to the **Filters** list box.

Note: For information on using multiple filter conditions, see the Hyperion Integration Server Drill-Through Online Help.

The **Set Filter on Column** dialog box should now look like this:




Figure 5-26. Defining a Filter for a Column

The filter defined above causes only Andover, Boston, and Cape Cod data to show in the Drill-Through report.

9. Click OK to return to the **Select Data Filters** dialog box.




Figure 5-27. Result of Defining a Filter for a Column

Notes:

- You can also create a filter by typing the filter conditions directly into the **Filters** list box. For more information, see the Hyperion Integration Server Drill-Through Online Help.
- To delete a filter, select the filter and click **Clear**. To delete all filters, click **Clear All**.

10. Click **Finish**.

The Integration Server generates the customized Drill-Through report and displays the results in a new spreadsheet. The new sheet is added to the workbook before the current sheet.

	A	B	C	D	E	F	G	H	I	J
1	FAMILYID	FAMILYDESC	PRODID	PRODDDESC	STATE	CITY	SEASON	MONTH	SALES	MARKETING
2	100	Colas	100-10	Kool Cola	Massachusetts	Andover	Winter	Feb	70	15
3	100	Colas	100-30	Caffeine Free Cola	Massachusetts	Boston	Winter	Feb	143	35
4	100	Colas	100-10	Kool Cola	Massachusetts	Boston	Winter	Feb	246	60
5	100	Colas	100-20	Diet Cola	Massachusetts	Boston	Winter	Feb	280	66
6	100	Colas	100-10	Kool Cola	Massachusetts	Cape Cod	Winter	Feb	97	23
7										
8										
9										

Figure 5-28, Customized Drill-Through Report

In this sample, the customized Drill-Through report reflects the specifications that you set using the Drill-Through Wizard:

- The `TIME.PRINTMEDIA`, `TIME.TV`, `TIME.RADIO`; and `TIME.DIRECT` columns are excluded.
- The columns are displayed across the sheet in the order that you specified in the **Selected Columns** list box in the **Select Columns and Display Order** dialog box.

- The `STATE`, `CITY`, `SALES`, `MARKETING`, `FAMILYDESC`, and `PRODDDESC` columns are sorted in ascending order, starting with the `STATE` column and proceeding to the `PRODDDESC` column. For example, the Integration Server first sorts the `STATE` column in ascending order. Because there is only one state represented in this column (Massachusetts), the Integration Server moves on to the `CITY` column and sorts its contents in ascending (alphabetical) order. Then, within the `SALES` column, the values are sorted in ascending (chronological) order within each city. This process continues until all specified columns are sorted first by `CITY` and then in ascending order within `CITY`.
- The only cities retrieved from the relational source are Andover, Boston, and Cape Cod, as you specified in the filtering part of the Drill-Through Wizard.

Disconnecting from Essbase

When you finish using Drill-Through, disconnect from the Essbase server to free up a port on the server for other Spreadsheet Add-in users.

To disconnect from the server:

1. Choose Essbase | Disconnect.

Essbase displays the **Essbase Disconnect** dialog box, where you can disconnect any sheet that is connected to a database.




Figure 5-29, Essbase Disconnect Dialog Box

Note: Essbase may return an error message when you attempt to disconnect after using Drill-Through. If an error message is returned, choose Essbase | Retrieve from the sheet and then disconnect.

2. Select a sheet name from the list and click **Disconnect**.
3. Repeat Step 2 until you have disconnected from all active sheets.
4. Click **Close** to close the **Essbase Disconnect** dialog box.

Note: You can also disconnect from the server by closing Excel. An abnormal termination of an Excel session, such as a power loss or system failure, does not disconnect your server connection.

Index

#Missing string, suppressing, [58](#)
#NoAccess string, suppressing, [59](#)
* wildcard character, [90](#)
? wildcard character, [90](#)

A

abnormal termination, [98](#)

accessing

 databases, [32](#), [100](#)

 Essbase commands, [30](#)

 Essbase data, [32](#), [100](#)

 Hyperion Integration Server Drill-Through, [217](#)

 linked partitions, [171](#)

 linked reporting objects, [162](#)

 multiple databases, [169](#)

 online Help, [21](#)

 user's guide, [x](#)

Acrobat Reader, [x](#)

ad hoc reports, [1](#), [34](#), [118](#), [186](#)

Add button, [233](#)

Add-in Manager, Excel, [14](#)

adding members, [37](#), [86](#)

adjusting columns, [30](#), [116](#)

administrator, [2](#)

Adobe Acrobat Reader, [x](#)

advanced interpretation engine, [143](#)

Advanced Interpretation mode, [143](#), [149](#)

advanced tasks, [99](#)

aliases, [11](#)

 displaying, [71](#)

 with member names, [72](#)

 with Retrieval Wizard results, [85](#)

 tables, [70](#)

alternate dimensions, [7](#)

alternate names. *See* aliases

ancestors (defined), [11](#)

AND operators, [86](#), [109](#)

API, [4](#)

Application Designer, [2](#)

application partitions. *See* linked partitions

application products, [4](#)

application programming interface, [4](#)

applications/databases

 Sample Basic, [13](#), [31](#), [33](#), [101](#)

 sample for Integration Server

 Drill-Through, [216](#)

 Sample Interntl, [183](#)

 Sample Xchgrate, [183](#)

applying filters, with Integration Server

 Drill-Through, [231](#)

applying styles, [61](#) – [68](#)

 data cells, [68](#), [156](#), [171](#)

 dimension members, [65](#)

 Dynamic Calculation members, [135](#)

 parent members, [62](#)

ascending sort order

 with Integration Server

 Drill-Through, [228](#)

 with Retrieval Wizard, [109](#)

asymmetric reports, [112](#)

 pivoting, [114](#)

 retrieving data into, [112](#)

Attach Linked Object dialog box, [154](#), [158](#), [160](#)

attaching reporting objects to cells. *See* linking

attaching to databases. *See* connecting

auditing updates, [175](#)

auto logouts, [98](#)

Auto Sort Rows option, [146](#)

B

- blank
 - columns, 115
 - rows, 115
- blocks, locking data, 173
- Boolean operators, 86, 91, 109

C

- Calculation command, 175
- Calculation dialog box, 176
- calculations, 135
 - database status, 176
 - databases, 135, 175
 - dynamic, 135
 - reducing calculation time, 135
 - scripts, 176
 - specifying latest time period, 137
 - substitution variables, 140
 - with Dynamic Time Series, 138
 - with EssCell, 133
- canceling data retrievals, 36
- Cascade command, 177
- Cascade Information page, 178
- Cascade Options dialog box, 177
- cascading sheets, 177
 - creating table of contents, 181
 - destination, 178
 - format, 180
 - level of detail level, 178
 - names, 179
 - output type, 178
- cell notes
 - accessing linked, 164
 - linking to cells, 157
- cell ranges
 - keeping, 50
 - removing, 53
 - retrieving, 127
 - selecting for retrieval, 128
 - selecting nonadjacent, 51
 - with Integration Server
 - Drill-Through, 220

cells

- accessing linked partitions, 171
- applying styles, 61, 68
- attaching reports. *See* linking
- attaching URLs. *See* linking
- EssCell function in, 130
- formatting, 61, 68, 156
 - data cells, 68
 - dimension members, 65
 - Dynamic Calculation members, 135
 - parent members, 62
- formulas in, 115, 117, 121 – 26, 130
- linked reporting objects, 153, 159
- linking files to, 153
- linking notes to, 157
- linking URLs to, 159
- retrieving a range, 127
- retrieving single values, 130
- selecting nonadjacent, 51
 - with nondatabase values, 115
- Change Password dialog box, 34
- changing
 - passwords, 34
 - row and column orientation, 45
 - spreadsheet format, 61
 - styles, 61
- children (defined), 11
- choosing columns, for Integration Server
 - Drill-Through reports, 226
- Clear All button, 236
- Clear button, 236
- Clear command, 37, 70
- clearing styles, 69
- click (defined), 22
- client, 2
 - software, 13
 - spreadsheet. *See* Spreadsheet Add-in
 - upgrading with server, xiii
- client-server environment, 2
- collapsing data views. *See* zoom
- colors, setting, 61
- columns
 - adjusting width, 30, 116
 - blank, 115
 - displaying as rows, 45
 - displaying selected, 50
 - filtering by, 108

- keeping selected, 50
- nested, 38
- pivoting, 45
- removing selected, 53
- retrieving into, 39
- sorting by, 109

columns, Integration Server Drill-Through

- filtering, 231
- selecting display order, 226, 228
- selecting for retrieval from relational source, 226
- sorting, 228
- sorting multiple columns, 231

command descriptions, viewing, 16

commands

- Calculation, 175
- Cascade, 177
- Clear, 37
- Connect, 32, 100, 169
- Currency Report, 183, 187
- Disconnect, 97
- FlashBack, 37
- Keep Only, 50
- Linked Objects, 153, 159
- Lock, 173
- Member Selection, 88
- Navigate Without Data, 54, 57
- new in version 5, xiii
- on toolbar, 18
- Pivot, 45
- Remove Only, 53
- Retrieval Wizard, 76
- Retrieve, 36
- Retrieve & Lock, 173
- Send, 173
- Undo, 37
- Unlock, 173
- Zoom In, 37
- Zoom Out, 40

comparison operators, 86, 109

computing environment, ix

concurrent

- database access, 33, 169
- updates to server, 173

conditional retrievals, 106

Connect button, 19

Connect command, 32, 100, 169

connecting. *See also* disconnecting

- to a database, 32, 100
- to a relational data source, 206, 217, 222
- to Hyperion Integration Server, 217, 222
- to multiple databases, 169
- to server, 32, 100
- viewing current connections, 170

Connection Information text box, 170, 176

consolidations (defined), 12

conversions, currency, 182

creating reports, ix

- ad hoc, 34, 186
- Cascade, 177
- Member Selection, 86
- Retrieval Wizard, 76

Crystal Info for Essbase product, 5

Currency Conversion product, 5

currency conversions, 5, 182

- modifying exchange rates, 187
- reporting, 186
- sample databases, 183
- settings, 187

Currency Report command, 183, 187

Currency Report dialog box, 187

current time period. *See* Dynamic Time Series

cursors (Essbase), 35

custom applications, 4, 5

Customize button, 224

customizing Integration Server Drill-Through reports, 208, 224

D

daily data retrievals, 189

data

- calculating, 175
- changing orientation, 45
- comparison operators, 109
- defining specific values, 140
- displaying, 8, 35
- dynamically calculating, 135
- filtering, 106
- filtering, with Integration Server Drill-Through, 236
- formatting, 61
- locking, 173
- mapping, 190

- missing, [59](#)
- modifying, [173](#)
- navigating, [12](#), [54](#)
- pivoting, [45](#)
- relational
 - with Essbase SQL Drill-Through, [189](#)
 - with Integration Server Drill-Through, [205](#)
- removing subsets, [53](#)
- retaining subsets, [50](#)
- retrievals, daily, [189](#)
- retrieving. *See* retrieving
- sorting, [106](#), [109](#)
- transaction level, [189](#)
- unlocking, [173](#)
- updating, [173](#), [175](#)
- data sort order, with Integration Server Drill-Through, [228](#)
- data source, relational, [222](#)
- database outline. *See* outlines
- databases, [7](#)
 - calculating. *See* calculations
 - connecting. *See* connecting
 - consolidations, [12](#)
 - dimensions, [10](#)
 - disconnecting from, [97](#)
 - formulas, [11](#)
 - linked. *See* linked partitions
 - loading, [33](#), [101](#)
 - locking, [173](#)
 - members, [10](#)
 - model (outline), [9](#)
 - organization, [9](#)
 - outlines, [9](#), [12](#)
 - queries. *See* queries
 - restoring previous views, [37](#)
 - rules, [9](#)
 - sample, [31](#), [183](#), [216](#)
 - selecting. *See* connecting
 - substitution variables, [140](#)
 - switching, [169](#)
 - viewing connections, [170](#)
- decimal places, specifying number of, [30](#)
- defining specific values, [140](#)
- Delete Profile button, [197](#)
- deleting
 - filters, Integration Server Drill-Through, [236](#)
 - selected members, [53](#)
 - SQL profiles, [197](#)
 - styles, [69](#)
- descendants (defined), [11](#)
- descending sort order
 - with Integration Server Drill-Through, [228](#)
 - with Retrieval Wizard, [109](#)
- Destination Options page, [178](#)
- destinations
 - cascaded sheets, [178](#)
 - Retrieval Wizard queries, [83](#)
 - SQL queries, [196](#)
- detaching. *See* disconnecting
- dialog boxes, Help buttons, [21](#)
- dimensions
 - applying styles, [65](#)
 - currency conversion and, [183](#)
 - described, [7](#), [10](#)
 - naming elements, [10](#)
 - pivoting, [45](#)
 - zooming in on, [37](#), [39](#)
- disabling data retrieval. *See* navigating without data
- Disconnect command, [97](#)
- Disconnect dialog box, [97](#)
- disconnecting
 - forced logouts, [98](#)
 - from Integration Server, [237](#)
 - from server, [97](#)
- discontinuous rows and columns, [51](#)
- disk space
 - Dynamic Calculation effect on, [135](#)
- display options, [61](#)
- display order of columns, Integration Server Drill-Through, [226](#)
- Display page (Essbase Options dialog box), [25](#), [210](#)
- Display Unknown Member option, [117](#), [119](#)
- displaying. *See* viewing
- displaying data, [8](#), [35](#)
- distributed sheets. *See* cascading sheets

DOCS directory, [x](#)
documentation, [ix](#)
 conventions, [xi](#)
 organization, [x](#)
 other Essbase sources, [xii](#)
 PDF, [x](#)
double-clicking
 defined, [23](#)
 enabling
 for linked object browsing, [162](#),
 [171](#), [221](#)
 for zooming, [23](#)
downloading Acrobat Reader, [x](#)
drag (defined), [23](#)
drag-and-drop operations, [45](#)
drill down. *See* zoom
Drill-Through Wizard
 described, [208](#)
 introductory screen, [225](#)
Drill-Through Wizard dialog box, [225](#)
Drill-Through, Integration Server
 accessing, [207](#), [217](#)
 cells, defining styles for, [217](#)
 described, [205](#), [206](#)
 Drill-Through Wizard, [208](#)
 installing, [209](#)
 multiple reports, [207](#)
 requirements, [209](#)
 sample
 database, [216](#)
 Drill-Through report, [216](#)
 file, [218](#)
 styles for cells, [207](#)
 tasks, [217](#)
 tutorial guidelines, [210](#)
 using, [217](#)
duplicating sheets. *See* cascading sheets
Dynamic Calculation members
 applying styles, [135](#), [136](#)
Dynamic Time Series, [137](#)
 specifying latest time period, [139](#), [140](#)
 using substitution variables, [140](#)

E

Edit Cell Note dialog box, [165](#)
Edit menu, [37](#)
Edit Profile button, [197](#)
Edit SQL button, [196](#)
Edit URL dialog box, [168](#)
editing
 cell notes, [164](#)
 linked files, [163](#)
 SQL profiles, [197](#)
 SQL statements, [196](#)
 URLs, [166](#), [168](#)
editing in cells, [23](#)
Enable FlashBack option, [24](#)
enabling
 Essbase toolbar, [16](#)
 FlashBack setting, [24](#), [37](#)
 mouse actions, [23](#), [162](#), [171](#)
 Navigate Without Data, [54](#)
environment (computing), [ix](#)
Essbase, [1](#)
 API, [4](#)
 architecture, [2](#)
 computing environment, [ix](#)
 connecting to. *See* connecting
 disconnecting from. *See* disconnecting
 intended audience, [1](#)
 menu, [15](#)
 network requirements, [4](#)
 new features, [xiii](#)
 starting a session, [15](#)
 toolbar, [18](#)
 installing, [16](#)
 viewing, [18](#)
 upgrades, [xiii](#)
Essbase Cascade Options dialog box, [177](#)
Essbase Disconnect dialog box, [97](#)
Essbase Member Selection dialog box, [88](#)
 with Retrieval Wizard, [78](#)
Essbase Options dialog box, [25](#), [210](#)
Essbase SQL Drill-Through.
 See SQL Drill-Through

Essbase System Login dialog box, [32](#), [100](#)

EssCell function, [130](#)

error messages, [134](#)

syntax, [131](#)

ESSEXCEL.PDF file (user's guide), [x](#)

ESSEXCLN.XLL file, [15](#)

Excel

Add-in Manager, installing Essbase

menu, [14](#)

clearing formats, [37](#), [70](#)

formulas in cells, [115](#), [121](#)

manually adding Spreadsheet Add-in, [14](#)

mouse actions, [23](#)

sample tutorial files, [99](#)

status bar, [16](#)

undoing, [37](#)

Excel Spreadsheet Add-in. *See* Spreadsheet

Add-in

exchange rates, [183](#)

Execute button, [224](#)

executing Integration Server Drill-Through

reports, [222](#), [223](#)

expanding data views. *See* zoom

expanding formulas when zooming, [121](#)

external files, [152](#)

F

features, Spreadsheet Add-in. *See* commands

files

accessing linked, [162](#)

destinations

cascaded sheets, [179](#)

Retrieval Wizard queries, [84](#)

SQL queries, [197](#)

linking to data cells, [153](#)

sample for tutorial, [xi](#), [99](#)

filtering criteria, [106](#)

defining, [106](#) – [9](#)

with Integration Server

Drill-Through, [231](#)

filters

operators, [233](#)

with Integration Server

Drill-Through, [231](#), [236](#)

Find Member dialog box, [90](#)

finding members, [86](#), [90](#)

FlashBack button, [21](#)

FlashBack command, [37](#)

Font dialog box, [64](#)

font formats, [63](#)

Font Style list, [64](#)

forced logouts, [98](#)

formatted sheets

pivoting in, [118](#)

retrieving data into, [115](#)

formatting

data cells

linked objects, [156](#), [171](#)

read/write, [68](#)

read-only, [68](#)

dimension members, [65](#)

displaying aliases, [70](#)

displaying aliases and names, [72](#)

Dynamic Calculation members, [135](#)

enabling styles, [64](#)

linked object cells, [156](#), [171](#)

options for cascaded sheets, [180](#)

parent members, [62](#)

repeating member labels, [74](#)

spreadsheets, [61](#)

text and cells, [61](#) – [68](#)

Formula Fill option, [121](#), [125](#)

Formula Preservation mode

Formula Fill, [121](#)

pivoting in, [118](#)

restrictions with, [118](#), [121](#)

Retain on Keep and Remove Only, [121](#)

Retain on Retrieval, [117](#), [121](#)

Retain on Zooms, [121](#)

formulas, [11](#)

EssCell, [130](#)

Excel, [115](#)

expanding when zooming, [121](#)

in cells, [115](#)

preserving, [117](#), [121](#)

effects on other operations, [121](#) – [26](#)

restrictions with, [118](#)

free-form reporting, [142](#)
 entering generation/level names in, [149](#)
 in Advanced Interpretation mode, [143](#)
 in Free-Form mode, [145](#)
 Free-Form retrieval mode, [145](#)
 guidelines, [146](#)
 functions. *See* macro functions

G

generations, [11](#)
 entering names in spreadsheet, [149](#)
 Global page (Essbase Options dialog box), [23](#)
 global variables. *See* substitution variables

H

help
 other sources, [xii](#)
 Help
 accessing, [21](#)
 menu commands, [16, 22](#)
 Help button, [21](#)
 Hyperion Essbase. *See* Essbase
 Hyperion Integration Server, [7, 205](#)
 Hyperion Integration Server Drill-Through.
See Drill-Through, Integration Server

I

in-cell editing, [23](#)
 installation
 Integration Server Drill-Through, [209](#)
 manually adding Spreadsheet Add-in, [14](#)
 toolbar, [16](#)
 Integration Server Drill-Through. *See* Drill-Through, Integration Server
 Internet, linking cells to URLs, [159](#)
 Interntl sample database, [183](#)

K

Keep Only button, [20](#)
 Keep Only command, [50](#)
 in Formula Preservation mode, [121](#)

L

labels
 applying styles, [65](#)
 displaying with aliases, [72](#)
 entering in spreadsheet, [142, 145](#)
 member names. *See* member names
 repeating, [74](#)
 LAN. *See* networks
 Latest Time Period option, [139](#)
 latest time period, specifying, [137](#)
 levels
 cascading by, [178](#)
 defined, [11](#)
 entering names, [149](#)
 zooming in, [42](#)
 linked objects
 partitions. *See* linked partitions
 reporting objects. *See* linked reporting objects
 Linked Objects Browser dialog box, [152 – 69, 44 – 52, 171, 221](#)
 Linked Objects command, [154, 157, 160](#)
 linked partitions
 access privileges, [172](#)
 accessing from spreadsheet, [171](#)
 cells, applying styles, [171](#)
 Linked Reporting Objects
 accessing from spreadsheet, [162](#)
 applying styles, [156](#)
 cell notes, [157](#)
 creating, [152](#)
 external files, [153](#)
 URLs, [159](#)
 linking
 cell notes, [157](#)
 external files, [153](#)
 partitions, [171](#)
 URLs to data cells, [159](#)
 list, cascaded sheets, [181](#)
 local area network. *See* networks
 Lock command, [173](#)
 locking data blocks
 with multiple users, [173](#)
 logging data updates from spreadsheet, [175](#)

logging in
 to a relational data source, [222](#)
 to Hyperion Integration Server, [222](#)
 logging in to Essbase. *See* connecting
 logging out of Essbase. *See* disconnecting
 logical operators, [91](#)

M

macro functions
 EssCell, [130](#)
 Spreadsheet Toolkit, [x](#), [6](#), [22](#)
 main menu (Essbase), [15](#)
 manual calculation mode (Excel), [133](#)
 Member Information dialog box, [89](#)
 member names
 aliases for, [70](#)
 alternate. *See* aliases
 applying styles, [62](#), [65](#)
 displaying with aliases, [72](#)
 entering in spreadsheet, [142](#), [145](#)
 formatted sheets, [115](#)
 indenting, [12](#)
 repeating, [74](#)
 with EssCell function, [131](#)
 Member Preview dialog box, [93](#)
 Member Retention option, [42](#)
 Member Selection button, [21](#)
 Member Selection command, [88](#)
 Member Selection dialog box, [88](#)
 with Retrieval Wizard, [78](#)
 members
 adding, [37](#)
 aliases for, [70](#)
 ancestors, [11](#)
 applying styles, [62](#), [65](#)
 children, [11](#)
 collapsing, [40](#)
 defined, [10](#)
 deleting, [53](#)
 descendants, [11](#)
 de-selecting, [95](#)
 Dynamic Calculation, [135](#)
 Dynamic Time Series, [137](#)
 finding, [86](#), [90](#)
 generations, [11](#)
 levels, [11](#)

names. *See* member names
 parents, [10](#)
 retaining, [50](#)
 selecting, [78](#), [86](#)
 siblings, [11](#)
 zooming in on, [38](#), [39](#)
 zooming out on, [40](#)
 menu (Essbase), [15](#)
 menu commands, [16](#), [22](#)
 messages (Essbase)
 database calculation status, [176](#)
 display options, [119](#)
 EssCell, [134](#)
 missing SQLDRILL file, [191](#)
 nondata point cell, [195](#)
 SQL operation, [198](#)
 unknown member, [117](#)
 migrating to V5, [xiii](#)
 missing values, suppressing, [58](#)
 in cascaded sheets, [180](#)
 unavailable, [121](#)
 Mode page (Essbase Options dialog
 box), [28](#), [104](#), [121](#)
 modifying. *See* changing
 money. *See* currency conversions
 mouse actions, enabling, [22](#)
 Move Down button, [228](#)
 Move Up button, [228](#)
 moving rows and columns. *See* pivot
 moving through spreadsheets, [54](#)
 multidimensional databases. *See* databases
 multiple filter conditions, with Integration
 Server Drill-Through, [234](#)

N

Named Pipes protocol, [4](#)
 names
 alternate. *See* aliases
 applying styles, [62](#)
 displaying with aliases, [72](#)
 entering generation, [149](#)
 entering level, [149](#)
 repeating, [74](#)
 Navigate With or Without Data button, [19](#)
 Navigate Without Data command, [54](#), [57](#)
 navigating without data, [54](#)

nested columns or rows, 38
 networks, 4
 networks, 4
 Next Level option, 42, 178
 nonadjacent cells, 51
 notes, linking to data cells, 157
 null values, 131
 numeric values, preserving, 115

O

Objects product, 5
 ODBC clients, 6, 190
 OLAP (defined), 1
 OLAP server. *See* server
 on-line analytical processing, 1
 online help
 other sources, xii
 online Help
 displaying for spreadsheet, 21
 menu commands, 16, 22
 online user's guide, x
 opening
 Essbase, 15
 existing query, 107
 operating systems, 4
 operators, comparison, 86, 109
 options
 Cascade, 177
 Display, 25, 102, 210
 Global, 23, 29, 105, 215
 Mode, 28, 104, 121, 213
 setting for advanced tutorial, 102
 setting for basic tutorial, 25
 setting for Drill-Through tutorial, 210
 Style, 63
 Zoom, 27, 42, 103, 212
 Options button, 21
 Options dialog box, 25, 210
 OR operators, 86, 109
 Order By button, 231
 Order By dialog box, 231

ordering
 columns, Integration Server
 Drill-Through, 226, 228
 rows, Integration Server
 Drill-Through, 228
 outlines, 9
 consolidations, 12
 dimensions, 10
 Dynamic Calculation members, 135
 Dynamic Time Series members, 137
 formulas, 11
 members, 10
 User-Defined Attributes, xiv
 output
 cascaded sheets, 177
 SQL Drill-Through, 196
 Output Options button, 196
 Output Options dialog box, 197
 overlapping styles, 69

P

parents
 applying styles, 62
 defined, 10
 Partitioning product. *See* linked partitions
 partitions. *See* linked partitions
 passwords
 changing, 34
 entering, 33, 100
 pattern matching, 91
 PDF, User's Guide, x
 pivot
 asymmetric reports and, 114
 by dragging, 46
 described, 23, 45
 effect on text, 116
 formatted sheets and, 118
 formula preservation and, 118
 rows or columns, 45, 114
 unavailable, 116
 without retrieving data, 55

Pivot command, [45](#)
 power loss, [98](#)
 preferences. *See* options
 preserving formulas, [117](#), [121](#) – [26](#)
 previewing member selections, [93](#)
 primary mouse button, [22](#)
 printer destination
 cascaded sheets, [179](#)
 SQL output, [197](#)
 printing user's guide, [x](#)
 programming interface, [4](#)

Q

queries
 applying styles, [85](#)
 asynchronous, [198](#)
 defining, [76](#), [189](#)
 dimension layout, [77](#)
 displaying results, [85](#)
 opening, [76](#)
 saving, [83](#)
 selecting members, [77](#)
 Query Options button, [196](#)
 Query Options dialog box, [196](#)

R

ranges. *See* cell ranges
 read/write cells, [68](#)
 read-only cells, [68](#)
 relational data source, [222](#)
 relational databases
 accessing with Essbase SQL Drill-Through, [189](#)
 accessing with Integration Server Drill-Through, [206](#)
 remote databases. *See* linked partitions
 Remove Only button, [20](#)
 Remove Only command, [53](#)
 in Formula Preservation mode, [121](#)
 Remove Unselected Groups option, [121](#)
 removing. *See* deleting
 Repeat Member Labels option, [74](#)
 repeating member labels, [74](#)
 report script commands, [145](#)
 Report Script commands, [149](#)

reporting products, [5](#)
 reports, [ix](#)
 ad hoc, [34](#), [118](#)
 ad hoc currency, [186](#)
 asymmetric, [112](#)
 creating multiple, [177](#)
 formatted, [115](#)
 free-form, [142](#)
 saving, [97](#)
 reports, Integration Server Drill-Through
 accessing, [217](#)
 customizing, [224](#)
 disconnecting from, [237](#)
 executing, [222](#)
 selecting to view or customize, [223](#)
 restoring database views, [37](#)
 restrictions, with Formula Preservation, [121](#)
 Retain on Keep and Remove Only option, [121](#)
 Retain on Retrieval option, [117](#), [121](#)
 unavailable, [121](#)
 Retain on Zooms option, [121](#), [124](#)
 retaining
 data subsets, [50](#)
 formulas, [115](#), [116](#)
 when retaining data, [121](#)
 when retrieving, [117](#), [121](#)
 when zooming, [121](#)
 selected members, [50](#)
 retrieval cursors, [35](#)
 retrieval modes, [142](#)
 Retrieval Wizard, [76](#) – [86](#)
 applying option settings, [85](#)
 creating queries, [77](#)
 saving queries, [83](#)
 Retrieval Wizard button, [20](#)
 Retrieval Wizard command, [76](#)
 retrievals (conditional), [106](#)
 Retrieve & Lock command, [173](#)
 Retrieve button, [19](#)
 Retrieve command, [36](#)
 retrieving
 Advanced Interpretation mode and, [143](#)
 canceling, [36](#)
 currency conversion, [183](#)
 data, [31](#)
 Dynamic Calculation members, [135](#)
 formula preservation and, [121](#)
 Free-Form mode and, [145](#)

- functions, 130
- increasing speed, 69, 113, 127, 135
- into asymmetric reports, 112
- into columns, 39
- into formatted sheets, 115
 - rules for, 115
- into rows, 39
- less detail, 40
- more detail, 37
- performance impact, 69, 113, 135
- range of cells, 127
- retaining formulas and, 117, 121
- Retrieval Wizard and, 76
- selected cells, 127
- starting process and, 34
- suppressing data and, 54
- reverting to previous database view, 37
- rows
 - blank, 115
 - deleting during pivot, 114
 - displaying as columns, 45
 - displaying selected, 50
 - filtering by, 108
 - keeping discontinuous, 51
 - nested, 38
 - number allowed, xiv
 - pivoting, 45
 - removing selected, 53
 - retrieving into, 39
 - sorting within, 109
 - suppressing values in, 58, 180

S

- sample
 - databases, xi, 31, 183, 216
 - connecting to, 33, 183
 - files for tutorial, location, 99
- Sample Basic, 31
 - connecting to, 33
 - values in, 30
- sample database for Integration Server
 - Drill-Through, 216
- Sample directory, 99
- Save As command, 97
- Save command, 97
- saving
 - queries, 83
 - spreadsheets, 97
- secondary mouse button, 22
- select (defined), 22
- Select Calc Script option, 176
- Select Columns and Display Order
 - dialog box, 226, 227
- Select Data Filters dialog box, 231, 232
- Select Data Sort Order dialog box, 228, 229
- Select Drill-Through Report dialog box, 223, 224
- Select Filter Values from the List
 - dialog box, 233, 234
- selecting
 - cells to keep, 50
 - cells to remove, 53
 - latest time period, 137
 - members, 86
 - nonadjacent cells, 51
 - range of cells for retrieval, 127
- Send command, 173
- sending
 - data to server, 173
 - log file, 175
- server, 2, 4
 - changing password, 34
 - client-server environment, 2
 - connecting to, 32, 100
 - disconnecting from, 97
 - Essbase OLAP, described, 4
 - Hyperion Integration Server, 7, 205
 - logging updates to, 173
 - migrating to V5, with client, xiii
 - name, 32, 100
 - on network, 4
 - sending data to, 173
 - setting substitution variables on, 140
- Set Filter on Column dialog box, 233
- shared members
 - applying styles to, 63
- sheet destination
 - Cascade option, 178
 - SQL output option, 197
- sheets. *See* spreadsheets

- shortcuts
 - mouse actions, 23
 - toolbar buttons, 18
- siblings (defined), 11
- sort order, with Integration Server
 - Drill-Through, 228
 - default sort order, 229
 - sorting multiple columns, 231
- sorting criteria, 106
 - defining, 109 – 10
- Spreadsheet Add-in, 4
 - accessing Integration Server
 - Drill-Through from, 217
 - ESSEXCLN.XLL add-in file, 15
 - installing
 - manually adding Spreadsheet Add-in, 14
 - toolbar, 16
 - logging data updates, 175
 - retrieval cursors, 35
 - starting, 15
 - users, described, 2
- Spreadsheet Toolkit product, 6
- spreadsheets
 - cascading, 177
 - creating multiple, 177
 - data update log file, 175
 - described, 7
 - display options, 25, 58, 61, 71, 72, 74
 - distributing, 177
 - formatted, 115 – 20
 - formatting, 61
 - global options, 23, 37, 119
 - mode options, 121, 142
 - navigating without data in, 54
 - preserving formulas in, 115 – 20
 - retrieving data, 31
 - saving, 97
 - style options, 61
 - zoom options, 42
- SQL Database Login dialog box, 195
- SQL Drill-Through, 6, 189
 - installing, 190
 - limiting records returned, 197
 - login options, 196
 - output options, 196, 197
 - problems with, 191
 - query options, 196
 - sample file, 194
- SQL Interface, 6, 191
- SQLDRILL.INI file, 191
- starting
 - data retrieval, 35
 - Essbase, 15
 - Hyperion Integration Server
 - Drill-Through, 217
 - Spreadsheet Add-in, 15
- status bar
 - enabling/disabling, 16
- status of database connections, 170
- Structured Query Language.
 - See SQL Drill-Through
- Style page (Essbase Options dialog box), 63
- styles
 - applying
 - to data cells, 68
 - to dimensions, 65
 - to Dynamic Calculation members, 136
 - to Integration Server Drill-Through cells, 217
 - to linked partition cells, 171
 - to linked reporting object cells, 156
 - to members, 62
 - to Retrieval Wizard results, 85
 - to shared members, 63
 - clearing, 70
 - defining, 62, 63
 - hierarchy of, 69
 - overlapping, 69
 - removing, 69
 - selecting members, 63
 - stored in ESSBASE.INI, 67
 - turning off, 70
 - turning on, 64

Subset dialog box, 91, 93

subsets

- defining member, 91
- removing, 53
- retaining, 50

substitution variables, 140 – 42

suppressing

- data retrieval, 54
- missing values, 58
 - unavailable, 121
- underscore characters, 58
 - zero values, 58
 - unavailable, 121

symmetric reports, 112

System Administrator, 2

system failure, 98

T

table of contents, with Cascade, 181

TCP/IP protocol, 4

terminating database connections.

- See* disconnecting

text

- entering free-form, 142
- formatting, 64
- hierarchy of styles, 69
- pivoting. *See* pivot
- preserving formatted, 115

time periods, 137

title members, with Zoom In, 39

to-date calculations, specifying, 137

toolbar (Essbase), 21

- buttons on, 19
- installing, 16
- viewing, 18

Toolbars command, 16, 18

tracking data updates, 175

transaction-level data

- accessing
 - with Integration Server Drill-Through, 206
 - with Essbase SQL Drill-Through, 189

transparent partitions. *See* linked partitions

transport protocol, 4

tutorial

- advanced tasks, 99
- basic tasks, 13
- guidelines, 30
- Integration Server Drill-Through, 205
- preparing for, 25

U

UDA. *See* User-Defined Attributes

underscore characters, suppressing, 60

Undo command. *See* FlashBack command

undoing actions, 37

Unlock command, 173

unlocking data blocks, 173

Update Mode, 173

updating

- data, 173
- log file, 175

upgrading, xiii

up-to-date calculations, 137

URLs

- accessing linked, 166
- editing, 168
- length limits, 161
- linking to data cells, 159
- syntax check, 167

Use Aliases option, 71

Use Both Member Names and Aliases option, 73

Use Sheet Options with Retrieval Wizard option, 85

Use Styles option, 64

user name, entering, 33, 100

User-Defined Attributes, xiv, 89, 91

users, 2

V

V2.x mode, 145

variables, substitution, 140

VBA functions, x

version 5 (Essbase)

- new features, xiii

viewing

- active connections, 170
- aliases, 70
- aliases and names, 72
- data in spreadsheet, 34
- Dynamic Calculation members, 135
- Essbase menu, 16
- Essbase toolbar, 16, 18
- fewer members. *See* zoom
- linked partitions, 171
- linked reporting objects, 162
- more members. *See* zoom
- multidimensional data, 8
- online Help, 21
- repeated member labels, 74
- spreadsheet without data, 54
- styles, 64
- toolbar, 16, 18
- user's guide, x
- views, restoring, 37
- Visual Basic for Applications. *See* VBA functions
- visual cues. *See* styles
- retain formulas during, 121
 - to less detail, 40
 - to more detail, 37
- Zoom In button, 20, 37
- Zoom In command, 37
 - selecting levels, 42
- Zoom options, 42
- Zoom Out button, 20
- Zoom Out command, 40
- Zoom page (Essbase Options dialog box), 27, 42

W

- Web Gateway product, 5
- Web resources, linking to data cells, 159
- wildcard characters, 90
- Windows NT Registry, changes to, 14
- Within Selected Group option, 44, 113
- World Wide Web, linking to data cells, 159

X

- Xchgrate sample database, 183

Z

- zero values, suppressing, 60
 - unavailable, 121
- zoom, 12
 - by double-clicking, 23
 - Formula Fill, 121