



IBM Software Group

IBM WebSphere® Data Interchange V3.3

for Multi-platforms Client Installation Walk Through



@business on demand.

© 2007 IBM Corporation

Goals

- This presentation is intended to acquaint you with the default installation of WebSphere Data Interchange (WDI) v3.3 for Multi-platforms Windows Client.



This presentation is intended to acquaint you with the default installation of WebSphere Data Interchange (WDI) v3.3 for Multi-platforms Windows Client.

WDI 3.3 Client Install

- To begin, you will need the WebSphere Data Interchange V3.3 Client install package.



To begin, you will need the WebSphere Data Interchange V3.3 Client install package.

WDI 3.3 Client Install

- WebSphere Data Interchange (WDI) Client has an InstallShield Wizard that guides you through the installation process .



WebSphere Data Interchange (WDI) Client has an InstallShield Wizard that guides you through the installation process .

WDI 3.3 Client Install


- To use the InstallShield Wizard, you should be logged in as an Administrator level user.
- By default, the WebSphere Data Interchange V3.3 Client is installed to
C:\Program Files\IBM\WDIClient\V3.3



To use the InstallShield Wizard, you should be logged in as an Administrator level user.
By default, the WebSphere Data Interchange V3.3 Client is installed to **C:\Program Files\IBM\WDIClient\V3.3**

WDI 3.3 Client Install

- On the menu bar, click **Start > Run** .
- Locate the directory that contains the WDI V3.3 Client Installation executable. The executable is called **WDIClientV33.exe** .
- Run the **WDIClientV33.exe** executable to start the InstallShield Wizard.




On the menu bar, click **Start > Run** .

Locate the directory that contains the WDI V3.3 Client Installation executable. The executable is called **WDIClientV33.exe** .

Run the **WDIClientV33.exe** executable to start the InstallShield Wizard.

WDI 3.3 Client Install

- If the executable starts InstallShield correctly, you should see something similar to the example to the right.



If the executable starts InstallShield correctly, you should see something similar to the example to the right.

WDI 3.3 Client Install



- The InstallShield package will begin with a “Welcome” screen. Press the **Next >** button.



The InstallShield package will begin with a “Welcome” screen. Press the **Next >** button.

WDI 3.3 Client Install




- The next screen that you will see should be the License Acceptance Panel. Select the “I accept the terms in the license agreement” radio button option, which will activate the Next > button. Press the **N**ext > button.



The next screen that you will see should be the License Acceptance Panel. Select the “I accept the terms in the license agreement” radio button option, which will activate the Next > button. Press the **N**ext > button.

WDI 3.3 Client Install



- The third Install screen/panel that you should see will specify the location where you will install the WDI V3.3 Server. **The default path/directory is C:\Program Files\IBM\WDIClient\V3.3.** You may use this or change it to another location on your PC/Server. When you have specified the location that you want, press the **Next >** button.




The third Install screen/panel that you should see will specify the location where you will install the WDI V3.3 Server.

The default path/directory is C:\Program Files\IBM\WDIClient\V3.3.

You may use this or change it to another location on your PC/Server. When you have specified the location that you want, press the **Next >** button.

WDI 3.3 Client Install




- The fourth install screen/panel will confirm your install path and advise as to the total size of the WDI V3.3 Client code. Currently as 99.4 MB. If the install path is correct and you have (at least) this much free space on the drive that you are installing to, press the **Next >** button.



The fourth install screen/panel will confirm your install path and advise as to the total size of the WDI V3.3 Client code.

Currently as 99.4 MB. If the install path is correct and you have (at least) this much free space on the drive that you are installing to, press the **Next >** button.

WDI 3.3 Client Install




- This will begin the installation of WDI V3.3 Client. You will see the progress of the install as shown in the example above.



This will begin the installation of WDI V3.3 Client. You will see the progress of the install as shown in the example above.

WDI 3.3 Client Install



- When the installation of WDI V3.3 Client is complete, you should see the final InstallShield screen as shown in the example above. Press the **Finish** button.



When the installation of WDI V3.3 Client is complete, you should see the final InstallShield screen as shown in the example above.

Press the **Finish** button.

WDI 3.3 Client Install

- Okay, now we have the WDI V3.3 Client installed on our Windows operating system. Let's verify that the install worked.
- Go to the location that you specified in the install path. **The default path/directory is C:\Program Files\IBM\WDIClient\V3.3.** If you chose a different path, then hopefully you wrote it down or remember what it was.



Okay, now we have the WDI V3.3 Client installed on our Windows operating system. Let's verify that the install worked.


Go to the location that you specified in the install path.

The default path/directory is C:\Program Files\IBM\WDIClient\V3.3.

If you chose a different path, then hopefully you wrote it down or remember what it was.

WDI 3.3 Client Install

- After the InstallShield installation, the WDI V3.3 Client installation directory structure should contain the following:



After the InstallShield installation, the WDI V3.3 Client installation directory structure should contain the following:

WDI 3.3 Client Install

- This is the end of the WDI 3.3 Client Installation walkthrough.



This is the end of the WDI 3.3 Client Installation walkthrough.

Trademarks, copyrights, and disclaimers

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

IBM
IBM (logo)
e/Logo/business
AIX

CICS
Cloudscape
DB2
DB2 Universal Database

IMS
Informix
iSeries
Lotus

WMO
OS/390
OS/400
pSeries

Tivoli
WebSphere
xSeries
zSeries

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Intel, ActionMedia, LANDesk, MMX, Pentium and ProShare are trademarks of Intel Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a registered trademark of Linus Torvalds.

Other company, product and service names may be trademarks or service marks of others.

Product data has been reviewed for accuracy as of the date of initial publication. Product data is subject to change without notice. This document could include technical inaccuracies or typographical errors. IBM may make improvements and/or changes in the product(s) and/or program(s) described herein at any time without notice. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business. Any reference to an IBM Program Product in this document is not intended to state or imply that only that program product may be used. Any functionally equivalent program, that does not infringe IBM's intellectual property rights, may be used instead.

Information is provided "AS IS" without warranty of any kind. THE INFORMATION PROVIDED IN THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IBM EXPRESSLY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. IBM shall have no responsibility to update this information. IBM products are warranted, if at all, according to the terms and conditions of the agreements (e.g., IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided. Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. IBM makes no representations or warranties, express or implied, regarding non-IBM products and services.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents or copyrights. Inquiries regarding patent or copyright licenses should be made, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

© Copyright International Business Machines Corporation 2006. All rights reserved.

Note to U.S. Government Users - Documentation related to restricted rights-Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract and IBM Corp.

