

*IBM Network Station Family of Thin Clients*  
Access for today, flexibility for tomorrow



# Network Station Manager V2R1 AIX Platform Specific Information

August 29, 1999



# Installation on AIX (V1R3 vs. V2R1)

- **Changes relative to Version 1 Release 3**
  - ▶ V1R3 - product contained in one fileset - netstation.base.rte 1.3.0.x
  - ▶ V2R1 - product separated into functional filesets -
    - eNetstation.base.rte 2.1.0.0
    - eNetstation.S2x00.base.rte 2.1.0.0
    - eNetstation.S300\_1000.rte 2.1.0.0
    - eNetstation.login.rte 2.1.0.0
    - etc.
- **Directory structure which allows for coexistence**
  - ▶ V1R3 - product resides at /usr/netstation
  - ▶ V2R1 - product resides at /usr/NetworkStationV2
- **NSM product URL's differ for coexistence**
  - ▶ V1R3 - [http://<nsm\\_server>/networkstation/admin](http://<nsm_server>/networkstation/admin)
  - ▶ V2R1 - [http://<nsm\\_server>/networkstationv2/admin](http://<nsm_server>/networkstationv2/admin)



# AIX Installation (V1R3 vs. V2R1)

- **Migration from prior release**
  - ▶ V1R3 - run automatically during AIX installation
  - ▶ V2R1 - optionally run from command line after install



# AIX Installation (filesets & size)

## ■ Typical server installs

- ▶ eNetstation.base 12.20 Meg
- ▶ eNetstation.login .25Meg
- ▶ eNetstation.nsm 2.22 Meg
- ▶ eNetstation.S2x00.base 52.10 Meg corresponding S300\_1000
- ▶ eNetstation.S2x00.emul 4.25 Meg corresponding S300\_1000
- ▶ eNetstation.S2x00.fnts\_all 12.50 Meg corresponding S300\_1000
- ▶ eNetstation.S2x00.ica 1.36 Meg corresponding S300\_1000
- ▶ eNetstation.S2x00.java 11.37 Meg corresponding S300\_1000
- ▶ eNetstation.S2x00.netscape 26.10 Meg corresponding S300\_1000

## ■ International language support

- ▶ eNetstation.msg.<lang> .05 Meg
- ▶ eNetstation.nsm.<lang> 1.40 Meg
- ▶ eNetstation.S2x00.nls.<lang> .90 Meg corresponding S300\_1000



# AIX Installation (filesets & size) (continued)

- **Highly encrypted (US-only) support**
  - ▶ eNetstation.Sx200.sec128.ica-us .84 Meg
  - ▶ eNetstation.Sx200.sec128.netscape-us 10.20 Meg
  - ▶ eNetstation.Sx200.sec128.ssl .24 Meg
- **Optional NSM command line tool (requires java.rte on the server)**
  - ▶ eNetstation.tools 1.6 Meg